KOLAR Document ID: 1453815

	WELL R			WWC-5		vision of Wat						
		Correction		e in Well Use	1	ources App.			Well ID			
1 LOCATION OF WATER WELL: Fraction County: 1/4						1 0				ge Number		
county.						$\begin{array}{c c c c c c c c c c c c c c c c c c c $						
							irection from nearest town or intersection): If at owner's address, check here:					
Address:	Address:						······································					
Address:			G	710								
City: 3 LOCAT			State:	ZIP:								
WITH "		ft										
	N BOX:	ft.	Longitude:(decimal degrees)									
1	N 2) ft. 3) ft., or 4)							WGS 84 INAI		IAD 27		
	below land surface, measured on (mo-day-yr							Latitude/Longitude unit make/model:)		
NW				, measured on (mo-day-	measured on (mo-day-yr)			(WAAS enabled? \Box Yes \Box No)				
	Pump test data: Well w					Land Survey Topographic Map						
			after hours pumping gpi Well water was ft.				Online	e Mapper:				
swX	svX se after			hours pumping gpm								
			ted Yield:gpm				6 Elevation:ft. Ground Level TOC					
			Hole Diameter: in. to fi			Source	Source: Land Survey GPS Topographic Ma					
7 WELL WATER TO BE USED AS: 1. Domestic: 5. □ Public Water Supply: well ID 10. □ Oil Field Water Supply: lease												
	☐ Household 5. ☐ Fuone water supply. wen iD 6. ☐ Dewatering: how many wells?											
Lawn d	Lawn & Garden 7. Aquifer Recharge: well ID							Uncased 🔲				
	Livestock 8. Monitoring: well ID						12. Geothermal: how many bores?					
	2. Irrigation 9. Environmental Remediation: well ID.						a) Closed Loop 🔲 Horizontal 🗌 Vertical					
3. □ Feedlot □ Air Sparge □ Soil Vapor Ex 4. □ Industrial □ Recovery □ Injection							b) Open Loop Surface Discharge Inj. of Water 13. Other (specify):					
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:												
Water well disinfected? Ves No												
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded												
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft.												
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No												
TYPE OF SCREEN OR PERFORATION MATERIAL:												
Steel Steel Fiberglass PVC Other (Specify) Brass Galvanized Steel Concrete tile None used (open hole)												
SCREEN OR PERFORATION OPENINGS ARE:												
□ Continuous Slot □ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify)												
Louvered Shutter Key Punched Wire Wrapped Saw Cut None (Open Hole)												
				n ft. to								
GRAVEL PACK INTERVALS: From												
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other												
	rce of possible		on: No	potential source of con	tamination wi	11., F1011 thin 200 ft	1	11. 10	II.			
			Lateral Line			Livestock P	ens	Insection	cide Storage			
Sewer			Cess Pool	Sewage Lag		Fuel Storage			oned Water	Well		
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well												
Direction from well? ft.												
10 FROM	TO		ITHOLOG		FROM	ТО		HO. LOG (cont.) or		G INTERVALS		
					-		L					
					Notes:		1					
				S CERTIFICATION								
under my j	urisdiction an	d was compl	eted on (n	no-day-year)	and	this record	is tru	te to the best of m	y knowled	ge and belief.		
				This Wa								
	5	Send one copy to	WATER W	ELL OWNER and retain of	one for your rec	ords. Fee of \$	5.00 f	or each constructed we	211.			
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212												
Visit us at h	ttp://www.kdhel	s.gov/waterwel	l/index.html						KS	SA 82a-1212		