## WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

|  | County                                    | Fraction                  |     | Section number |     | Township number   | Range number                                   |                     |
|--|---|---------------------------|-----|----------------|-----|---|--|---------------------|
| 1. Location of well:                             | Meade                                     | NE 1/4 NE 1/4 SE          | 1/4 | 1/4 18         |     | т 31 s  | R 30   | E/W                 |
| 2 north of Plains, Kansas R.R. or s              |   |                           |     |                |     | Jerome Eakes<br>RFD<br>Plains, Kansas   | 67869  |                     |
| 4. Locate with "X" in section below: Sketch map: |   |                           |     |                |     | 6. Bore hole dia 9 7/8 in   | . Completion date                              |                     |
| N  |   |                           |     |                |     | Well depth 313 ft.  7 Cable tool X Rotary Hollow rad Jetted   | Driven Dug                                     | rse rotary          |
|  |   |                           |     |                |     | 8. Use: X Domestic Public supply Industry Irrigation Air conditioning Stock Lawn Oil field water Other  |  |                     |
| S S S S S S S S S S S S S S S S S S S            |   |                           |     |                |     | 9. Casing: Material PVC       Height: Above or below         Threaded Welded X       Surface 12       in.         RMP       PVC X       Weight 2.8       lbs./ft. |  |                     |
| ı → 1 Mile → ı                                   |   |                           |     |                | То  | Dia. 5 in. to 313 ft. dep<br>Dia. in. to ft. dep  | th!Wall Thickness: inc                         | ches or             |
| 5. Type and color of material                    |   |                           |     |                | "   | 10. Screen: Manufacturer's r<br>Jess & L  | name   |                     |
| Top soil   |   |                           |     |                | 6   | Type PVC  | _ Dia5"  |                     |
| Clay   |   |                           |     | 6              | 42  | Slot/gauze fine Set between 193   | ft. and313                                     | ft.                 |
| Sandy clay                                       |   |                           |     | 42             | 103 | Gravel pack Y <u>es</u> Size ra   | and<br>nge of material 1/64                    | <u>-57</u> 52       |
| Med. to lar. samid & clay                        |   |                           |     | 103            | 140 | 11. Static water level:   | mo.  | /day/yr.<br>28/77   |
| Clay   |   |                           |     | 140            | 170 | 12. Pumping level below land  | d surfaces:                                    |                     |
| Fine & med. sand with clay streaks               |   |                           |     | 170            | 310 | ft. after   | hrs. pumping                                   | g.p.m.              |
| Blue clay  |   |                           |     | 310            | 320 | 13. Water sample submitted:   | mo.  | _g.p.m.<br>/day/yr. |
|  |   |                           |     |                |     | 14. Well head completion:   | Date   | e van je je         |
|  |   |                           |     |                |     | XX Pitless war Init   |  |                     |
|  |   |                           |     |                |     | 15. Well grouted? Yes With: XX Neat cement Depth: From4 ft. to  | Bentonite (<br>                                | Concrete            |
|  |   |                           |     | <u> </u>       |     | 16. Nearest source of possible ft. 25 Direction   | e contamination:                               | well                |
|  |   |                           |     |                |     | Well disinfected upon comple  | etion? XX Yes _                                | No                  |
|  |   |                           |     | <u> </u>       |     |   | Not installed lermotor                         | 220                 |
|  |   |                           |     |                |     | Model number SD19  Length of drop pipe 273  | HP <u>3</u> Vol<br>5_ ft. capacity <u>20</u> _ | rs <u>220</u>       |
|  |   |                           |     |                |     | Type:  XX Submersible   | Turbine  | ,                   |
|  | (Use a second s                           | heet if needed)           |     |                |     | Jet<br>Centrifugal  | Recipro  | ocating             |
| 18. Elevation:                                   | 19. Remarks:                              | ,                         |     |                | ,   | 20. Water well contractor's of This well was drilled under m  |  | report              |
| Topography: Customer will plugg old Well         |   |                           |     |                |     | to be a sea the best of my broundedness and helfet  |  |                     |
| HIII   |   |                           |     |                |     | Friesen Windm<br>Business name<br>Meade, Ka   | Lic  | ense No.            |
| Slope XX Upland Valley                           |   |                           |     |                |     | Address Meade Ra  | Date   | <del>}-1)-7</del>   |
|  | L<br>ue and pink copies to the Department | of Health and Environment |     |                |     |   | Form WW  | /C-5                |