

1 LOCATION OF WATER WELL	Fraction	Section Number	Township Number	Range Number
County: <u>Meade</u>	<u>SW 1/4 SW 1/4 NW 1/4</u>	<u>30</u>	T <u>31</u> S	R <u>30</u> EW

Distance and direction from nearest town or city? Approx 3 1/2 miles north and 2 miles west of Plains

Street address of well if located within city?

2 WATER WELL OWNER: Eugene Huley

RR#, St. Address, Box #: Box 904

City, State, ZIP Code: Lawrence, KS, 66044

Board of Agriculture, Division of Water Resources
Application Number: 33,206

3 DEPTH OF COMPLETED WELL: 502 ft. Bore Hole Diameter: 20 in. to 502 ft. and in. to ft.

Well Water to be used as:

1 Domestic	3 Feedlot	5 Public water supply	8 Air conditioning	11 Injection well
2 Irrigation	4 Industrial	6 Oil field water supply	9 Dewatering	12 Other (Specify below)
		7 Lawn and garden only	10 Observation well	

Well's static water level: 187 ft. below land surface measured on Jan month 16 day 1980 year

Pump Test Data: Well water was 215 ft. after 4 hours pumping. 1450 gpm

Est. Yield 2000 gpm: Well water was ft. after hours pumping gpm

4 TYPE OF BLANK CASING USED:

1 Steel	3 RMP (SR)	5 Wrought iron	8 Concrete tile	Casing Joints: Glued Clamped
2 PVC	4 ABS	6 Asbestos-Cement	9 Other (specify below)	Welded <u>X</u>
		7 Fiberglass		Threaded

Blank casing dia: 16 in. to 502 ft. Dia in. to ft. Dia in. to ft.

Casing height above land surface: 12 in., weight 42.05 lbs./ft. Wall thickness or gauge No. 250

TYPE OF SCREEN OR PERFORATION MATERIAL:

1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)	11 Other (specify)
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS	12 None used (open hole)

Screen or Perforation Openings Are:

1 Continuous slot	3 Mill slot	5 Gauzed wrapped	8 Saw cut	11 None (open hole)
2 Louvered shutter	4 Key punched	6 Wire wrapped	9 Drilled holes	
		7 Torch cut	10 Other (specify)	

Screen-Perforation Dia: 16 in. to 502 ft. Dia in. to ft. Dia in. to ft.

Screen-Perforated Intervals: From 232 ft. to 502 ft. From ft. to ft. From ft. to ft.

Gravel Pack Intervals: From 10 ft. to 502 ft. From ft. to ft. From ft. to ft.

5 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other

Grouted Intervals: From 0 ft. to 10 ft. From ft. to ft. From ft. to ft.

What is the nearest source of possible contamination:

1 Septic tank	4 Cess pool	7 Sewage lagoon	10 Fuel storage	14 Abandoned water well
2 Sewer lines	5 Seepage pit	8 Feed yard	11 Fertilizer storage	15 Oil well/Gas well
3 Lateral lines	6 Pit privy	9 Livestock pens	12 Insecticide storage	16 Other (specify below)
			13 Watertight sewer lines	<u>None observed</u>

Direction from well How many feet? Water Well Disinfected? Yes No X

Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, date sample was submitted month day year: Pump Installed? Yes No X

If Yes: Pump Manufacturer's name Model No. HP Volts

Depth of Pump Intake ft. Pumps Capacity rated at gal./min.

Type of pump: 1 Submersible 2 Turbine 3 Jet 4 Centrifugal 5 Reciprocating 6 Other

6 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on January month 15 day 1980 year.

and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 145

This Water Well Record was completed on January month 26 day 1980 year under the business name of Henkle Drilling & Supply Co. Inc by (signature) Bruce J Reichmuth

7 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
		<u>See attached log</u>			

ELEVATION:

Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft. 4. ft. (Use a second sheet if needed)

INSTRUCTIONS: Use typewriter or ball point pen, please press firmly and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Water Well Contractors, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.

OFFICE USE ONLY

T

R

EW

SEC.

1/4

1/4

1/4

