KOLAR Document ID: 1418451

WATER WEI		ECORD Correction	Form V	WWC-				sion of Wate arces App. N			] Well II	<sup>D</sup> [	
1 LOCATION				Fraction				ion Numbe		Township Numb			ge Number
County:	01 111	TILIK WEL		1/4	1/4 1/4	1/4	Beet	ion i vanio		T S	R	turre	□E □W
•						Street or	eet or Rural Address where well is located (if unknown, distance and						
Business:						direction f	rom ne	earest town or	r inte	rsection): If at owner	r's addres	ss, c	heck here:
Address: Address:													
City:			State:	ZIP:									
3 LOCATE WEI	L												
WITH "X" IN					D WELL:		ft.						
SECTION BOX	<b>X</b> :				red: 1) ft., or 4) [		.11			e:			
N					it., or 4) [ EL:						AD 27		
					d on (mo-day					unit make/model:	•		,
NW NE -					d on (mo-day					WAAS enabled?			
		_			1		☐ Land Survey ☐ Topographic M					• ,	
w <mark>X      </mark>	E	after			;				nline	e Mapper:			
SW SE -		ofter			· · · · · · · · · · · · · · · · · · ·								
		Estimated Y			,	gpiii		6 Eleva	tion	ı:ft	. 🔲 Gro	und	Level   TOC
S	_				ı. to	ft. and		Sourc	<u>e</u> : 🗌	Land Survey	GPS 🔲	To	pographic Map
1 mile					n. to			Other					
7 WELL WATE	R TO	BE USED A	AS:										
1. Domestic:					y: well ID					eld Water Supply: 16			
Household					nany wells?								
Lawn & Garde	en			_	well ID								
☐ Livestock 2. ☐ Irrigation					Oation: well II					al: how many bores			
3. ☐ Feedlot			] Air Sparge		Soil Vapor			. a) Closed Loop ☐ Horizontal ☐ Vertical b) Open Loop ☐ Surface Discharge ☐ Inj. of Water					
4. ☐ Industrial			Recovery		Injection					(specify):			
Was a chemical/l	bacteri	ological san	nple subm	itted to	KDHE? □	Yes $\square$	No	If yes, date	e sar	nple was submitte	d:		
Water well disinfe					· <u>—</u>	_		<i>J</i> ,		r			
8 TYPE OF CAS	SING	U <b>SED:</b> □ S	teel PV	C 🔲 Oth	er	Ca	ASIN	G JOINTS	S: 🗆	Glued Clamped	d ☐ Wel	ided	☐ Threaded
Casing diameter													
Casing height above					ght	lbs	./ft.	Wall thick	kness	s or gauge No			
TYPE OF SCREE										g (c)			
		less Steel mized Steel	☐ Fiber ☐ Conc	_	☐ PVC ☐ None ι	uand (amam	holo)		ner (S	Specify)	• • • • • • • • • • • • • • • • • • • •	• • • • •	•••••
SCREEN OR PE					☐ Nolle (	iseu (open	noie)						
☐ Continuous S		☐ Mill Slot		auze Wraj	oped $\Box$ To	orch Cut	□ Dri	illed Holes	П	Other (Specify)			
☐ Louvered Shu		☐ Key Puncl						one (Open H					
SCREEN-PERFO	RATE	D INTERVA	ALS: From	1	ft. to	ft., Fr	om	ft. to	o	ft., From	ft.	. to .	ft.
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft. to ft.													
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other													
Grout Intervals: From													
Nearest source of possible contamination:  ☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage													
☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well													
☐ Watertight Sev			Seepage Pit	[	☐ Feedyard			Fertilizer Sto		e ☐ Oil We	:ll/Gas W	ell	
Other (Specify										_			
Direction from well			ITHOLOG							ft. HO. LOG (cont.) or		INIC	CINTEDVALC
10 FROM TO	,		ATHOLOG	FIC LUG	<u> </u>	FRO	VI	TO	LH	HO. LOG (cont.) of	PLUGG	IIIC	INIERVALS
						<u> </u>							
						1							
						Notes	:						
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was  constructed,  reconstructed, or  plugged													
under my jurisdiction and was completed on (mo-day-year)													
Kansas Water We	ell Cont	ractor's Lice	ense No		This W	ater Well	Reco	ord was coi	mple	eted on (mo-day-y	ear)		
under the business	s name	of	****		ED 1			1 5 21				<u></u>	
KS Department of F	S Health an	end one copy to d Environment	OWATER W . Bureau of V	ELL OWN Vater, Geol	NEK and retain ogy Section 10	one for you 000 SW Jac	r recor kson S	as. Fee of \$5 st., Suite 420	0.00 f Tope	or each <u>constructed</u> we eka. Kansas 66612-136	и. 57. Teleph	ione	785-296-3565
_		KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at <a href="http://www.kdheks.gov/waterwell/index.html">http://www.kdheks.gov/waterwell/index.html</a> <a href="https://www.kdheks.gov/waterwell/index.html">KSA 82a-1212</a>							- ~PC				

Form	WWC5
Contractor	Hydro Resources Mid Continent, Inc.
Well Owner	
Doc ID	1418451

## Litholgy

Littiolgy		
From	То	LithologicLog
0	2	top soil
2	6	black dirt
6	24	brown clay
24	36	brown sandy clay w/ few caliche ledge & lime rock strips
36	45	brown sandy clay w/ fine sand & rock ledges
45	57	brown clay
57	73	brown & red sandy clay w/ some lime rock strips
73	109	sand fine to med coarse few small gravel
109	115	gray & brown clay
115	121	brown clay
121	162	sand fine to med coarse
162	170	brown clay
170	179	sand fine few med
179	268	sand fine to med coarse few small w/ couple clay stringers
268	270	brown clay
270	290	sand fine to med coarse
290	295	brown clay
295	321	sand fine to med coarse
321	329	brown & light blue clay
329	350	sand fine to med coarse
		•

Form	WWC5			
Contractor	Hydro Resources Mid Continent, Inc.			
Well Owner				
Doc ID	1418451			

## Litholgy

From	То	LithologicLog
350	369	sand fine to med coarse w/ some clay stringers
369	395	sand fine to med coarse
395	407	sand fine to med coarse w/ couple clay stringers
407	423	sand fine to med w/ some clay stringers
423	439	fine sand w/ many clay stringers
439	460	fine sand w/ some clay stringers
460	502	fine sand w/ few clay stringers
502	512	brown sandy clay w/ lime rock strips & few red clay ledges