	ATER WELL RECORD Form WWC-5		Division of Water		12246	W-11 (D)	
	Correction Change in Well Use		Resources App. No.		Township Numb	Well ID er Range Number	
1 LOCATION OF WATER WELL: Fraction County: 1/2 Pole ''NU'SU'''							
2 WELL OWNER: Last Name: Clause N First: Qui / David Street or Rural Address where well is located (if unknown, distance and							
Business: (Quantum A Partnership direction from nearest town or intersection): If at owner's address, check here:							
Address: _ + COM KD F SKD 66 SOUTH YU m. (P CUST 400)							
Address: P.C. Sox 279 City: Plams State: K5 ZIP: 67869							
3 LOCATE WELL	4 DEPTH OF COME		TO () A	5 Latitud	. 37,354	7733 (decimal degrees)	
WITH "X" IN SECTION BOX:	Depth(s) Groundwater Er	ft. Longitude: 100 (0155 986 (decimal degrees)					
N SECTION BOX:	2) ft. 3)	ft., or 4, \square	Dry Well				
	WELL'S STATIC WATI	r) K-1-18	Source f	or Latitude/Longitude	: Phone)		
* NW NE	above land surface, n	T)	_ 0,1	(WAAS enabled? □			
	Pump test data; Well was	mm	☐ Land Survey ☐ Topographic Map				
W	after. 101. hours pumping			Online Mapper:			
SW SE	after hours pumping			6 Elevation:ft. Ground Level TOC			
S	Estimated Yield:	A and	Source: Land Survey GPS Topographic Map				
mile	Bole Hole Diameter	. ft.	Other				
7 WELL WATER TO BE USED AS:							
1. Domestic:	5. Public Water Supply: well ID						
☐ Household☐ Lawn & Garden☐			11. Test Hole: well ID				
Livestock	7. ☐ Aquifer Recharge: well ID			12. Geothermal: how many bores?			
2. Irrigation	9. Environmental Remediation: well ID				a) Closed Loop Horizontal Vertical		
3. ☐ Feedlot 4. ☐ Industrial	☐ Air Sparge ☐ Soil Vapor Extra ☐ Recovery ☐ Injection			b) Open Loop			
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:							
Water well disinfected? Yes No							
8 TYPE OF CASING USED: ■ Steel □ PVC □ Other							
Casing diameter 16 in to 5.5 ft., Diameter in to ft., Diameter ft.							
Casing height above land surface							
■ Steel ☐ Stainless Steel ☐ Fiberglass ☐ PVC ☐ Other (Specify)							
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE: ☐ Continuous Slot							
☐ Louvered Shutter ☐ Key Punched ☑ Wire Wrapped ☐ Saw Cut ☐ None (Open Hole)							
SCREEN-PERFORATED INTERVALS: From .250 ft. to .320 ft., From .320 ft. to .500 ft., From ft. to ft.							
GRAVEL PACK INTERVALS: From 30							
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Grout Intervals: From ft. to ft., From ft. to ft., From ft. to ft., From ft. to ft.							
Nearest source of possible contamination:							
☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage							
☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well ☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well							
Other (Specify) Direction from well? Distance from well?							
Direction from well?k							
10 FROM TO	LITHOLOGI	tan clay	FROM	TO L	I I HU. LUG (cont.) of	PLUGGING INTERVALS	
124 180	ten day						
180 493	modulum So	nd some ilay					
493 505	Brown Clay	/					
505 520	Red bed						
			Notes:				
Titles.							
$\cap \cap$							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged							
under my jurisdiction and was completed on (mo-day-year)							
under the business name of Fine impation a Drilling INC Signature							
Mail I white copy along with a fee of \$5.00 for each constructed well to: Kansas Department of Health and Environment, Bureau of Water, GWTS Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524.							
Visit us at KSA 82a-1212 Revised 7/10/2015							