KOLAR Document ID: 1497781

WATER WELI Original Record			Form V	WWC-				ion of Wate			$igg _{ m Well}$	m [
			Fraction			Resources App. No. Section Number			Township Numb			ge Number	
County:	******	JK WEL		1/4	1/4 1/4		Beeti	ion rvamov	<i>,</i>	T S	F		□ E □ W
2 WELL OWNER	R: Last N	ame:		First:		Street or	Rura	l Address	whe	re well is located			
Business:						direction fi	om ne	arest town or	r inte	rsection): If at owner	r's addr	ess, c	heck here:
Address: Address:													
City:			State:	ZIP:									
3 LOCATE WELL													
WITH "X" IN	4				D WELL: .		ft.						
SECTION BOX:	D				ed: 1)		Dry Well Datum: WGS 84 NAD 83 NAD 27						
N	w				it., or 4) [EL:								
	7				d on (mo-day-			Source for Latitude/Longitude: GPS (unit make/model:)					
NW NE					l on (mo-day-			(WAAS enabled? Yes No)					
	Pı	ımp test da	ata: Well w	ater was .	f	t.		☐ Land Survey ☐ Topographic Map				-,	
W	Е	after							nlin	e Mapper:			
sw se		aftan			f								
	F		ield:			gpm		6 Elevation:ft. ☐ Ground Level ☐ TO				Level TOC	
S					. to	ft. and		Source:					
1 mile					ı. to					Other	. 		
7 WELL WATER	TO BE	USED A	S:										
1. Domestic:					: well ID					eld Water Supply: 16			
Household					any wells?								
Lawn & Garden					well ID								
☐ Livestock 2. ☐ Irrigation					o ation: well II								
3. ☐ Feedlot] Air Sparge] Soil Vapor I		••••	a) Closed Loop ☐ Horizontal ☐ Vertical b) Open Loop ☐ Surface Discharge ☐ Inj. of Water					
4. ☐ Industrial			Recovery		Injection					(specify):			
Was a chemical/ba	cteriolo	gical san	aple subm	itted to	KDHE? □	Yes □1	No]	If ves. date	e sar	nple was submitte	d:		
Water well disinfect					_ _			, ,		F			
8 TYPE OF CASI	NG US	ED : □ S	teel PV	C 🔲 Oth	er	CA	SIN	G JOINTS	: <u></u>	Glued Clamped	W 🗆 E	elded	Threaded
Casing diameter													
Casing height above la					ght	lbs.	/ft.	Wall thick	cness	or gauge No			
TYPE OF SCREEN			ION MA	TERIAL:						~			
	Stainless Galvaniz				☐ PVC ☐ None u		11 -1		ner (Specify)	• • • • • • • • • • • • • • • • • • • •	• • • • • • •	• • • • • • • • • • • • • • • • • • • •
SCREEN OR PERF			NINGS AT	RE.	☐ None u	sed (open	noie)						
☐ Continuous Slot		Mill Slot		auze Wrap	pped	rch Cut	□ Dri	illed Holes	П	Other (Specify)			
Louvered Shutte			ned 🔲 W					ne (Open H		omer (speen))			
SCREEN-PERFOR	ATED I	NTERVA	ALS: From	ı	. ft. to	ft., Fro	m	ft. to	o	ft., From	f	ft. to .	ft.
GRAVEL	PACK I	NTERVA	ALS: From	n	. ft. to	ft., Fro	m	ft. to	0	ft., From		ft. to	ft.
GRAVEL PACK INTERVALS: From													
Grout Intervals: From													
Nearest source of possible contamination: No potential source of contamination within 200 ft.													
□ Septic Tank □ Lateral Lines □ Pit Privy □ Livestock Pens □ Insecticide Storage □ Sewer Lines □ Cess Pool □ Sewage Lagoon □ Fuel Storage □ Abandoned Water Well													
☐ Watertight Sewe	r Lines				Feedyard	B = = = =		ertilizer Sto					
☐ Other (Specify)	Other (Specify)												
Direction from well?	·····											CD I	
10 FROM TO		L	ITHOLOG	FIC LOG		FROM	/1	TO	LH	HO. LOG (cont.) or	: PLUG	GINC	INTERVALS
	+												
						Notes	:						
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged													
under my jurisdiction and was completed on (mo-day-year)													
Kansas Water Well	Contrac	tor's Lice	ense No		This Wa	ter Well	Reco	rd was cor	nple	ted on (mo-day-ye	ear)		
under the business n	name of		· · · · · · · · · · · · · · · · · · ·			·····						<u></u>	
under the business name of													
Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212													

Form	WWC5
Contractor	Downey Drilling, Inc.
Well Owner	LESLIE J & GERTRUDE UNRUH
Doc ID	1497781

Lithology

Littiology		
From	То	LithologicLog
0	9	SANDY CLAY
9	53	SANDY CLAY W/ LITTLE CALICHE
53	60	CLAY W/ SOME CALICHE
60	64	SANDY CLAY & CALICHE
64	71	CALICHE
71	75	SANDY CLAY
75	99	CLAY W/ SOME CALICHE
99	118	F/M/C SAND & SM/MED GRAVEL
118	149	CLAY
149	153	F/M SAND
153	160	CLAY
160	176	F/M/C SAND & SM. GRAVEL
176	210	SANDY CLAY W/ FEW SAND STRIPS, STICKY
210	253	F/M/C SAND & SM. GRAVEL W/ COUPLE CLAY LAYER
253	269	CLAY
269	288	F/M/C SAND & SM. GRAVEL
288	304	STICKY CLAY
304	327	F/M/C SAND
327	340	SANDY CLAY W/ FEW SAND STRIPS
340	378	F/M/C SAND & SM. GRAVEL

Form	WWC5			
Contractor	Downey Drilling, Inc.			
Well Owner	LESLIE J & GERTRUDE UNRUH			
Doc ID	1497781			

Lithology

From	То	LithologicLog
378	402	SANDY CLAY W/ SAND STRIPS
402	416	F/M/C SAND & SM. GRAVEL
416	444	CLAY W/ SOME LIME ROCK STRIPS & SAND STRIPS
444	481	CLAY STICKY
481	500	FINE SAND
500	506	BR. CLAY
506	511	SOAPSTONE
511	525	RED BED