	VVA	TER WELL RECORD	Form WWC-5	KSA 82a-1	212		
LOCATION OF WATER WE			Section	Number	Township Number	Range N	Number
County: Seward	SW 1	4 SW 14 SE	1/4 32		т 31 s	1	31 E
Distance and direction from no	earest town or city?		Street address	of well if lo	cated within city?		
6½ miles N. & 3/	4 miles W. of F	Kismet					
2 WATER WELL OWNER:	Broce Construc	ction of New Mexi	ico				
RR#, St. Address, Box # :	Box 1148				Board of Agriculture	e, Division of Wat	ter Resource
City, State, ZIP Code :	Tucumcari, N.N	4. 88401			Application Number	33279	
3 DEPTH OF COMPLETED	$\text{WELL}488.\dots\text{ft}.$	Bore Hole Diameter 2.6	5 in. to	.488	ft., and	in. to	1
Well Water to be used as:	5 Public water	r supply	8 Air condition	ing	11 Injection w	reli	
1 Domestic 3 Feedlot	6 Oil field wat	ter supply	9 Dewatering		12 Other (Spe	ecify below)	
2 Irrigation 4 Industrial		•	10 Observation				
Well's static water level							
		ft. after .				<i></i>	gpm
Est. Yield 1700 9	gpm: Well water was	ft. after		h	ours pumping		gpn
4 TYPE OF BLANK CASING	G USED:	5 Wrought iron			Casing Joints: Gl	ued Clamp	ed
	RMP (SR)	6 Asbestos-Cement	9 Other (spe	cify below)	We	elded	
2 PVC 4		7 Fiberglass				readed	
Blank casing dia 16							
Casing height above land surf		in., weight 3		lbs./ft	Wall thickness or gauge	e No · · · . 219	
TYPE OF SCREEN OR PERF	FORATION MATERIAL:		7 PVC		10 Asbestos-ce	ment	
	Stainless steel	5 Fiberglass	8 RMP (SR)	11 Other (speci	fy)	
2 Brass 4	Galvanized steel	6 Concrete tile	9 ABS		12 None used ((open hole)	
Screen or Perforation Opening	gs Are:	5 Gauze	d wrapped		8 Saw cut	11 None (op	en hole)
1 Continuous slot		6 Wire w	vrapped		9 Drilled holes		
2 Louvered shutter	4 Key punched	7 Torch	cut	1	0 Other (specify)		
Screen-Perforation Dia	16 in. to 488	3 ft., Dia	in. to .		ft., Dia	in to	
Screen-Perforated Intervals:	From 280	ft. to 400.	ft.,	From 4	40 ft. to	485	1
	From	, , , , , , , ft. to	ft.,	From	ft. to) <i>.</i>	1
Gravei Pack Intervals:	From <u>10</u>	ft. to 488-)	
	From	ft. to	ft.,	From	ft. to)	1
5 GROUT MATERIAL:		2 Cement grout	3 Bentonite	4 Ot	her		
Grouted Intervals: From0) ft. to]	2 Cement grout	3 Bentonite	4 Ot	her		
) ft. to]	2 Cement grout	3 Bentonite	4 Ot	her		
Grouted Intervals: From0) ft. to]	2 Cement grout	3 Bentonite	4 Ot	her	ft. to	er well
Grouted Intervals: From 0 What is the nearest source of	f possible contamination:	2 Cement grout	3 Bentonite	4 Ot	her ft., From ft., From 14 brage 14 r storage 15	ft. to Abandoned water	f er well II
Grouted Intervals: From O What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines	f possible contamination: 4 Cess pool 5 Seepage pit 6 Pit privy	2 Cement grout LO ft., From 7 Sewage lagor 8 Feed yard 9 Livestock pen	3 Bentonite	10 Fuel sto 11 Fertilize 12 Insection 13 Watertig	her	Abandoned wate Oil well/Gas wel Other (specify b	
Grouted Intervals: From O What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well	f possible contamination: 4 Cess pool 5 Seepage pit 6 Pit privy	2 Cement grout LO ft., From 7 Sewage lagor 8 Feed yard 9 Livestock per	3 Bentonite ft. to	10 Fuel sto 11 Fertilize 12 Insection 13 Watertig	her	Abandoned wate Oil well/Gas wel Other (specify bone observe	er well II elow)
Grouted Intervals: From O What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well	f possible contamination: 4 Cess pool 5 Seepage pit 6 Pit privy	2 Cement grout LO ft., From 7 Sewage lagor 8 Feed yard 9 Livestock pen ow many feet	3 Bentonite ft. to	4 Of 10 Fuel sto 11 Fertilize 12 Insection 13 Watertig Water W	herft., From	Abandoned wate Oil well/Gas well Other (specify bone observe	er well II elow) d d date sample
Grouted Intervals: From O What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well	f possible contamination: 4 Cess pool 5 Seepage pit 6 Pit privy	2 Cement grout LO	3 Bentonite ft. to on s	4 Office 10 Fuel store 11 Fertilize 12 Insection 13 Watertig? Water Water Water 14 No. p Installed?	her	Abandoned wate Oil well/Gas well Other (specify bone observe	er well II elow) d d date sample
Grouted Intervals: From O What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well Was a chemical/bacteriologica was submitted	f possible contamination: 4 Cess pool 5 Seepage pit 6 Pit privy	2 Cement grout LO ft., From 7 Sewage lagor 8 Feed yard 9 Livestock per ow many feet epartment? Yes day	3 Bentonite	4 Of 10 Fuel sto 11 Fertilize 12 Insection 13 Watertig Water W No. p Installed?	her	Abandoned wate Oil well/Gas well Other (specify b one observe	er well II elow) d date sample
Grouted Intervals: From	f possible contamination: 4 Cess pool 5 Seepage pit 6 Pit privy	2 Cement grout LO ft., From 7 Sewage lagor 8 Feed yard 9 Livestock per ow many feet epartment? Yes day	3 Bentonite	10 Fuel sto 11 Fertilize 12 Insection 13 Watertig? Water W 	her	Abandoned water Oil well/Gas well Other (specify being observe	er well II elow) d date sample
Grouted Intervals: From	f possible contamination: 4 Cess pool 5 Seepage pit 6 Pit privy	2 Cement grout LO ft., From 7 Sewage lagor 8 Feed yard 9 Livestock pen ow many feet epartment? Yes day ft. 2 Turbine	3 Bentonite ft. to on nsyear: Pum Model No Pumps Capacity 3 Jet	10 Fuel sto 11 Fertilize 12 Insection 13 Watertig? Water W No. p Installed? rated at	her	Abandoned wate Oil well/Gas well Other (specify bone observe	er well ll selow) d d date sample
Grouted Intervals: From O What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well Was a chemical/bacteriological was submitted If Yes: Pump Manufacturer's r Depth of Pump Intake Type of pump: 6 CONTRACTOR'S OR LAN	f possible contamination: 4 Cess pool 5 Seepage pit 6 Pit privy Hoal sample submitted to D month hame 1 Submersible	2 Cement grout LO ft., From 7 Sewage lagor 8 Feed yard 9 Livestock pen ow many feet epartment? Yes day ft. 2 Turbine ATION: This water well wa	3 Bentonite ft. to on nsyear: Pum Model No Pumps Capacity 3 Jet as (1) constructed	10 Fuel sto 11 Fertilize 12 Insection 13 Watertig 2 Water W No. p Installed? rated at 4 Centrifu 1, (2) recons	ther ft., From 14 r storage 14 r storage 15 ide storage 16 ght sewer lines no ell Disinfected? Yes X Yes	Abandoned wate Oil well/Gas well Other (specify b one observe	er well ll elow) d d date sample g gal./mir Other
Grouted Intervals: From O What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well. Was a chemical/bacteriologica was submitted	f possible contamination: 4 Cess pool 5 Seepage pit 6 Pit privy Hoal sample submitted to D month hame 1 Submersible HDOWNER'S CERTIFICA	2 Cement grout LO ft., From 7 Sewage lagor 8 Feed yard 9 Livestock per ow many feet epartment? Yes day ft. 2 Turbine ATION: This water well wa	3 Bentonite ft. to on nsyear: Pum Model No Pumps Capacity 3 Jet as (1) constructed	10 Fuel sto 11 Fertilize 12 Insection 13 Watertig Water W No p Installed? rated at 4 Centrifu 1, (2) reconseday	ther ft., From 14 r storage 14 r storage 15 ide storage 16 ght sewer lines no ell Disinfected? Yes	Abandoned wate Oil well/Gas well Other (specify bene observe	er well ll elow) date sample gal./mir Other
Grouted Intervals: From O What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well Was a chemical/bacteriological was submitted If Yes: Pump Manufacturer's r Depth of Pump Intake Type of pump: 6 CONTRACTOR'S OR LAN completed on Jan and this record is true to the temporary of the second se	f possible contamination: 4 Cess pool 5 Seepage pit 6 Pit privy	2 Cement grout LO	3 Bentonite	10 Fuel sto 11 Fertilize 12 Insection 13 Watertig Water W No p Installed? rated at 4 Centrifu 1, (2) reconseday	ther ft., From 14 r storage 14 r storage 15 ide storage 16 ght sewer lines no ell Disinfected? Yes	Abandoned wate Oil well/Gas well Other (specify bene observe	er well ll elow) date sample gal./mir Other
Grouted Intervals: From O What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well. Was a chemical/bacteriologica was submitted	f possible contamination: 4 Cess pool 5 Seepage pit 6 Pit privy	2 Cement grout LO	3 Bentonite	10 Fuel sto 11 Fertilize 12 Insection 13 Watertig Water W NoNo. p Installed? rated at 4 Centrifut dayicense No.	ther ft., From f	Abandoned water Oil well/Gas well Other (specify between the observe) No X If yes, No X Volts ting 6 under my jurisdic	er well ll elow) d d date sample g d did date sample d did did did did did did did did did
Grouted Intervals: From O What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well Was a chemical/bacteriological was submitted If Yes: Pump Manufacturer's r Depth of Pump Intake Type of pump: 6 CONTRACTOR'S OR LAN completed on Jan and this record is true to the temporary of the second se	f possible contamination: 4 Cess pool 5 Seepage pit 6 Pit privy	2 Cement grout 10 ft., From 7 Sewage lagor 8 Feed yard 9 Livestock pen ow many feet epartment? Yes day ft. 2 Turbine ATION: This water well wa month mod belief. Kansas Water W	3 Bentonite ft. to on on Model No Pumps Capacity 3 Jet as (1) constructed fell Contractor's L onth 22 oy (signature)	10 Fuel sto 11 Fertilize 12 Insection 13 Watertig Water W NoNo. p Installed? rated at 4 Centrifut dayicense No.	ther ft., From f	Abandoned water Oil well/Gas well Other (specify between the observe) No X If yes, No X Volts ting 6 under my jurisdic	er well ll elow) d d date sample gal./mir Other tion and wa yea
Grouted Intervals: From	f possible contamination: 4 Cess pool 5 Seepage pit 6 Pit privy	2 Cement grout LO ft., From 7 Sewage lagor 8 Feed yard 9 Livestock pen ow many feet epartment? Yes day ft. 2 Turbine ATION: This water well wa month 11.	3 Bentonite ft. to on on Model No Pumps Capacity 3 Jet as (1) constructed fell Contractor's L onth 22 oy (signature)	10 Fuel sto 11 Fertilize 12 Insection 13 Watertig 2 Water W No. p Installed? rated at 4 Centrifut 1, (2) reconsiday icense No.	ther ft., From frage 14 r storage 15 de storage 16 ght sewer lines ell Disinfected? Yes X Yes HP gal 5 Reciproca structed, or (3) plugged 1980 145 145	Abandoned water Oil well/Gas well Other (specify between the observe) No X If yes, No X Volts ting 6 under my jurisdic	er well ll elow) d d date sample gal./mir Other tion and wa yea
Grouted Intervals: From. O What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well. Was a chemical/bacteriological was submitted. If Yes: Pump Manufacturer's r Depth of Pump Intake. Type of pump: 6 CONTRACTOR'S OR LAN completed on. Jan and this record is true to the beautiful to the beautif	f possible contamination: 4 Cess pool 5 Seepage pit 6 Pit privy	2 Cement grout 10 ft., From 7 Sewage lagor 8 Feed yard 9 Livestock pen ow many feet epartment? Yes day ft. 2 Turbine ATION: This water well wa month mod belief. Kansas Water W	3 Bentonite ft. to on year: Pum Model No Pumps Capacity 3 Jet as (1) constructed (ell Contractor's Lonth	10 Fuel sto 11 Fertilize 12 Insection 13 Watertig Water W No p Installed? rated at 4 Centrift 1, (2) reconsticense No.	her ft., From 14 r storage 15 ide storage 16 pht sewer lines no ell Disinfected? Yes Yes HP ligal 5 Reciprocal structed, or (3) plugged 1980	Abandoned water Oil well/Gas well Other (specify between the observe) No X If yes, No X Volts ting 6 under my jurisdic	er well ll elow) d d date sample gal./mir Other tion and wa yea
Grouted Intervals: From O What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well. Was a chemical/bacteriological was submitted	f possible contamination: 4 Cess pool 5 Seepage pit 6 Pit privy	2 Cement grout LO ft., From 7 Sewage lagor 8 Feed yard 9 Livestock pen ow many feet epartment? Yes day ft. 2 Turbine ATION: This water well wa month 11. and belief. Kansas Water W	3 Bentonite ft. to on year: Pum Model No Pumps Capacity 3 Jet as (1) constructed (ell Contractor's Lonth	10 Fuel sto 11 Fertilize 12 Insection 13 Watertig Water W No p Installed? rated at 4 Centrift 1, (2) reconsticense No.	her ft., From 14 r storage 15 ide storage 16 pht sewer lines no ell Disinfected? Yes Yes HP ligal 5 Reciprocal structed, or (3) plugged 1980	Abandoned water Oil well/Gas well Other (specify between the observe) No X If yes, No X Volts ting 6 under my jurisdic	er well ll elow) d d date sample gal./mir Other tion and wa yea
Grouted Intervals: From. O What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well. Was a chemical/bacteriological was submitted. If Yes: Pump Manufacturer's r Depth of Pump Intake. Type of pump: 6 CONTRACTOR'S OR LAN completed on. Jan and this record is true to the beautiful to the beautif	f possible contamination: 4 Cess pool 5 Seepage pit 6 Pit privy	2 Cement grout LO ft., From 7 Sewage lagor 8 Feed yard 9 Livestock pen ow many feet epartment? Yes day ft. 2 Turbine ATION: This water well wa month 11. and belief. Kansas Water W	3 Bentonite ft. to on year: Pum Model No Pumps Capacity 3 Jet as (1) constructed (ell Contractor's Lonth	10 Fuel sto 11 Fertilize 12 Insection 13 Watertig Water W No p Installed? rated at 4 Centrift 1, (2) reconsticense No.	her ft., From 14 r storage 15 ide storage 16 pht sewer lines no ell Disinfected? Yes Yes HP ligal 5 Reciprocal structed, or (3) plugged 1980	Abandoned water Oil well/Gas well Other (specify between the observe) No X If yes, No X Volts ting 6 under my jurisdic	er well ll elow) d d date sample gal./mir Other tion and wa yea
Grouted Intervals: From O What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well. Was a chemical/bacteriological was submitted	f possible contamination: 4 Cess pool 5 Seepage pit 6 Pit privy	2 Cement grout LO ft., From 7 Sewage lagor 8 Feed yard 9 Livestock pen ow many feet epartment? Yes day ft. 2 Turbine ATION: This water well wa month 11. and belief. Kansas Water W	3 Bentonite ft. to on year: Pum Model No Pumps Capacity 3 Jet as (1) constructed (ell Contractor's Lonth	10 Fuel sto 11 Fertilize 12 Insection 13 Watertig Water W No p Installed? rated at 4 Centrift 1, (2) reconsticense No.	her ft., From 14 r storage 15 ide storage 16 pht sewer lines no ell Disinfected? Yes Yes HP ligal 5 Reciprocal structed, or (3) plugged 1980	Abandoned water Oil well/Gas well Other (specify between the observe) No X If yes, No X Volts ting 6 under my jurisdic	er well ll elow) d d date sample gal./mir Other tion and wa yea
Grouted Intervals: From O What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well Was a chemical/bacteriological was submitted If Yes: Pump Manufacturer's r Depth of Pump Intake Type of pump: 6 CONTRACTOR'S OR LAN completed on Jan and this record is true to the beauth of the beauth o	f possible contamination: 4 Cess pool 5 Seepage pit 6 Pit privy	2 Cement grout LO ft., From 7 Sewage lagor 8 Feed yard 9 Livestock pen ow many feet epartment? Yes day ft. 2 Turbine ATION: This water well wa month 11. and belief. Kansas Water W	3 Bentonite ft. to on year: Pum Model No Pumps Capacity 3 Jet as (1) constructed (ell Contractor's Lonth	10 Fuel sto 11 Fertilize 12 Insection 13 Watertig Water W No p Installed? rated at 4 Centrift 1, (2) reconsticense No.	her ft., From 14 r storage 15 ide storage 16 pht sewer lines no ell Disinfected? Yes Yes HP ligal 5 Reciprocal structed, or (3) plugged 1980	Abandoned water Oil well/Gas well Other (specify between the observe) No X If yes, No X Volts ting 6 under my jurisdic	er well ll elow) d d date sample gal./mir Other tion and wa yea
Grouted Intervals: From O What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well. Was a chemical/bacteriological was submitted	f possible contamination: 4 Cess pool 5 Seepage pit 6 Pit privy Hoal sample submitted to D month name 1 Submersible IDOWNER'S CERTIFICATION best of my knowledge ar completed on Jan CON FROM TO IN TO	2 Cement grout LO ft., From 7 Sewage lagor 8 Feed yard 9 Livestock pen ow many feet epartment? Yes day ft. 2 Turbine ATION: This water well wa month 11. and belief. Kansas Water W	3 Bentonite ft. to on year: Pum Model No Pumps Capacity 3 Jet as (1) constructed (ell Contractor's Lonth	10 Fuel sto 11 Fertilize 12 Insection 13 Watertig Water W No p Installed? rated at 4 Centrift 1, (2) reconsticense No.	her ft., From 14 r storage 15 ide storage 16 pht sewer lines no ell Disinfected? Yes Yes HP ligal 5 Reciprocal structed, or (3) plugged 1980	Abandoned water Oil well/Gas well Other (specify between the observe) No X If yes, No X Volts ting 6 under my jurisdic	er well ll elow) d d date sample gal./mir Other tion and wa yea
Grouted Intervals: FromO What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well	f possible contamination: 4 Cess pool 5 Seepage pit 6 Pit privy Hoal sample submitted to D month name 1 Submersible IDOWNER'S CERTIFICATION best of my knowledge ar completed on Jan CON FROM TO IN TO	2 Cement grout LO ft., From 7 Sewage lagor 8 Feed yard 9 Livestock pen ow many feet epartment? Yes day ft. 2 Turbine ATION: This water well wa month 11. and belief. Kansas Water W	3 Bentonite ft. to on year: Pum Model No Pumps Capacity 3 Jet as (1) constructed (ell Contractor's Lonth	10 Fuel sto 11 Fertilize 12 Insection 13 Watertig Water W No p Installed? rated at 4 Centrift 1, (2) reconsticense No.	her ft., From 14 r storage 15 ide storage 16 pht sewer lines no ell Disinfected? Yes Yes HP ligal 5 Reciprocal structed, or (3) plugged 1980	Abandoned water Oil well/Gas well Other (specify between the observe) No X If yes, No X Volts ting 6 under my jurisdic	er well ll elow) d d date sample gal./mir Other tion and wa yea
Grouted Intervals: From O What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well Was a chemical/bacteriological was submitted If Yes: Pump Manufacturer's r Depth of Pump Intake Type of pump: 6 CONTRACTOR'S OR LAN completed on Jan and this record is true to the beauth of the beauth o	f possible contamination: 4 Cess pool 5 Seepage pit 6 Pit privy Hoal sample submitted to D month name 1 Submersible IDOWNER'S CERTIFICATION best of my knowledge ar completed on Jan CON FROM TO IN TO	2 Cement grout LO ft., From 7 Sewage lagor 8 Feed yard 9 Livestock pen ow many feet epartment? Yes day ft. 2 Turbine ATION: This water well wa month 11. and belief. Kansas Water W	3 Bentonite ft. to on year: Pum Model No Pumps Capacity 3 Jet as (1) constructed (ell Contractor's Lonth	10 Fuel sto 11 Fertilize 12 Insection 13 Watertig Water W No p Installed? rated at 4 Centrift 1, (2) reconsticense No.	her ft., From 14 r storage 15 ide storage 16 pht sewer lines no ell Disinfected? Yes Yes HP ligal 5 Reciprocal structed, or (3) plugged 1980	Abandoned water Oil well/Gas well Other (specify between the observe) No X If yes, No X Volts ting 6 under my jurisdic	er well ll elow) d d date sample gal./mir Other tion and wa yea
Grouted Intervals: From. O What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well	f possible contamination: 4 Cess pool 5 Seepage pit 6 Pit privy Hoal sample submitted to D month name 1 Submersible IDOWNER'S CERTIFICATION best of my knowledge ar completed on Jan CON FROM TO IN TO	2 Cement grout LO ft., From 7 Sewage lagor 8 Feed yard 9 Livestock pen ow many feet epartment? Yes day ft. 2 Turbine ATION: This water well wa month 11. and belief. Kansas Water W	3 Bentonite ft. to on year: Pum Model No Pumps Capacity 3 Jet as (1) constructed (ell Contractor's Lonth	10 Fuel sto 11 Fertilize 12 Insection 13 Watertig Water W No p Installed? rated at 4 Centrift 1, (2) reconsticense No.	her ft., From 14 r storage 15 ide storage 16 pht sewer lines no ell Disinfected? Yes Yes HP ligal 5 Reciprocal structed, or (3) plugged 1980	Abandoned water Oil well/Gas well Other (specify between the observe) No X If yes, No X Volts ting 6 under my jurisdic	er well ll elow) d d date sample gal./mir Other tion and wa yea
Grouted Intervals: FromO What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well	f possible contamination: 4 Cess pool 5 Seepage pit 6 Pit privy Hoal sample submitted to D month name 1 Submersible IDOWNER'S CERTIFICATION best of my knowledge ar completed on Jan CON FROM TO IN TO	2 Cement grout LO ft., From 7 Sewage lagor 8 Feed yard 9 Livestock pen ow many feet epartment? Yes day ft. 2 Turbine ATION: This water well wa month 11. and belief. Kansas Water W	3 Bentonite ft. to on year: Pum Model No Pumps Capacity 3 Jet as (1) constructed (ell Contractor's Lonth	10 Fuel sto 11 Fertilize 12 Insection 13 Watertig Water W No p Installed? rated at 4 Centrift 1, (2) reconsticense No.	her ft., From 14 r storage 15 ide storage 16 pht sewer lines no ell Disinfected? Yes Yes HP ligal 5 Reciprocal structed, or (3) plugged 1980	Abandoned water Oil well/Gas well Other (specify between the observe) No X If yes, No X Volts ting 6 under my jurisdic	er well ll elow) d d date sample gal./mir Other tion and wa yea
Grouted Intervals: From. O What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well. Was a chemical/bacteriological was submitted. If Yes: Pump Manufacturer's r Depth of Pump Intake. Type of pump: 6 CONTRACTOR'S OR LAN completed on Jan and this record is true to the to this Water Well Record was on name of Henkle Dril 7 LOCATE WELL'S LOCATION BOX: N N	f possible contamination: 4 Cess pool 5 Seepage pit 6 Pit privy Hoal sample submitted to D month name 1 Submersible IDOWNER'S CERTIFICATION best of my knowledge ar completed on Jan CON FROM TO IN TO	2 Cement grout LO ft., From 7 Sewage lagor 8 Feed yard 9 Livestock pen ow many feet epartment? Yes day ft. 2 Turbine ATION: This water well wa month 11. and belief. Kansas Water W	3 Bentonite ft. to on year: Pum Model No Pumps Capacity 3 Jet as (1) constructed (ell Contractor's Lonth	10 Fuel sto 11 Fertilize 12 Insection 13 Watertig Water W No p Installed? rated at 4 Centrift 1, (2) reconsticense No.	her ft., From 14 r storage 15 ide storage 16 pht sewer lines no ell Disinfected? Yes Yes HP ligal 5 Reciprocal structed, or (3) plugged 1980	Abandoned water Oil well/Gas well Other (specify between the observe) No X If yes, No X Volts ting 6 under my jurisdic	er well ll elow) d d date sample gal./mir Other tion and wa yea
Grouted Intervals: From O What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well Was a chemical/bacteriological was submitted If Yes: Pump Manufacturer's r Depth of Pump Intake Type of pump: 6 CONTRACTOR'S OR LAN completed onJan and this record is true to the bill This Water Well Record was on the complete of Henkle Dril 7 LOCATE WELL'S LOCATION BOX: N I Depth of Pump Intake Type of pump: 1 CONTRACTOR'S OR LAN Completed onJan and this record is true to the bill This Water Well Record was on the complete of the land of the lan	f possible contamination: 4 Cess pool 5 Seepage pit 6 Pit privy Hoal sample submitted to D month name 1 Submersible IDOWNER'S CERTIFICA best of my knowledge ar completed on Jan ling & Supply (ON FROM TO IN TO	2 Cement grout 10 ft., From 7 Sewage lagor 8 Feed yard 9 Livestock pen ow many feet epartment? Yes day ft. 2 Turbine ATION: This water well wa month 11 md belief. Kansas Water W LITHOLOGI see attached	3 Bentonite ft. to	10 Fuel sto 11 Fertilize 12 Insection 13 Watertig 2 Water WNo p Installed? tated at 4 Centrifut 1, (2) reconstitution day icense No. FROM	ther ft., From frage 14 r storage 15 de storage 16 ght sewer lines ncell Disinfected? Yes X Yes HP Igal 5 Reciprocal structed, or (3) plugged 1980 145 TO	Abandoned water Oil well/Gas well Other (specify between the observe) No X If yes, No X Volts ting 6 under my jurisdic	er well ll elow) d d date sample gal./mir Other tion and wa yea

DRILLERS TEST LOG

CUSTOMERS NAME	Marvin Broce	DATE 12-12-79
STREET ADDRESS		TEST # 1 E. LOG
CITY & STATE	Tucumcari NM	DRILLER Tim Mai
COUNTY_SEWARD	QUARTER SE SECTION 32 TOW	NSHIP_31 RANGE 31
LOCATION 65' N	& 155' E of SW CORNER OF SE'	

%	FOOTAGE			WELL LOCATION Static Water Level				
<i>γ</i> υ	From Pay To			DESCRIPTION OF STRATA Proposed Well Depth				
	0	1	 2	TOP SOIL				
-	2		44	BROWN CLAY & CALICHE & FEW SAND STKS.				
	44		60	SAND FINE TO MED.				
	60		72	BROWN CLAY CALICHE & ROCK LEDGES				
	72		85	SAND FINE TO MED. COARSE DRILLS TIGHT				
	85		130	SAND FINE TO MED: COARSE BRILLS TIGHT SAND FINE TO MED. COARSE SMALL TO MED.GRAVEL FEW				
				CLAY STKS. (120-122CEMENTED SAND)				
	130		142	BROWN CLAY				
1	142	 	160	WHITE BROWN & GREY & FEW SAND STKS.				
	160		181	BLUE CLAY				
	181		187	BROWN SANDY CLAY & SAND STKS.				
55	187	33	220	SAND FINE TO MED. COARSE SMALL & FEW MED. GRAVEL				
				& CLAY STKS.				
65	220	141	361	SAND FINE TO MED. COARSE SMALL GRAVEL LOOSE USES WA				
				VERY FEW CLAY STKS.				
	361		365	BROWN SANDY CLAY				
65	365	10	375	SAND TINE TO MED. COARSE SMALL TO MED. GRAVEL				
	375		388	BROWN SANDY CLAY, LIMEROCK, LIMEROCK LEDGES & FEW				
				SAND STKS.				
35	388	12	400	SAND FINE TO MED. COARSE SMALL GRAVEL BROWN SANDY C				
		<u> </u>		& LIMEROCK				
	400	<u> </u>	406	LIMEROCK				
	406	<u> </u>	425	BROWN STICKY CLAY & LIMEROCK CERY FEW SAND STKS.				
-	425	ļ	439	BROWN SANDY CLAY SOAPSTONE STKS. FEW FINE TO MED.				
-	<u></u>		<u> </u>	COARSE SAND STKS.				
70	439	20	459	SAND FINE TO MED. COARSE SMALL BROWN GRAVEL FEW				
2 -	1150	126	1.75	SOAPSTONE STKS.				
35	459	10	475	SAND FINE TO MED. COARSE SMALL BROWN GRAVEL SANDY O				
2.	11.77.5	10	11.05	LIMEROCK & ROCK LEDGES DRILLS LOOSE IN PLACES				
25	475 485	110	490	BROWN SANDY CLAY & LIMEROCK RE D BED total depth of well 488;				
	1,00	+	790					
		1	 	set up west				
	1	24	 	2 sacks quick gel pit in the north set up west pits north				
		K./	7	sec ab west bits notion				
]	1	1					
		1	†					
		1	†					
		7	1					

GARDEN CITY, KS Phone 276-3278 TEST HOLES * * * HENKLE DRILLING & SUPPLY CO., INC. SUBLETTE, KS
Phone 675-4311

*IRRIGATION & INDUSTRIAL WELLS * * * * STOCK WELLS