USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment Division of Environment (Water well Contractors) Topeka, Kansas 66620

	County	Fraction		Section number		Township number Range number			
1. Location of well:	Seward	NE 1/4 NW 1/4 NW	1/4		2	т 3 <u>1</u> s	R 32	3€ ∕W	
R.R. or s Street address of well location if in city:				ner of well: street: tate, zip code:		Randall Bird Satanta, Kansas 7/8 6. Bore hole dia. *** in. Completion date			
4. Locate with "X" in section below: N						6. Bore hole dia. *** in Well depth 405 ft.	. Completion date		
XI						7 Cable toolXRotary Driven Dug Hollow rod Jetted Bored Reverse rotary			
						8. Use: X Domestic Public supply Industry Irrigation Air conditioning Stock Lawn Oil field water Other			
						9. Casing: Material _RMP _ Height: Above or below Threaded Welded X _ Surface _24 in. RMP PVC Weight _220 lbs./ft. 10			0
5. Type and color of material				From	То	Dia. 5 in. to 405ft. depth Wall Thickness: inches or Dia. in. to ft. depth gage No. 320			
5. Type and color of material						10. Screen: Manufacturer's name Jess & Iowell			
Top soil				0	5	Type RMP Dia. 511 Slot/gauze 1/811 Length 1501			
Green clay					22	Set between <u>175</u> ft. and <u>405</u> ft.			
Sandy clay				22	30	ft. andft. Gravel pack? X Size range of material 3/16 ft.			
Fine sand				30	43	11. Static water level: mo./day/yr. 185 ft. below land surface Date 10/21/75			
Med. to lar. sand				43	112	12. Pumping level by lay	dws19able		
Clay and gravel				112	350	ft. afterhrs. pumpingg.p.mft. afterhrs. pumpingg.p.m. Estimated maximum yieldg.p.m.			
Med. to lar.sand, gravel with streaks of cla				v 350	410	13. Water sample submitted: mo./day/yr. Yes X No Date			
Sandy clay				410	420	14. Well head completion:	Date		
						X Pitless adapter	Inches above g	rade	
						15. Well grouted? <u>Yes</u> With: Neat cement Depth: From ft. to	BentoniteX_C	oncrete -	10
						16. Nearest source of possible ft. 100 Direction	e contamination:		ı
N. P. Sugar						Well disinfected upon comple	••	No	k.
						Not installed anklin	- 460 ×	V	
						Model number10975 Length of drop pipe 294			(3)
						Type: Submersible	Turbine		
(Use a second sheet if needed)						Jet Centrifugal	Reciproc	cating Sec	[
18. Elevation:						20. Water well contractor's certification: This well was drilled under my jurisdiction and this report			
Tanamaha						is true to the best of my knowledge and belief.			1
Topography:					Business name License No.			nse No.	111
Slope X Upland						Address Meage Kar	1595 67864	\\ 0-22-76_	NW
Valley	ue and nink conies to the Department	of Haalth and Environment				Authorized rep	Form WWC		1