WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

V	County	Fraction		Section number		Township number	Range number	
Location of well:	Seward	NW 1/4 NE 1/4 N	E 1/4		6	т 31 s	R 32	<u>x</u> €/W
Street address of well location if in city: Street address of well location if in city: Street address of well location if in city: Sublette 3. Owner R.R. or s City, sta						Leroy Stapelton Sublette, Kansas 67877		
4. Locate with "X" in section below: Sketch map:						6. Bore hole dia.9 <u>7</u> /8in Well depth <u>397</u> ft.		
						7 Cable tool X_ Rotary Driven Dug Hollow rod Jetted Bored Reverse rotary		
						8. Use: X Domestic P	B. Use: X_ Domestic Public supply Industry Irrigation Air conditioning Stock Lawn Oil field water Other	
SW SE						9. Casing: MaterialPVC Height: Above or below Threaded Welded Surface12in. RMP PVC Weight 29122 lbs./ft.1(
1 M						Dia. 5_ in. to 397ft. de	oth!Wall Thickness: jnc	
5. Type and color of material					То	Dia in. to ft. depth gage No. • 265		
Top soil					6	Jess & Lowell Type PVC Dia 5!! Slot/gauze 18!! Length 100 !		
Sandy clay				6	70	Set between <u>217</u> ft. and <u>297</u> ft.		
Gravel with clay streaks				70	93	ft. andft. Gravel pack? X Size range of material 3/16!!		
Sandy clay				93	110	11. Static water level: mo./day/yr		
Med. to lar. sand & gravel				110	181	12. Pumping level below land surfaces: ft. after hrs. pumping g.p.m.		
Fine sand to medium sand				181	194	ft. after hrs. pumping g.p.m. Estimated maximum yield g.p.m.		
Med. to lar. sand & gravel with clay streaks				194	249	13. Water sample submitted: mo./day/yr. Yes X No Date		
Cemented sand				249	263	14. Well head completion:		
Med. to lar. sand & gravel with clay XXXXX						X Pitless adapter unit		
		str	eaks	263	410	15. Well grouted? <u>yes</u> With: Neat cement Depth: From4_ ft. to		
						16. Negrest source of possible ft. 300 Direction SC	e contamination:	
		·	<u></u>			Well disinfected upon compl	etion? Yes _	No
							Not installed	220
						Model number SD19 Length of drop pipe 315	HP Voli ft. capacity20	s 220 g.p.m.
						Type: XX Submersible	Turbine	
(Use a second sheet if needed)						Jet Centrifugal	Recipro	cating
18. Elevation:	19. Remarks:					20. Water well contractor's This well was drilled under n		1
Tonography						This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.		
Topography: Hill						Friesen Windn Business name Manda Var	Lice	nse No.
Slope _X Upland Valley						Address Meade Kar	Date 1	7-22-76
·	ue and pink copies to the Department	of Hoolth and Environment				0 0	Form WW	