USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD KSA 82a-1201-1215

T	R	EW	sec	1/4	1/4	1/4	No.

Kansas State Dept. Of Health (Water Well Contractors) Forbes-Bldg. 740 Topeka, Kansas 66620

	County	Township name	Fraction		Section	n number		Town number	Range number
1 Location of well:	Seward	SE	/4,NW1/	4,NW1	4	6		T 31 S	R 32 W
	rion from nearest town or cit		•	3 Owner	of well:	Ler	ov S	tapleton	
	/2 S. of Suble all location if in city:	ecce		Addre	ess:		-	e, KS	
Locate with "X" in	section below:	Sketch map:		I			4 Wel	I depth: 405 ft. Do	ate of completion $4-16$
<u> </u>	S						5	Cable tool Rotary Hollow rod Jetted	
w							6 Use	Domestic Public	supply Industry
	- ! ! 						7 Casi	ing: Material <u>Stee</u> Hoeaded Welded Wiscon.	eight: bove below prace 12 in.
2	1 Mile			T			10	5 in. to 405ft. depth D	rive shoe? Yes XXNo
	Тур	e and color of material			From	То	8 Sere	en:	
See	Attachment	100 May 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1					Mai Typ	nufacturer <u>Brown</u> e <u>Louvered</u> D	a. <u>16"</u>
							Slo	e Louvered Ditygauze $\frac{1/8"}{25}$ Lebetween $\frac{325}{1}$ ft. and $\frac{2}{1}$	ngth 80 ft. 405 ft
							Fitt	ings: vel pack XXYes \(\sum \) No S	1/4, \$
							$\overline{}$	ic_water level: 5 ft. below land surface	
							10 Pum	uning level below land surf	nces.
							_	50 ft. after hrs.	pumping g.p.m.
							11 Wat	rer sample submitted:	g.p.m.
								Yes ANO Date I head completion: 12 _	
								Pitless adapter	Inches above grade
								Neat cement X Bentonit	□ No e □
								th: From 0 ft. to _	none tamination: observed
							ft.	Direction	Type
							15 Pum	·····	Not installed
								nufacturer's name del number H	P Volts
	Y						Len	gth of drop pipe ft	
							Typ	Submersible	Turbine
	(use	a second sheet if needed)					_ =	Jet Certrifugal	Reciprocating Other
16 Remarks: elevat		,					17 Wat	er well contractor's certifi	cation:
							I	well was drilled under my ort is true to the best of my	'
Topography:							Hen]	kle Drilling	& Supply 145
Slope Upland	Flat						Add Sign	Hress Box 639 G	12 Date 5/19

Forward the white, blue and pink copies to the Kansas State Dept. Of Health.

Form WWC-5

DESTABLE THE LOT

CO	mty,		90	arter bectiona_township1_rance1
Loc	tta:	5 k		
4-1-		* 1		tests, to express
DR.	LLE	5	rootade	Continue of the Best Continue of the Best Continue Beatle Water Level
į į	om.	- Pay	+6:-	Dearription of Strate Proposed Well Depth
	-			British and few malians
	Lake		35	Brown Blay, for hand My.
	Vinden Su			brown clay, wand at. find and approa, for bee
Arry C	7		300	Sand line bed. contact Hault to med. prayet to
	1. 415		44 34 34 34 3	Some hard and rourh blaces, thed water, and b
	90		117	Brown clay, few ladges, broken rack and few as
1	<u> </u>		211	Sand find med, course, small to few med, grave
			219	Pow clay st. Good good water.
		128	244	Drown slay and sand bt.
1, 17	S. S.			For clay st.
2		188	320	Sand fine med. courses small to med. gravel to
ekaj le Ase Kaj le Ase	100			large tree some water.
3	10	123	348	sand fine med, coarse, amail to some med, cray
				Very few clay st. Used water.
		47		Gray alay. for pallow at . sand At
9-10			192	Band fine med, coarse, small gravel, you med.,
and Sec				bard ladges, drilled like comented ledge, Very
			403	Brown glay and sand fine med, some snaves, with
	11		440	Brown and white clay and limerack ladges.
	ما		444	Brown Blay, very sticky, few league.
, , , , , ,			490	Brown glay, few fine mad st. and few ledges.
	19		\$19 \$60	Brown clay, sospetone at., few yellow at.
1 2 2				Brown Clay, yellow St. Yery few sand stone St.
1000				
111	11/2	188		the state of the s
Francis Marie		1.500		the state of the s
1 1		(a)		The state of the s
				TOTAL DEPTH OF WILL 405 Pt.
			1 1 1 1 1 1 1	for the work.
er in Line	e, . , 5			
3 344	à faith		Later Charles	The contract of the second of the contract of the second o