## WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

	<b>,</b>						
1. Location of well:	County	Fraction	Section	number	Township number	Range number	
	Seward	SE 1/4 SE 1/4 SE 1/4		10		R 32 E	
2. Distance and direction from nearest town or city: Haskell-Seward Co 3. Owner of well: Jim and Gary Bishop							
1ine on Hwy. 83, 1 South, & 5 East, 1 South						(7077	
City, state, zip co					Sublette, KS		
4. Locate with "X" in section below:  N					6. Bore hole dia. 28 in . Completion date Well depth408 ft . 4-29-80		
						***************************************	
SE% of Sec. 10, T31S, R32W Seward County, Kansas.					7 Cable tool Rotary Driven Dug Hollow rod Jetted Bored XReverse rotary		
					8. Use: Domestic Public supply Industry X Irrigation Air conditioning Stock Lawn Oil field water Other		
					9. Casing: Material Ste		
					Threaded Welded   Surface 12 in.    RMP PVC   Weight 37   lbs./ft.		
S 1 → 1 Mile → 1					Dia.16 in. to 258ft. dep		
5. Type and color of material				То	Dia in. to ft. dep	oth gage No. <u>• 219</u>	
			From		10. Screen: Manufacturer's r	Foster, Doerr,	
					_Cook TypM/S;Louver;W	/Whin 16"	
					Slot/gauze 1/8"	Length	
Top soil			0	4_	Set between <u>258</u>	Length	
Sandy clay			4	24	Gravel pack? <b>Yes</b> Size ra	andft.	
71.			2/	1,0	11. Static water level:		
Fine-medium sand with clay streaks			24	42		rface Date 12-12-79	
Fine-medium sand with small gravel			42	56	12. Pumping level below land		
					288_ ft. after1_	hrs. pumping 1471 g.p.m. hrs. pumping g.p.m.	
Tan clay			56	76		g.p.m.	
Fine-medium sand with few clay streaks and small gravel			76	174	13. Water sample submitted:		
<b>G</b>			<del>  /8</del>	1.74	Yes <u>X</u> No	Date	
Clay			174	181	14. Well head completion:		
Fine-medium sand with small gravel streaks			181	246	Pitless adapter	12 Inches above grade	
					15. Well grouted? Yes	X Bentonite Concrete	
Gray shale			246	264	Depth: From ft. to		
Fine to medium sand with small gravel streaks			264	344	16. Nearest source of possible	e contamination.Unknown	
Fine-medium sand with small gravel streaks					ft Direction Well disinfected upon comple		
and gray shale streaks			344	408	17. Pump:	Not installed	
Gray shale with fine sand streaks			408	484	Manufacturer's name Layr		
Yellow shale					Model number 12THC	HP	
TETTOM 8	nate		484	490	Length of drop pipe380 Type:	1. ft. capacity <b>1600</b> g.p.m.	
Red shale			490	500	Submersible	X Turbine	
			1.50		Jet	Reciprocating	
	(Use a second sh	eet if needed)			Centrifugal	Other	
18. Elevation:	19. Remarks:				20. Water well contractor's		
					This well was drilled under m is true to the best of my know	vledge and belief.	
Topography:					Layne-Western (	-	
Hill					Business name	License No.	
Slope Upland					Pro 6	ty, KS 67846	
Valley	•				Signed Authorized rep	resentative Date	