

WATER WELL RECORD Form WWC-5 KSA 82a-1212

1 LOCATION OF WATER WELL: County: <u>Seward</u>	Fraction <u>center</u> <u>Nc</u> 1/4 NE 1/4 NE 1/4	Section Number <u>24</u>	Township Number T <u>31</u> S	Range Number R <u>32</u> <u>EW</u>
--	---	-----------------------------	----------------------------------	---------------------------------------

Distance and direction from nearest town or city street address of well if located within city?
8 3/4 miles NW of Kismet, Ks.

2 WATER WELL OWNER: H-30 Drilling Covel Trust 1-24
 RR#, St. Address, Box # : Box 307
 City, State, ZIP Code : Pratt, Ks. 67124
 Board of Agriculture, Division of Water Resources
 Application Number: T87-32

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

N

	X

S

4 DEPTH OF COMPLETED WELL: 340 ft. ELEVATION:

Depth(s) Groundwater Encountered 1. 1.15 ft. 2. ft. 3. ft.

WELL'S STATIC WATER LEVEL 225 ft. below land surface measured on mo/day/yr 1-24-87

Pump test data: Well water was 250 ft. after 2 hours pumping 60 gpm

Est. Yield 65 gpm: Well water was ft. after hours pumping gpm

Bore Hole Diameter 9 in. to 340 ft., and in. to ft.

WELL WATER TO BE USED AS:

5 Public water supply	8 Air conditioning	11 Injection well
1 Domestic	3 Feedlot	6 Oil field water supply
2 Irrigation	4 Industrial	7 Lawn and garden only
		10 Observation well

Was a chemical/bacteriological sample submitted to Department? Yes.....No X.....; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes X No

5 TYPE OF BLANK CASING USED:

1 Steel	3 RMP (SR)	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued <u>X</u> Clamped
2 PVC	4 ABS	6 Asbestos-Cement	9 Other (specify below)	Welded
		7 Fiberglass		Threaded

Blank casing diameter 5 in. to 0-260 ft., Dia. in. to ft., Dia. in. to ft.

Casing height above land surface 14 in., weight 200 lbs./ft. Wall thickness or gauge No. 0, 265

TYPE OF SCREEN OR PERFORATION MATERIAL:

1 Steel	3 Stainless steel	5 Fiberglass	7 PVC	10 Asbestos-cement
2 Brass	4 Galvanized steel	6 Concrete tile	8 RMP (SR)	11 Other (specify)
			9 ABS	12 None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE:

1 Continuous slot	3 Mill slot	5 Gauzed wrapped	8 Saw cut	11 None (open hole)
2 Louvered shutter	4 Key punched	6 Wire wrapped	9 Drilled holes	
		7 Torch cut	10 Other (specify)	

SCREEN-PERFORATED INTERVALS: From 225 ft. to 340 ft., From ft. to ft.

GRAVEL PACK INTERVALS: From 215 ft. to 340 ft., From ft. to ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other

Grout Intervals: From 0 ft. to 10 ft., From ft. to ft., From ft. to ft.

What is the nearest source of possible contamination:

1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)
			13 Insecticide storage	

Direction from well? South How many feet? 200

FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
0	225	Overburden			
225	250	Medium sand			
250	260	Medium sand			
260	280	Medium sand			
280	300	Medium sand and blue clay			
300	320	Coarse sand			
320	340	Medium sand			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 1-24-87 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 142 This Water Well Record was completed on (mo/day/yr) 2-2-87 under the business name of T & W Water Well Service by (signature) [Signature]

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Office of Oil Field and Environmental Geology, Regulation and Permitting Section, Topeka, Kansas 66620-7500, Telephone: 913-862-9360. Send one to WATER WELL OWNER and retain one for your records.