		Section Num	ber	Township No	umber	Range Number
OCATION OF WATER WELL:	Fraction	:		-		
OUNTY: 088 SEWARD	NW 1/4 NW 1/4 SE 1/4	23	ı	T 31	S	R 33 W
istance and direction from ne	earest town or city street address	of well if loca	ated with	in city?		
ATER WELL OWNER: JAN	CES THOMPSON					
R#, St. Address, Box # : PO		Board of Ag	riculture	Division	of Water D	egourceg
ity, State, ZIP code : TAC		Application		, bivibion (	or nacer n	
OCATE WELL'S LOCATION WITH	4 DEPTH OF COMPLETED WELL	525ELEVATIO	N: 0			
N "X" IN SECTION BOX:	Depth(s) Groundwater En	countered	1.	<b>0</b> ft. 2	. <b>0</b> ft	. 3. 0
				_		/day/yr 4/6/
	WELL'S STATIC WATER LEVEL			urface meas: ft. after		1/2/
NW NE	Pump testdata:	well water wa	s 0	ic. aiter	• nours	pumping / 0
	Estimated Yield 0 gpm	ı: Well water w	as 0	ft. after	0 hours	pumping 0
	i i					
W	E   Bore Hole Diameter	<b>24</b> in. to	<b>525</b> ft.	, and	in. to	<b>0</b> ft.
i i ix i	!!					
	WELL WATER WAS: 02 IRRIGA	TION				1
SW  SE	Was a chemical/bacteriolo	orical gample g	ubmitted	to departmen	ota No.	
	If yes, mo/day/yr sample	_	abilitied	co departmen		l disinfected?
						- 4152111200004.
					<b></b> -	
•	•	o. to <b>0</b> ft.	, Dia ickness o	in. to r gauge No.	0 ft. .250	
sing height above land surfa PE OF SCREEN OR PERFORATION	ace -48 in., weight 42 lb		•			
sing height above land surfa PE OF SCREEN OR PERFORATION REEN OR PERFORATION OPENINGS	ace -48 in., weight 42 lb MATERIAL: 01 STEEL S ARE: 01 CONT. SLOT	s/ft. Wall th	ickness o			
sing height above land surfa PE OF SCREEN OR PERFORATION REEN OR PERFORATION OPENINGS	MATERIAL: 01 STEEL S ARE: 01 CONT. SLOT  From 306 ft. to 396 ft	s/ft. Wall th	ickness o	r gauge No.		
sing height above land surfa PE OF SCREEN OR PERFORATION REEN OR PERFORATION OPENINGS	MATERIAL: 01 STEEL S ARE: 01 CONT. SLOT  From 306 ft. to 396 ft From 403 ft. to 423 ft From 20 ft. to 525 ft	ss/ft. Wall th	ft. to	r gauge No.  520 ft. 0 ft.		
sing height above land surfa PE OF SCREEN OR PERFORATION REEN OR PERFORATION OPENINGS REEN PERFORATED INTERVALS:	MATERIAL: 01 STEEL S ARE: 01 CONT. SLOT  From 306 ft. to 396 ft From 403 ft. to 423 ft From 20 ft. to 525 ft	ss/ft. Wall th	ickness o	r gauge No. 520 ft. 0 ft.		
sing height above land surfa PE OF SCREEN OR PERFORATION REEN OR PERFORATION OPENINGS REEN PERFORATED INTERVALS:  GRAVEL PACK INTERVALS:	Ace -48 in., weight 42 lb MATERIAL: 01 STEEL S ARE: 01 CONT. SLOT  From 306 ft. to 396 ft From 403 ft. to 423 ft From 20 ft. to 525 ft From 0 ft. to 0 ft	ss/ft. Wall th	ft. to	r gauge No.  520 ft. 0 ft.		
sing height above land surfa PE OF SCREEN OR PERFORATION REEN OR PERFORATION OPENINGS REEN PERFORATED INTERVALS:  GRAVEL PACK INTERVALS:	Ace -48 in., weight 42 lb MATERIAL: 01 STEEL S ARE: 01 CONT. SLOT  From 306 ft. to 396 ft From 403 ft. to 423 ft From 20 ft. to 525 ft From 0 ft. to 0 ft	ss/ft. Wall th	ft. to ft. to ft. to	r gauge No.  520 ft. 0 ft.		
sing height above land surfa PE OF SCREEN OR PERFORATION REEN OR PERFORATION OPENINGS REEN PERFORATED INTERVALS:  GRAVEL PACK INTERVALS:  OUT MATERIAL 03 BENTONITION OUT Intervals: From 0 1	Ace -48 in., weight 42 lb MATERIAL: 01 STEEL S ARE: 01 CONT. SLOT  From 306 ft. to 396 ft From 403 ft. to 423 ft From 20 ft. to 525 ft From 0 ft. to 0 ft	ss/ft. Wall th	ft. to ft. to ft. to	r gauge No. 520 ft. 0 ft. 0 ft. 0 ft.	.250	
sing height above land surfa PE OF SCREEN OR PERFORATION REEN OR PERFORATION OPENINGS REEN PERFORATED INTERVALS:  GRAVEL PACK INTERVALS:  OUT MATERIAL 03 BENTONITI OUT Intervals: From 0 is at is the nearest source of	Ace -48 in., weight 42 lb MATERIAL: 01 STEEL S ARE: 01 CONT. SLOT  From 306 ft. to 396 ft From 403 ft. to 423 ft From 20 ft. to 525 ft From 0 ft. to 0 ft  E ft. to 20 ft., From 0 ft. to	ss/ft. Wall th	ft. to ft. to ft. to	r gauge No. 520 ft. 0 ft. 0 ft. 0 ft.	.250	ow many feet?
sing height above land surfa PE OF SCREEN OR PERFORATION REEN OR PERFORATION OPENINGS REEN PERFORATED INTERVALS:  GRAVEL PACK INTERVALS:  OUT MATERIAL 03 BENTONITI out Intervals: From 0 is at is the nearest source of rection from well?	Acc -48 in., weight 42 lb  MATERIAL: 01 STEEL  S ARE: 01 CONT. SLOT  From 306 ft. to 396 ft  From 403 ft. to 423 ft  From 20 ft. to 525 ft  From 0 ft. to 0 ft  E  ft. to 20 ft., From 0 ft. to  possible contamination: NONE OBSER	os/ft. Wall th	ft. to ft. to ft. to ft. to ft. to	r gauge No. 520 ft. 0 ft. 0 ft. 0 ft.	.250 0 ft.	
sing height above land surfa PE OF SCREEN OR PERFORATION REEN OR PERFORATION OPENINGS REEN PERFORATED INTERVALS:  GRAVEL PACK INTERVALS:  OUT MATERIAL 03 BENTONITI OUT Intervals: From 0 is at is the nearest source of rection from well?	Ace -48 in., weight 42 lb MATERIAL: 01 STEEL S ARE: 01 CONT. SLOT  From 306 ft. to 396 ft From 403 ft. to 423 ft From 20 ft. to 525 ft From 0 ft. to 0 ft  E ft. to 20 ft., From 0 ft. to	ss/ft. Wall th	ft. to ft. to ft. to ft. to ft. to	r gauge No. 520 ft. 0 ft. 0 ft. 0 ft.	.250	
sing height above land surfa PE OF SCREEN OR PERFORATION REEN OR PERFORATION OPENINGS REEN PERFORATED INTERVALS:  GRAVEL PACK INTERVALS:  OUT MATERIAL 03 BENTONITI out Intervals: From 0 is at is the nearest source of rection from well?	Acc -48 in., weight 42 lb  MATERIAL: 01 STEEL  S ARE: 01 CONT. SLOT  From 306 ft. to 396 ft  From 403 ft. to 423 ft  From 20 ft. to 525 ft  From 0 ft. to 0 ft  E  ft. to 20 ft., From 0 ft. to  possible contamination: NONE OBSER	os/ft. Wall th	ft. to ft. to ft. to ft. to ft. to	r gauge No. 520 ft. 0 ft. 0 ft. 0 ft.	.250 0 ft.	
sing height above land surfa PE OF SCREEN OR PERFORATION REEN OR PERFORATION OPENINGS REEN PERFORATED INTERVALS:  GRAVEL PACK INTERVALS:  OUT MATERIAL 03 BENTONITI OUT Intervals: From 0 is at is the nearest source of rection from well?	Acc -48 in., weight 42 lb  MATERIAL: 01 STEEL  S ARE: 01 CONT. SLOT  From 306 ft. to 396 ft  From 403 ft. to 423 ft  From 20 ft. to 525 ft  From 0 ft. to 0 ft  E  ft. to 20 ft., From 0 ft. to  possible contamination: NONE OBSER	ss/ft. Wall th	ft. to ft. to ft. to ft. to ft. to	r gauge No.  520 ft. 0 ft. 0 ft. 0 ft.  BACKFILL	.250 0 ft.	
sing height above land surfa PE OF SCREEN OR PERFORATION REEN OR PERFORATION OPENINGS REEN PERFORATED INTERVALS:  GRAVEL PACK INTERVALS:  OUT MATERIAL 03 BENTONITI OUT Intervals: From 0 is at is the nearest source of rection from well?	Acc -48 in., weight 42 lb  MATERIAL: 01 STEEL  S ARE: 01 CONT. SLOT  From 306 ft. to 396 ft  From 403 ft. to 423 ft  From 20 ft. to 525 ft  From 0 ft. to 0 ft  E  ft. to 20 ft., From 0 ft. to  possible contamination: NONE OBSER	ss/ft. Wall th	ft. to ft. to ft. to ft. to ft. to ft. t  ft. to ft. t  ft. t	r gauge No.  520 ft. 0 ft. 0 ft. 0 ft.  BACKFILL CONCRETE	.250 0 ft.	
sing height above land surfa PE OF SCREEN OR PERFORATION REEN OR PERFORATION OPENINGS REEN PERFORATED INTERVALS:  GRAVEL PACK INTERVALS:  OUT MATERIAL 03 BENTONITI OUT Intervals: From 0 is at is the nearest source of rection from well?	Acc -48 in., weight 42 lb  MATERIAL: 01 STEEL  S ARE: 01 CONT. SLOT  From 306 ft. to 396 ft  From 403 ft. to 423 ft  From 20 ft. to 525 ft  From 0 ft. to 0 ft  E  ft. to 20 ft., From 0 ft. to  possible contamination: NONE OBSER	FROM     0     4     11	ft. to ft	r gauge No.  520 ft. 0 ft. 0 ft. 0 ft. EACKFILL CONCRETE	.250 0 ft.	
sing height above land surfa PE OF SCREEN OR PERFORATION REEN OR PERFORATION OPENINGS REEN PERFORATED INTERVALS:  GRAVEL PACK INTERVALS:  OUT MATERIAL 03 BENTONITI out Intervals: From 0 is at is the nearest source of rection from well?	Acc -48 in., weight 42 lb  MATERIAL: 01 STEEL  S ARE: 01 CONT. SLOT  From 306 ft. to 396 ft  From 403 ft. to 423 ft  From 20 ft. to 525 ft  From 0 ft. to 0 ft  E  ft. to 20 ft., From 0 ft. to  possible contamination: NONE OBSER	FROM     0     4     11     225	ft. to ft	r gauge No.  520 ft. 0 ft. 0 ft. 0 ft. EACKFILL CONCRETE	.250 0 ft.	
sing height above land surfater of SCREEN OR PERFORATION OPENINGS.  TREEN OR PERFORATION OPENINGS.  TREEN PERFORATED INTERVALS:  GRAVEL PACK INTERVALS:  TOUT MATERIAL 03 BENTONITION OF STATE O	Acc -48 in., weight 42 lb  MATERIAL: 01 STEEL  S ARE: 01 CONT. SLOT  From 306 ft. to 396 ft  From 403 ft. to 423 ft  From 20 ft. to 525 ft  From 0 ft. to 0 ft  E  ft. to 20 ft., From 0 ft. to  possible contamination: NONE OBSER	FROM     0     4     11     225	ft. to ft. to ft. to ft. to ft. to ft. t  ft	r gauge No.  520 ft. 0 ft. 0 ft. 0 ft. EACKFILL CONCRETE	.250 0 ft.	
Assing height above land surface of SCREEN OR PERFORATION OPENINGS.  CREEN OR PERFORATION OPENINGS.  CREEN PERFORATED INTERVALS:  GRAVEL PACK INTERVALS:  CROUT MATERIAL 03 BENTONITIES.  COUT Intervals: From 0 in the state of t	Acc -48 in., weight 42 lb  MATERIAL: 01 STEEL  S ARE: 01 CONT. SLOT  From 306 ft. to 396 ft  From 403 ft. to 423 ft  From 20 ft. to 525 ft  From 0 ft. to 0 ft  E  ft. to 20 ft., From 0 ft. to  possible contamination: NONE OBSER	FROM     0     4     11     225	ft. to ft. to ft. to ft. to ft. to ft. t  ft	r gauge No.  520 ft. 0 ft. 0 ft. 0 ft. EACKFILL CONCRETE	.250 0 ft.	
sing height above land surfare of SCREEN OR PERFORATION OPENINGS.  REEN OR PERFORATION OPENINGS.  REEN PERFORATED INTERVALS:  GRAVEL PACK INTERVALS:  OUT MATERIAL 03 BENTONITION OF STATE OF ST	Acc -48 in., weight 42 lb  MATERIAL: 01 STEEL  S ARE: 01 CONT. SLOT  From 306 ft. to 396 ft  From 403 ft. to 423 ft  From 20 ft. to 525 ft  From 0 ft. to 0 ft  E  ft. to 20 ft., From 0 ft. to  possible contamination: NONE OBSER	FROM     0     4     11     225	ft. to ft. to ft. to ft. to ft. to ft. t  ft	r gauge No.  520 ft. 0 ft. 0 ft. 0 ft. EACKFILL CONCRETE	.250 0 ft.	
sing height above land surfa PE OF SCREEN OR PERFORATION REEN OR PERFORATION OPENINGS REEN PERFORATED INTERVALS:  GRAVEL PACK INTERVALS:  OUT MATERIAL 03 BENTONITI out Intervals: From 0 is at is the nearest source of rection from well?	Acc -48 in., weight 42 lb  MATERIAL: 01 STEEL  S ARE: 01 CONT. SLOT  From 306 ft. to 396 ft  From 403 ft. to 423 ft  From 20 ft. to 525 ft  From 0 ft. to 0 ft  E  ft. to 20 ft., From 0 ft. to  possible contamination: NONE OBSER	FROM   44   11   225   0   0   0   0   0   0   0   0   0	ft. to ft. d il   225   0   0   0   0	r gauge No.  520 ft. 0 ft. 0 ft. 0 ft. EACKFILL CONCRETE	.250 0 ft.	
sing height above land surfa PE OF SCREEN OR PERFORATION REEN OR PERFORATION OPENINGS REEN PERFORATED INTERVALS:  GRAVEL PACK INTERVALS:  OUT MATERIAL 03 BENTONITI OUT Intervals: From 0 is at is the nearest source of rection from well?  ROM   TO	MATERIAL: 01 STEEL S ARE: 01 CONT. SLOT  From 306 ft. to 396 ft From 403 ft. to 423 ft From 20 ft. to 525 ft From 0 ft. to 0 ft  E ft. to 20 ft., From 0 ft. t  possible contamination: NONE OBSER  LITHOLOGIC LOG	FROM   4   11   225   0   0   0   0   0   0   0   0   0	ft. to ft. d ill 225   525   0   0   0   0   my jurisd	s gauge No.  520 ft. 0 ft. 0 ft. 0 ft. Coft. sand	Oft. Ho	
sing height above land surfate of SCREEN OR PERFORATION OPENINGS.  CREEN OR PERFORATION OPENINGS.  CREEN PERFORATED INTERVALS:  GRAVEL PACK INTERVALS:  COUT MATERIAL 03 BENTONITY COUT Intervals: From 0 is lat is the nearest source of crection from well?  CROM   TO	MATERIAL: 01 STEEL S ARE: 01 CONT. SLOT  From 306 ft. to 396 ft From 403 ft. to 423 ft From 20 ft. to 525 ft From 0 ft. to 0 ft  E ft. to 20 ft., From 0 ft. t  possible contamination: NONE OBSER  LITHOLOGIC LOG	FROM     0     0     0     0       0	ft. to ft. d il   225   525   0   0   0   0   my jurisd knowledge	s gauge No.  520 ft. 0 ft. 0 ft. 0 ft. Concrete Soil SAND	O ft.  Ho  PLUGGING I	NTERVALS
sing height above land surfa PE OF SCREEN OR PERFORATION REEN OR PERFORATION OPENINGS REEN PERFORATED INTERVALS:  GRAVEL PACK INTERVALS:  OUT MATERIAL 03 BENTONITI OUT Intervals: From 0 is at is the nearest source of rection from well?  ROM   TO	Acc -48 in., weight 42 lb MATERIAL: 01 STEEL S ARE: 01 CONT. SLOT  From 306 ft. to 396 ft From 403 ft. to 423 ft From 20 ft. to 525 ft From 0 ft. to 0 ft  E ft. to 20 ft., From 0 ft. to possible contamination: NONE OBSER  LITHOLOGIC LOG  ERTIFICATION: This water well was /06/07 and this record is true to to se No. 145 This Water	FROM   0   0   0   0   0   0   0   Plugged under the best of my Well Record wa	ft. to ft. d    11   225   525   0   0   0   0   my jurisd knowledge s complet	s gauge No.  520 ft. 0 ft. 0 ft. 0 ft. Concrete Soil SAND	0 ft.  Ho  PLUGGING I  Was  Kansas ay/yy) 10/	NTERVALS