KOLAR Document ID: 1460173

WATER V		ECORD Correction		WWC-5	i e			ion of Wate			Well	m [
Original Record Correction Change in Well Use 1 LOCATION OF WATER WELL: Fraction					Resources App. No. Section Number Township Number					ge Number			
County: 14 14 14					1				□ E □ W				
•						Street or	reet or Rural Address where well is located (if unknown, distance and						
				direction fi	irection from nearest town or intersection): If at owner's address, check here:								
Address: Address:													
City:			State:	ZIP:									
3 LOCATE	WELL												
WITH "X"		4 DEPTH					ft.						
SECTION	BOX:	Depth(s) Gr					1			e:			
N		2) WELL'S ST		3) TER I EVEI			1			WGS 84 □ NAI	_	_ N.	AD 27
	\top X			, measured o						<u>Latitude/Longitude</u> unit make/model:			,
NW	- NE)						
	ī	Pump test da				Land			Survey Topogr			-,	
w	E	after		s pumping gpm vater was ft.				☐ Online Mapper:					
SW -	- SE	aftar					am .						
		Estimated Y		pumpinggpm				6 Elevation:ft. ☐ Ground Level ☐ TOC				Level TOC	
S		Bore Hole I			ft. and					GPS Topographic Map			
1 mil	e			in. t						Other			
7 WELL W	ATER TO	BE USED A	AS:										
1. Domestic:				ter Supply:						eld Water Supply: 16			
Househo				g: how man									
☐ Lawn &				echarge: we						Uncased (
☐ Livestocl 2. ☐ Irrigation				g: well ID						al: how many bores			
3. ☐ Feedlot			Air Sparge	Remediation: well ID			••••	a) Closed Loop ☐ Horizontal ☐ Vertical b) Open Loop ☐ Surface Discharge ☐ Inj. of Water					
4. Industria	1		Recovery		njection					(specify):			
Was a chemi	ical/bacteri	ological san	nple subm	itted to Kl	DHE? \square	Yes \square 1	No]	If yes, date	e sar	nple was submitte	:d:		
Water well di					_	_		•		1			
8 TYPE OF	CASING	USED: □ S	teel PV	C 🔲 Other		CA	SING	G JOINTS	:	Glued Clamped	l 🗌 We	lded	Threaded
										in. to			
Casing height						lbs.	ft.	Wall thick	kness	or gauge No			
TYPE OF SC			TION MAT	ΓERIAL:						7 (6)			
☐ Steel ☐ Brass	_	less Steel anized Steel			□ PVC	used (open	hala)	☐ Oth	ner (S	Specify)		• • • • • •	•••••
SCREEN OR			NINGS AI	RF.	☐ None (iseu (open	noie)						
☐ Continue		☐ Mill Slot		auze Wrappe	ed □ To	orch Cut	□ Dri	illed Holes	П	Other (Specify)			
Louvere		☐ Key Punch						ne (Open H		(-1),			
SCREEN-PE	RFORATE	D INTERVA	ALS: From	ı fı	t. to	ft., Fro	m	ft. to	o	ft., From	f	t. to	ft.
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft., From ft. to ft.													
9 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☐ Bentonite ☐ Other													
Grout Intervals: From													
Nearest source of possible contamination: No potential source of contamination within 200 ft. ☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage													
☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage ☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well													
☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well													
☐ Other (Specify)													
					nce from w							<u> </u>	
10 FROM	TO		ITHOLOG	ilC LOG		FRON	1	TO	LH	HO. LOG (cont.) or	PLUG	JINC	INTERVALS
						+	+						
				<u> </u>									
						Notes:							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was _ constructed, _ reconstructed, or _ plugged													
under my jurisdiction and was completed on (mo-day-year)													
Kansas Water	r Well Cont	tractor's Lice	ense No		. This Wa	ater Well	Reco	rd was cor	nple	ted on (mo-day-y	ear)		
under the bus	iness name	of	***	TT 1 0**				1 5 22		or each <u>constructed</u> we		<u></u>	
KS Departmen	S nt of Health ar	end one copy to d Environment	OWATER W Bureau of W	ELL OWNER Vater, Geology	c and retain v Section 10	one for your	record	as. Fee of \$5 t Suite 420	0.00 f Tope	or each <u>constructed</u> we eka. Kansas 66612-13 <i>6</i>	eil. 57. Telen	hone	785-296-3565
-	KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212												

Form	WWC5
Contractor	Hydro Resources Mid Continent, Inc.
Well Owner	
Doc ID	1460173

Litholgy

From	То	LithologicLog
0	2	top soil
		·
2	46	brown sandy clay
46	56	fine sand
56	67	brown sandy clay
67	72	sand fine to med coarse
72	88	brown sandy clay
88	104	sand fine to med coarse small gravel
104	117	brown & gray clay
117	214	sand fine to med coarse small gravel
214	220	light blue clay
220	249	sand fine to med coarse
249	258	brown sandy clay
258	264	sand fine to med coarse
264	280	blue clay
280	289	sand fine to med coarse
289	295	blue sandy clay
295	378	sand fine to med coarse small gravel
378	387	brown & gray clay w/ fine sand strips
387	405	sand fine to med coarse small gravel
405	410	light blue clay
410	420	sand fine to med coarse

Form	WWC5
Contractor	Hydro Resources Mid Continent, Inc.
Well Owner	
Doc ID	1460173

Litholgy

From	То	LithologicLog
420	439	brown & gray clay w/ some sand strips
439	465	brown sandy clay
465	485	sand fine some med w/ couple clay stringers
485	490	white sandy clay w/ some sand strips
490	501	brown clay
501	508	soapstone
508	537	sandstone
537	560	red bed