

WATER WELL R ☐ Original Record ☐		W W C-5	1000			ion of Water			Well ID	
1 LOCATION OF W	<u> </u>	e in Well Use Fraction				rces App. No on Number		ownshin Numb		aga Numbar
County:	AIER WELL:	1/4 1/4	1/4	1/4	Secu	on Number	10	ownship Numb T S	er Rar R	nge Number □ E □ W
	N				Dura	1 Addross v	whore r			
2 WELL OWNER: Last Name: First: Street or Rural Address where well is located (if unknown, distance and direction from nearest town or intersection): If at owner's address, check here:										
Address:										
Address:										
City:	State:	ZIP:				T				
3 LOCATE WELL	4 DEPTH OF COM	IPLETED W	ELL:		ft.	5 Latitu	de.			(decimal degrees)
WITH "X" IN										
SECTION BOX:		Depth(s) Groundwater Encountered: 1)			Well Datum: WGS 84 NAD 83 NAD 27 Source for Latitude/Longitude:					
	WELL'S STATIC WA	WELL'S STATIC WATER LEVEL:							111111111111111111111111111111111111111	
	☐ below land surface,					GPS (unit make/model:)				
NW NE	above land surface,				☐ Land Survey ☐ Topographic Map			1 0)		
	Pump test data: Well w									
W E	after hours	ater was				☐ Online Mapper:				
SW SE	after hours									
	Estimated Yield:			5P	6 Ele					d Level 🔲 TOC
S	Bore Hole Diameter:			. ft. and		Source: Land Survey GPS Topographic Map				
mile		in. to		ft.			☐ Otl	her	•••••	• • • • • • • • • • • • • • • • • • • •
7 WELL WATER TO										
1. Domestic:	5. Public Wa							Water Supply: 16		
Household	6. Dewaterin					11. Test Hole: well ID				
☐ Lawn & Garden ☐ Livestock	7. Aquifer Re									
2. Irrigation	 Monitoring Environmenta 							how many bores op Horizont		
3. ☐ Feedlot	☐ Air Sparge			Extraction				p Surface Di		
4. ☐ Industrial	☐ Recovery		_					ecify):		
Was a chemical/bacter				Ves 🗆	No 1			e was submitte		
Water well disinfected?		itted to IXDI	ш. Ц	103 🔲	110	ii yes, date	sampi	e was sabilitie	· · · · · · · · · · · · · · · · · · ·	
8 TYPE OF CASING		C Other		C	ASINO	G IOINTS:		ued □ Clampeo	l □ Welde	d □ Threaded
Casing diameter										
Casing height above land s										
TYPE OF SCREEN OR	PERFORATION MA	ΓERIAL:								
☐ Steel ☐ Stair	nless Steel] PVC				er (Spe	cify)		
	anized Steel] None u	sed (open	hole)					
SCREEN OR PERFOR										
		auze Wrapped						ner (Specify)	• • • • • • • • • • • • • • • • • • • •	
SCREEN-PERFORATE	☐ Key Punched ☐ W					ne (Open Ho		ft Erom	ft. to	f+
GRAVEL PACK INTERVALS: From										
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other								. • • • • • • • • • • • • • • • • • • •		
Nearest source of possible contamination:										
☐ Septic Tank								;		
☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well										
☐ Watertight Sewer Lin					\Box F	ertilizer Stor	age	☐ Oil We	ll/Gas Well	
☐ Other (Specify)										
10 FROM TO	LITHOLOG		e from we	FRON						G INTERVALS
TO TROM TO	LITHOLOG	JIC LOG		TROI	VI	10	LIIIIO	. LOG (cont.) of	LUUUIN	UINTERVALS
				Notes	:	ı				
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year)										
under my jurisdiction ar	nd was completed on (m	no-day-year) .			and th	nis record is	true t	o the best of m	v knowled	ge and belief.
Kansas Water Well Con	tractor's License No		I'his Wa	ter Well	Reco	rd was com	pleted	l on (mo-day-y	ear)	
under the business name of										
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.										

Form	WWC5
Contractor	Hydro Resources Mid Continent, Inc.
Well Owner	JAMES CULLISON
Doc ID	1086032

Litholgy

From	То	LithologicLog
0	2	TOP SOIL
2	41	BROWN SANDY CLAY
41	47	FINE SAND
47	137	BROWN SANDY CLAY
137	162	SAND FINE TO MED , SM GRAVEL
162	185	BROWN SANDY CLAY W/ FEW SAND STRIPS
185	235	SAND FINE TO MED
235	244	BROWN SANDY CLAY
244	262	SAND FINE TO MED W/ FEW CLAY STRINGERS
262	298	BRWON SANDY CLAY W/ SOME SAND BEDS
298	308	SAND FINE TO MED
308	321	BROWN CLAY, STICKY
321	345	SAND FINE TO MED W/ FEW CLAY STRINGERS
345	375	SAND FINE TO MED
375	403	BROWN CLAY STICKY W/ COUPLE SAND STRIPS
403	425	SAND FINE TO MED,
425	458	BROWN CLAY STICKY
458	490	SANDSTONE
470	517	SANDSTONE W/ FEW SOAPSTONE

Form	WWC5
Contractor	Hydro Resources Mid Continent, Inc.
Well Owner	JAMES CULLISON
Doc ID	1086032

Litholgy

From	То	LithologicLog
517		SOAPSTONE W SAND STONE STRIPS
534	540	RED BED