WATER	R WELL R	ECORD	Form W	WC-5	Division of Wate	r Resources App. No	7586	
		VATER WELL:	Fraction	VV C-3	Section Number	Township No.	Range Number	
	ty: STEVEN		1/4 SE 1/4 SE	1/4 NE 1/4	10	T 31 S	R 35 □E 🗗 W	
	Street/Rural Address of Well Location; if unknown, distance & direction					Global Positioning System (GPS) information:		
from	from nearest town or intersection: If at owner's address, check here $\square$ .					Latitude: (in decimal degrees)		
6 MILES NE ON HIGHWAY 56 & 1/2 MILE SOUTH OF MOSCOW,					Longitude: (in decimal degrees)			
KS.					Elevation:			
2 WATER WELL OWNER: DOUGLAS F BELL					Collection Method:			
RR#, Street Address, Box #: 1 FORD City, State, ZIP Code : COLBY			DRIVE		GPS unit (Make/Model:)			
			′ KS 67701		☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m			
3 LOC4	ATE WELL	· 1		Est. Accuracy.   55 m,   5-5 m,   5-15 m,   7-15 m				
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 3.79								
SECT	ION BOX:	Depth(s) Groun	dwater Encountered	vater Encountered (1)				
	N	WELL'S STAT	VELL'S STATIC WATER LEVEL. 328ft. below land surface measured on mo/day/yr					
		Pump	Pump test data: Well water was					
	/ NE	D 77.4 D	Bore Hole Diameterin. toft., andft.					
W	X		WELL WATER TO BE USED AS:   Public water supply   Geothermal   Injection well					
ew.	,   ,	☐ Domestic	☐ Feedlot ☐ Oil field water supply ☐ Dewatering ☐ Other (Specify below)					
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well								
	S If yes, mo/day/yr sample was submitted							
water wer disinfected: 125 110								
5 TYPE	OF CASING	GUSED: 🗹 Stee	l PVC D		· · · · · · · · · · · · · · · · · · · ·	•••••		
CASING JOINTS:  Glued  Clamped  Welded  Threaded  Cooling dispector 16 in to ft Diameter in to ft Diameter in to ft								
Casing diameter .16 in. to								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
✓ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)								
Brass Galvanized Steel None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:  Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)								
SCREEN-PERFORATED INTERVALS: From								
From								
GRAVEL PACK INTERVALS: From								
From								
Grout Intervals: From								
What is the nearest source of possible contamination:								
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)								
	Sewer lines	Cesspool Seepage		☐ Fuel storag ☐ Fertilizer st		d water well		
Direc	tion from wel	1 SOUTH	pit reedyard	Distance	from well . 3300 F.	T		
FROM	TO	LITHOLOG		FROM			JGGING INTERVALS	
		SHED SAND (CHL						
6		ITONITE						
3	0 TOF	SOIL						
			·					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☐ constructed, ☐ reconstructed, or ☑ plugged								
under my jurisdiction and was completed on (mo/day/year) .12-17-2013 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. 7.22 This Water Well Record was completed on (mo/day/year) 01-24-2014								
under the	e business nar	ne of	DERINKLERS, INC.	Vand DDINIT al	by (signature)	Sand theat the correct	answers Send one consta	
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send one copy to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.								
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at								