

WATER WELL REC		W W C-3	<b></b>		ion of Water		W 11 ID	
		e in Well Use			rces App. No.		Well ID	NY 1
1 LOCATION OF WAT	ER WELL:	Fraction	1/	Secti	on Number	Township Numb		ige Number
County:		/4 1/4	D	1 4 1 1 1	<u>T</u> S	R	□E □W	
				eet or Rural Address where well is located (if unknown, distance and				
Address:	direction from nearest to via of intersection). If at o vialer is address, entern near i					ineck nere:		
Address:								
City:	State:	ZIP:						
3 LOCATE WELL	DEPTH OF COM	IPI ETED WELL.		ft	5 Lotitud	e:		(daaimal daamaa)
WITH "A" IN	Depth(s) Groundwater I							
SECTION BOX:		3) ft., or 4)				de:		
N	WELL'S STATIC WAT							
	□ below land surface,				☐ GPS (unit make/model:			
NW   NE	<ul> <li>above land surface,</li> </ul>	measured on (mo-day	y-yr)					
	Pump test data: Well w			☐ Land Survey ☐ Topographic Map			•	
E E		pumping		Online Mapper:				
SW SE		ater was						
	Estimated Yield:	s pumping	gpm	m 6 Elevation:ft. ☐ Ground Level ☐ TOC				
	Bore Hole Diameter:		ft and					
1 mile		in. to			[	Other		
7 WELL WATER TO B					1			
1. Domestic:		ter Supply: well ID			10. □ Oil F	ield Water Supply: 1	ease	
☐ Household		g: how many wells?.				le: well ID		
☐ Lawn & Garden	7. ☐ Aquifer Re	echarge: well ID			☐ Case	d Uncased	Geotechnica	l
☐ Livestock		g: well ID				mal: how many bore		
2.  Irrigation		al Remediation: well				ed Loop   Horizon		
3. ☐ Feedlot	☐ Air Sparge		Extraction	traction b) Open Loop ☐ Surface Discharge ☐ Inj. of Water  13. ☐ Other (specify):				
4. Industrial	☐ Recovery	☐ Injection						
Was a chemical/bacteriol		itted to KDHE? $\Box$	Yes	No 1	If yes, date s	ample was submitte	ed:	
Water well disinfected?								
8 TYPE OF CASING US								
Casing diameter								
Casing height above land surf			lbs	./ft.	Wall thickne	ss or gauge No		
TYPE OF SCREEN OR PI					Пол	(C :C)		
☐ Steel ☐ Stainles ☐ Brass ☐ Galvani			used (emen	, hala)		(Specify)	•••••	• • • • • • • • • • • • • • • • • • • •
☐ Brass ☐ Galvani SCREEN OR PERFORAT			used (open	i noie)				
			Forch Cut	□ Dri	lled Holes - [	Other (Specify)		
Louvered Shutter					ne (Open Hole		• • • • • • • • • • • • • • • • • • • •	
SCREEN-PERFORATED	INTERVALS: From	1 ft. to	ft Fr	om	ft. to	ft From	ft. to	ft.
SCREEN-PERFORATED INTERVALS: From								
9 GROUT MATERIAL: Neat cement Cement Grout Bentonite Other.								
Grout Intervals: From								
Nearest source of possible contamination:								
☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage								
☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well								
	☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well							
☐ Other (Specify)								
10 FROM TO	LITHOLOG		FRO			THO. LOG (cont.) o		GINTERVALS
20 11(01)1 10	Lilloloc	22 200	I KO		10 1			O II (IZIK (IIII))
Notes:								
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was   constructed,  reconstructed, or  plugged								
under my jurisdiction and	under my jurisdiction and was completed on (mo-day-year)							
Kansas Water Well Contra	ctor's License No	This W	ater Well	Reco	rd was comp	leted on (mo-day-y	ear)	
under the business name of								
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.								

KSA 82a-1212 Visit us at http://www.kdheks.gov/waterwell/index.html

Form	WWC5
Contractor	Downey Drilling, Inc.
Well Owner	MARCUS & STACEY HOWE & THOMAS LAHEY
Doc ID	1362222

## Litholgy

From	То	LithologicLog
0	28	TOP SOIL / CLAY
28	108	CLAY
108	128	SANDY CLAY & F. SAND
128	148	MED GRAVEL
148	168	F/M GRAVEL & SANDY CLAY
168	188	F/C SAND & GRAVEL /SS
188	208	M/C GRAVEL
208	228	M/C GRAVEL & SC
228	248	M/C SAND/F GRAVEL & SC
248	268	M/C SAND & F. GRAVEL TR CLAY
268	288	M/C GRAVEL & TR SC
288	308	SAND / GRAVEL & CLAY
308	328	CLAY
328	348	SAND/GRAVEL/CLAY
348	368	C SAND & F. GRAVEL
368	388	CLAY/SC/GRAVEL/ SAND
388	408	F. GRAVEL & C SAND
408	428	SAND/GRAVEL/SC & SS
428	448	SAND/SS & CLAY
448	468	ROCK/CLAY/SS& LIMESTONE
468	488	CLAY/ROCK/SS
488	508	CEM SAND/SANDSTONE

Form	WWC5
Contractor	Downey Drilling, Inc.
Well Owner	MARCUS & STACEY HOWE & THOMAS LAHEY
Doc ID	1362222

## Litholgy

From	То	LithologicLog
508	528	CEM. SAND & SANDSTONE
528	540	SOAPSTONE/RED BED