-Diblo	Churchman	n #2			WOA 00-	1010				
1 LOCATION OF W		Fraction	ER WELL RECORD	Form WWC-5	KSA 82a- tion Number	1212 Township Number	er T	Range Num	ber	
County: Stever		SE 14	NE ¼ NE	1	15		S R		<b>ĕ</b> (%) ∷	
Distance and direction	n from nearest to		address of well if locate	ed within city?					-0	
	and South			,	I I OM NO	oub go 13 m		1 4 11.00	:	
2 WATER WELL O		Lahey	acton.							
RR#, St. Address, B		Laney			Mobil	Oil Corp. Board of Agricu	utura Divisio	on of Water F	Resources	
		corr VC	67052			Application Nu	mbor: T	87-41	103001003	
City, State, ZIP Code		cow, KS	COMPLETED WELL.	460			IIIDOI.			
AN "X" IN SECTION	ON BOX:	DEPTH OF C	COMPLETED WELL dwater Encountered		. π. ELEVAI	IION:				
	N									
Ĭ I I		i .	WATER LEVEL 4							
NW	-   X	į.	p test data: Well wat							
1   1		1	gpm: Well wat							
<u>8</u> W 1	<del>┃</del>	Bore Hole Diam	eter. $11.\ldots$ in. to	4.60					ft.	
₹ "  !	1 ! 1	WELL WATER	TO BE USED AS:	5 Public water		8 Air conditioning				
sw	- SE	1 Domestic	3 Feedlot			9 Dewatering		(Specify below)	ow)	
1   - 3   - 1	1 71	2 Irrigation				0 Observation well			11 100	
		Was a chemical	/bacteriological sample	submitted to De	epartment? Ye	sNo	; If yes, mo/d	ay/yr sample	was sub	
1	\$	mitted			Wat	er Well Disinfected?	Yes	No		
5 TYPE OF BLANK	CASING USED:		5 Wrought iron	8 Concre	ete tile	CASING JOINTS	: Glued	Clamped		
1 Steel	3 RMP (S	SR)	6 Asbestos-Cement	9 Other	(specify below	<b>'</b> )	Welded	<i></i>		
(2)PVC	4 ABS		7 Fiberglass				Threaded.			
Blank casing diameter	er 6. 7.8	in to 280	ft., Dia	in. to		ft., Dia	in. to		ft.	
Casing height above	land surface	<i>\$</i> `\$``	.in., weight		lbs./f	t. Wall thickness or ga	auge No			
TYPE OF SCREEN	OR PERFORATIO	ON MATERIAL:		7 PV		10 Asbesto				
1 Steel	3 Stainles	ss steel	5 Fiberglass	8 RM	IP (SR)	11 Other (s	specify)			
2 Brass	4 Galvani	zed steel	6 Concrete tile	9 AB		,	sed (open ho			
SCREEN OR PERFO				red wrapped		8 Saw cut	` •	None (open h	nole)	
1 Continuous s		Mill slot		wrapped		9 Drilled holes		(		
2 Louvered shu		Key punched	7 Torci			10 Other (specify)				
SCREEN-PERFORA			ft. to .							
OONEENT EN OND	TED INTERIORES.		ft. to .							
GRAVEL P	ACK INTERVALS		ft. to .							
GHAVEL	AOR INTERVALS	From	ft. to		ft., Fron		ft. to		ft.	
6 GROUT MATERIA	Al: (1)Neat	cement	2 Cement grout	2 Ponto		Other				
Grout Intervals: Fr		# to 10	ft., From	3 Denic						
			IL, FIORI					oned water w		
What is the nearest	•		7 Dit main.		10 Livest	<b>p</b>				
1 Septic tank		eral lines	7 Pit privy 8 Sewage lag			11 Fuel storage (15)Oil well/Gas well				
	2 Sewer lines 5 Cess pool			joon		12 Fertilizer storage 16 Other (specify below)				
•	wer lines 6 Seep	page pit	9 Feedyard			icide storage	•		· · · · · · · · .	
Direction from well?	_ NW_	LITUOLOGIO	100	50014	How man					
FROM TO	D	LITHOLOGIC	LOG	FROM	то	LITH	HOLOGIC LO	<u></u>		
0 4	Dug up					W 1118				
4 9	Cement								······································	
9 <u>24</u> 24 <u>260</u>	Hole Plu	ug Pack								
									-	
260 270	Hole Pla									
270 460	Gravel 1	Pack								
									<u>-</u>	
7 CONTRACTOR'S	OR LANDOWNE	R'S CERTIFICAT	ION: This water well w	vas (1) constru	cted (2) reco	nstructed or (3) plugg	ed under m	v jurisdiction	and was	
			. , 1987							
			. , エン.ウ.ハ					r.13		
			Well Service		•	, <u>-</u>		F	n= v. ( .	
			SS FIRMLY and PRINT cle		by (signat	or circle the correct answ	ers Send ton	bree copies to l	Kansas	
Department of Health	and Environment, Bu	ureau of Water Protect	ction, Topeka, Kansas 6662	20-7320, Telepho	ne: 913-862-936	0. Send one to WATER W	ELL OWNER	and retain one f	or your	
records									1.1	