	<b>E</b> € € 1
Distance and direction from nearest town or city street address of well if located within city?  Approx. 2 miles north & 5 miles east of Moscow, KS  WATER WELL OWNER: Zora Davis & Geraldine Baker Responsible parties & joint owners  RR#, St. Address, Box #: PO Box 182  Board of Agriculture, Division of Water II  City, State, ZIP Code: Moscow, KS 67952  Application Number: 4332  LOCATE WELL'S LOCATION WITH 4 DEPTH OF COMPLETED WELL	
Approx. 2 miles north & 5 miles east of Moscow, KS  WATER WELL OWNER: Zora Davis & Geraldine Baker Responsible parties & joint owners  RR#, St. Address, Box #: PO Box 182  City, State, ZIP Code: Moscow, KS 67952  LOCATE WELL'S LOCATION WITH 4 DEPTH OF COMPLETED WELL	0
WATER WELL OWNER: Zora Davis & Geraldine Baker Responsible parties & joint owners  RR#, St. Address, Box # : PO Box 182  City, State, ZIP Code : Moscow, KS 67952  B LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:  Depth(s) Groundwater Encountered 1	<b>5</b>
RR#, St. Address, Box # : PO Box 182  City, State, ZIP Code : Moscow, KS 67952  LOCATE WELL'S LOCATION WITH 4 DEPTH OF COMPLETED WELL	D
City, State, ZIP Code : Moscow, KS 67952 Application Number: 4332  LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered 1	Hesources
LOCATE WELL'S LOCATION WITH 4 DEPTH OF COMPLETED WELL	
	ft.
Bore Hole Diameter . 24 "in. to6.0.0	). gpm ft.
Was a chemical/bacteriological sample submitted to Department? YesNoX; If yes, mo/day/yr sample water Well Disinfected? Yes X No	e was sub-
TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped	d
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded . X	
2 PVC 4 ABS 7 Fiberglass	
Blank casing diameter	
Casing height above land surface12	
TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement	
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)	
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)	
SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open	hole)
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes	riole)
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)	
GCREEN-PERFORATED INTERVALS:         From	
Grout Intervals: From	ft. well
	w)
To most did contains	
Direction from well?  FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS	
See attached log	
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction completed on (mo/day/year) 2/.14/89 and this record is true to the best of my knowledge and belie water Well Contractor's License No. 14.5 This Water Well Record was completed on (mo/day/yr) 6/.15/89	

## DRILLERS TEST LOG

CUSTOMER'S	NAME: Zora	a Davis	1 =1	-		DATE:_		11/10/88			
STREET ADDR	ESS: P.	O. Box	182			TEST #	2	Ε.	roc	Yes	
CITY & STAT	E: Mose	cow, Ks.	67952			DRILLE	R	Shelden			
COUNTY Ste	vens	QUARTER	NE	SECTION	16	TOWNSHIP	31	RANC	E	35	

LOCATION

Appi	coximately	50' We	est & 5	O' South of the Northeast corner. WELL LOCATION
	FOOT	ACE		STATIC WATER LEVEL:
7.	From	Pay	TO	DESCRIPTION OF STRATA Proposed Well Depth:
	0		- 2	Top Soil.
	2		127	Brown sandy clay & fine sand streaks.
	127		143	Sand fine to medium coarse. Small & large gravel.
	143		157	Brown sandy clay.
	157		203	Sand fine to medium coarse. Small to large gravel w/
				few clay streaks.
	203		222	Brown clay.
	222		282	Sand fine to medium coarse. Small to large gravel.
	282		290	Brown sandy clay.
65	290	24	324	Sand fine to medium coarse w/small brown & tan rock.
	324		335	Brown sandy clay.
60	335	28	363	Sand fine to small w/small brwon & tan rock w/couple
				small clay streaks.
	363		376	Brown sandy clay & fine sand streaks.
60	376	26	402	Sand fine to medium coarse. Small to some medium brown
	<u> </u>			& tan rock with some clay streaks.
65	402	-25	427	Sand fine to medium coarse. Small to medium brown & tan
				rock.
	427		442	Soapstone & Limerock & Dakota streaks.
35	442	13	455	Dakota sand. Lost circulation @ 450'. Mix Bran & Q-Gel.
20	455	20	475	Soapstone & Dakota streaks.
35_	475	122	597	Dakota. Lost circulation. Mix Q-gel.
		<del> </del>	<del></del>	
	<del> </del>		<del></del>	TD = 600'
	<del> </del>	<del> </del>	<del></del>	46 FO# Page 0 Col
				46-50# Bags Q-Gel
	-		<del> </del>	5 - 100# Bags Bran
			<del> </del>	l - Plug l 10# Bag Lime
	<del> </del>	<del> </del>	<del> </del>	2 - 4 3/4" Drag Blades Set
			<del> </del>	2 - 4 3/4 Drag Blades Set
				Set up South
			<del> </del>	Pit on West
			<del> </del>	FIL OII WEST
			<del></del>	
		1		

GARDEN CITY, KS 67846 3795 West Jones Ave.

HENKLE DRILLING & SUPPLY CO., INC. 316-277-2389