


1 LOCATION OF WATER WELL: County: Stevens		Fraction N-C-SE 1/4	1/4 SE 1/4	Section Number 16	Township Number T 31 S	Range Number R 35 W EW
Distance and direction from nearest town or city street address of well if located within city? From Woods go 12 Mi North 1 1/8 Mi West 1/8 mi North into location						
2 WATER WELL OWNER: RR#, St. Address, Box # : City, State, ZIP Code :		Forrest Baker Mobil Oil Corp. 5302 North 14th Place Phoenix, Arizona 85014 Board of Agriculture, Division of Water Resources Application Number: T-87-147				
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: 		4 DEPTH OF COMPLETED WELL 460 ft. ELEVATION: Depth(s) Groundwater Encountered 1. 200 ft. 2. ft. 3. ft. WELL'S STATIC WATER LEVEL 260 ft. below land surface measured on mo/day/yr 4-25-87 Pump test data: Well water was ft. after hours pumping gpm Est. Yield 100 gpm: Well water was ft. after hours pumping gpm Bore Hole Diameter 11 in. to 460 ft. and in. to ft. WELL WATER TO BE USED AS: 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well Was a chemical/bacteriological sample submitted to Department? Yes No XX; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes XX No				
5 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 2 PVC 4 ABS		5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped 6 Asbestos-Cement 9 Other (specify below) Welded 7 Fiberglass Threaded Blank casing diameter in. to ft., Dia in. to ft., Dia in. to ft. Casing height above land surface in., weight lbs./ft. Wall thickness or gauge No. TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify) 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes 7 Torch cut 10 Other (specify) SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft. GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft. From ft. to ft., From ft. to ft.				
6 GROUT MATERIAL: Grout Intervals: From ft. to ft., From ft. to ft.		1 Neat cement 2 Cement grout 3 Bentonite 4 Other What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) 13 Insecticide storage Direction from well? How many feet?				
FROM TO LITHOLOGIC LOG		FROM TO LITHOLOGIC LOG				
0	4	dirt	.79 cu. feet of	dirt		
4	9	cement	.98 cu. feet of	cement		
9	24	grout	2.94 cu. feet of	grout		
24	250	chlorinated gravel	44.36 cu. feet of	chlorinated gravel		
250	260	grout	1.96 cu. feet of	grout		
260	460	chlorinated gravel	39.26 cu. feet of	chlorinated gravel		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) July 24, 1987 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 118 This Water Well Record was completed on (mo/day/yr) July 28, 1987 under the business name of Carlile Water Well Service, Inc. by (signature)						