

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: Stevens		XC-SW ¼ NW ¼	22	T 31 S	R 35 E
Distance and direction from nearest town or city street address of well if located within city? From Woods go 1 1/4 mi North West to location.					
2 WATER WELL OWNER: Carl Slemp Lanex Drilling					
RR#, St. Address, Box # :			Board of Agriculture, Division of Water Resources		
City, State, ZIP Code : Moscow, Kansas			Application Number: T 83-469		
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: 400 ft. ELEVATION:			
<div style="text-align: center;"><p>1 mile</p></div>		Depth(s) Groundwater Encountered 1. 153 ft. 2. ft. 3. ft.			
		WELL'S STATIC WATER LEVEL 247 ft. below land surface measured on mo/day/yr 10/4/83			
		Pump test data: Well water was ft. after hours pumping gpm			
		Est. Yield 60 gpm: Well water was ft. after hours pumping gpm			
		Bore Hole Diameter 9 in. to 400 ft., and in. to ft.			
WELL WATER TO BE USED AS:		5 Public water supply 8 Air conditioning 11 Injection well			
1 Domestic 3 Feedlot <u>6 Oil field water supply</u> 9 Dewatering 12 Other (Specify below)					
2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well					
Was a chemical/bacteriological sample submitted to Department? Yes <u>No</u> ; If yes, mo/day/yr sample was submitted					
Water Well Disinfected? Yes No					
5 TYPE OF BLANK CASING USED:					
1 Steel 3 RMP (SR)		5 Wrought iron 8 Concrete tile		CASING JOINTS: <u>Glued</u> Clamped	
2 PVC 4 ABS		6 Asbestos-Cement 9 Other (specify below)		Welded	
		7 Fiberglass		Threaded	
Blank casing diameter 5 in. to 320 ft., Dia in. to ft., Dia in. to ft.					
Casing height above land surface 28 in., weight 2.78 lbs./ft. Wall thickness or gauge No. 256					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
1 Steel 3 Stainless steel 5 Fiberglass		7 PVC 10 Asbestos-cement			
2 Brass 4 Galvanized steel 6 Concrete tile		8 RMP (SR) 11 Other (specify)			
		9 ABS 12 None used (open hole)			
SCREEN OR PERFORATION OPENINGS ARE:					
1 Continuous slot 3 Mill slot		5 Gauzed wrapped 8 Saw cut 11 None (open hole)			
2 Louvered shutter 4 Key punched		6 Wire wrapped 9 Drilled holes			
		7 Torch cut 10 Other (specify)			
SCREEN-PERFORATED INTERVALS: From 320 ft. to 400 ft., From ft. to ft.					
From ft. to ft., From ft. to ft.					
GRAVEL PACK INTERVALS: From 220 ft. to 400 ft., From ft. to ft.					
From ft. to ft., From ft. to ft.					
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other					
Grout intervals: From 0 ft. to 10 ft., From ft. to ft., From ft. to ft.					
What is the nearest source of possible contamination:					
1 Septic tank 4 Lateral lines 7 Pit privy		10 Livestock pens 14 Abandoned water well			
2 Sewer lines 5 Cess pool 8 Sewage lagoon		11 Fuel storage <u>15 Oil well/Gas well</u>			
3 Watertight sewer lines 6 Seepage pit 9 Feedyard		12 Fertilizer storage 16 Other (specify below)			
		13 Insecticide storage			
Direction from well? Northeast of water well. How many feet? 100'					
FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
0	2	surface			
2	118	clay			
118	146	medium to large sand			
146	157	sandy clay			
157	235	medium to large sand			
235	250	sandy clay			
250	310	clay			
310	385	medium to large sand			
385	400	sandy clay			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was <u>(1) constructed</u> , (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) October 4, 1983 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 118 This Water Well Record was completed on (mo/day/yr) October 18, 1983 under the business name of Carlisle Water Well Service, Inc. by (signature) <i>Edward E. Means</i>					
INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.					