


1 LOCATION OF WATER WELL: Fraction $\frac{1}{4}$ NW $\frac{1}{4}$ SE $\frac{1}{4}$ Section Number 24 Township Number T 31 S Range Number R 36 E/W

Distance and direction from nearest town or city street address of well if located within city?
 1.5 MI NE OF MOSCOW ON 56 1/2 SOUTH & WEST INTO LOC.

2 WATER WELL OWNER: DAVIS MAY
 RR#, St. Address, Box # : BOX 164 Board of Agriculture, Division of Water Resources
 City, State, ZIP Code : MOSCOW, KS 67952 Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:  4 DEPTH OF COMPLETED WELL: 520 ft. ELEVATION: ... ft.
 Depth(s) Groundwater Encountered 1. 220 ft. 2. ... ft. 3. ... ft.
 WELL'S STATIC WATER LEVEL: 220 ft. below land surface measured on mo/day/yr 8-15-94
 Pump test data: Well water was 240 ft. after 1 hours pumping 50 gpm
 Est. Yield 50 gpm: Well water was ... ft. after ... hours pumping ... gpm
 Bore Hole Diameter: 9 1/2 in. to 520 ft., and ... in. to ... ft.
 WELL WATER TO BE USED AS:
 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well
 Was a chemical/bacteriological sample submitted to Department? Yes ... No X; If yes, mo/day/yr sample was submitted
 Water Well Disinfected? Yes X No

5 TYPE OF BLANK CASING USED:
 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped
 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded
 7 Fiberglass Threaded
 Blank casing diameter 5 in. to 520 ft., Dia ... in. to ... ft., Dia ... in. to ... ft.
 Casing height above land surface 24 in., weight 2.902 lbs./ft. Wall thickness or gauge No. 265 SDR 21
 TYPE OF SCREEN OR PERFORATION MATERIAL:
 1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 10 Asbestos-cement
 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify)
 12 None used (open hole)
 SCREEN OR PERFORATION OPENINGS ARE:
 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)
 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes
 7 Torch cut 10 Other (specify)
 SCREEN-PERFORATED INTERVALS: From 400 ft. to 520 ft. From ... ft. to ... ft.
 GRAVEL PACK INTERVALS: From 180 ft. to 520 ft. From ... ft. to ... ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other HOLE PLUG
 Grout Intervals: From 1 ft. to 20 ft. From ... ft. to ... ft.
 What is the nearest source of possible contamination:
 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well
 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well
 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)
 13 Insecticide storage
 Direction from well? How many feet?

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	2	CLAY	291	320	CLAY
2	13	SANDY CLAY & CALICHE CLAY	320	331	SANDY CLAY
13	42	CLAY	331	345	FINE SAND
42	73	SANDY CLAY & CLAY	345	350	CLAY
73	93	SAND	350	359	COARSE SAND
93	97	CLAY	359	365	CLAY
97	109	SANDY CLAY	365	373	COARSE SAND
109	146	CLAY	373	380	SAND
146	166	SAND	380	385	CLAY
166	181	COARSE SAND	385	396	SAND
181	195	SAND	396	411	CLAY
195	227	CLAY	411	418	SAND
227	270	SANDY CLAY & CLAY	418	465	CLAY
270	279	CLAY	465	490	SAND - 513 TO 520 RED
279	291	CLAY & SAND	490	513	GOLD SAND & SAND STONE

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 8-15-94 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. KWWCL-430 This Water Well Record was completed on (mo/day/yr) 8-15-94 under the business name of HOWARD DRIG.CO. BOX 806 BEAVER, OK 73932 by (signature) *Howard Drig*

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.