


1 LOCATION OF WATER WELL: Fraction C 1/4 NE 1/4 NW4 Section Number 17 Township Number T 31 S Range Number R 37W EW

Distance and direction from nearest town or city street address of well if located within city?  
 9 MILES NORTH WEST MOSCOW

2 WATER WELL OWNER: McCOY PETROLEUM #1-17 SPIKES "A"  
 RR#, St. Address, Box # : 3017 N CYPRESS Board of Agriculture, Division of Water Resources  
 City, State, ZIP Code : WICHITA, KS 67226 Application Number: 930503

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:  4 DEPTH OF COMPLETED WELL: 320 ft. ELEVATION: ...  
 Depth(s) Groundwater Encountered 1. 250 ft. 2. ... ft. 3. ... ft.  
 WELL'S STATIC WATER LEVEL ... ft. below land surface measured on mo/day/yr 2-8-95  
 Pump test data: Well water was ... ft. after ... hours pumping ... gpm  
 Est. Yield ... gpm: Well water was ... ft. after ... hours pumping ... gpm  
 Bore Hole Diameter ... in. to ... ft., and ... in. to ... ft.  
 WELL WATER USED AS: 5 Public water supply 8 Air conditioning 11 Injection well  
 1 Domestic WAS 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)  
 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well  
 Was a chemical/bacteriological sample submitted to Department? Yes ... No ...; If yes, mo/day/yr sample was submitted  
 Water Well Disinfected? Yes ... No ...

5 TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued ... Clamped ...  
 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded ...  
 4 PVC 4 ABS 7 Fiberglass Threaded ...  
 Blank casing diameter ... 6 in. to ... 320 ft., Dia ... in. to ... ft., Dia ... in. to ... ft.  
 Casing height above land surface ... 5' BELOW ... in., weight ... lbs./ft. Wall thickness or gauge No. ...  
 TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement  
 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) ...  
 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)  
 SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole)  
 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes  
 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) ...  
 SCREEN-PERFORATED INTERVALS: From ... ft. to ... ft., From ... ft. to ... ft.  
 GRAVEL PACK INTERVALS: From ... ft. to ... ft., From ... ft. to ... ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other ...  
 Grout Intervals: From ... 8 ft. to ... 5 ft., From ... ft. to ... ft., From ... ft. to ... ft.  
 What is the nearest source of possible contamination: 10 Livestock pens 14 Abandoned water well  
 1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well  
 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below)  
 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage  
 Direction from well? Southeast How many feet? 140

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
			320	240	CHLORINATED GRAVEL
			240	230	HOLE PLUG
			230	28	COMP. CLAY
			28	8	HOLE PLUG
			8	5	CEMENT GROUT
			5	0	BACKFILL

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 2-8-95 and this record is true to the best of my knowledge and belief. Kansas  
 Water Well Contractor's License No. KWWCL-430 This Water Well Record was completed on (mo/day/yr) 2-8-95  
 under the business name of HOWARD DRLG.CO.BOX 806 BEAVER, OK 73932 by (signature) *Howard Drlg*

OFFICE USE ONLY  
T  
R  
EW  
SEC