## WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

1	County	Fraction		Section number		Township number	Range number	
1. Location of well:	Stevens	SW 1/4 NW 1/4 SE	1/4		2	T 31 s	R 37 E∧	W
2. Distance and direction from nearest town or city: Grant, Stevens  County line on Hwy 270,1 south, 1½ east  The stevens of well location if in city: 1/4 north  4. Locate with "X" in section below: Sketch map:				er of well: street: ate, zip code:		Rex Newbar, M.P.Y Farms Inc. 215 Cornell Liberal, Ks. 67901  6. Bore hole dia. 28 in. Completion date		_
N						Well depth 3.85 2ft. 9-121-76  7Cable tool X_RotaryDrivenDugHollow rodJettedBoredReverse rotary  8. Use:DomesticPublic supplyIndustryX IrrigationAir conditioningStockLawnOil field waterOther  9. Casing: Material STEE1 Height Above or belowSurface14in. RMPPVCWeight36.8lbs./ftDiaintoftdepth Wall Thickness: inches orDiaintoftdepth lagge No219		
5. Type and color of	material			From	То	10. Screen: Manufacturer's n	Lakewood	
Surface				0	2	Pipe of Texas Type steel Slot/gauze 3/16	e	_
Very fine sand w/clay breakers				2	19	Set betweenft. andft.		
Brown & sandy clay w/lime shells				19	73	Gravel pack? X Size ran		
Medium to coarse sand w/clay breakers				73	90	11. Static water level:f70ft. below land sur	mo./day/) face Date 9-13-76	/r.
Cemented sand				90	108	12. Pumping level below land	surfaces:	
Fine to medium sand w/clay breakers				108	166	199 ft. after 6.4 hrs. pumping/780 g.p.m. ——————————————————————————————————		
Sandy clay w/medium sand strips				166	178	13. Water sample submitted:	mo./day/y	$\neg$
Very fine to medium sand				178	195	Yes X No 1  14. Well head completion: Pitless adapter	NA Inches above grade	_
Sandy clay				195	207	15 W.II		
Medium to coarse sand w/clay breakers 18 ft.				207	227	With: Neat cement Depth: From ft. to _	ft.	_
Brown & sandy clay				227	252	16. Nearest source of possible ft Direction	contamination: Fold M	MC
Medium to coarse sand w/clay breakers 98 ft.				252	360	Well disinfected upon comple	tion? Yes	No
Sandy clay w/medium sand strips				360	366	17. Pump:  Manufacturer's name	X Not installed	_  7
Medium to coarse sand w/clay breakers				366	385	Model number Length of drop pipe Type:	, ,	-
					***	Submersible Jet	Turbine Reciprocating	
10 51	(Use a second st	neet if needed)				Centrifugal	Other	
18. Elevation:   19. Remarks:						20. Water well contractor's of This well was drilled under my is true to the best of my know Houck Bros. Dr.  Business name Address Signed Authorized repi	y jurisdiction and this report ledge and belief. illing Co. 16 Ulysses, Ks.	4