

WATER WELL R		VV VV C-3	03040		ion of Water		W 11 ID	
		e in Well Use			rces App. No.	E 1: N 1	Well ID	N. 1
		Fraction	1/ 1/	Secti	on Number	Township Numb		ge Number
County:	1/4 1/4	1/4 1/4	D	1 4 1 1 1	T S	R	□ E □ W	
				eet or Rural Address where well is located (if unknown, distance and				
Address:	direction from nearest town or intersection): If at owner's address, check here:							
Address:								
City:	State:	ZIP:						
3 LOCATE WELL	4 DEPTH OF COM	IPI FTFD WFI I	·	ft	5 Latitud	<u>):</u>		(daaimal daamaaa)
WITH "X" IN	Depth(s) Groundwater 1							
SECTION BOX:		3) ft., or						
N	WELL'S STATIC WA							
	☐ below land surface.				☐ GPS (unit make/model:			)
NW -X NE	□ above land surface,	, measured on (mo-c	lay-yr)		(WAAS enabled?  Yes No)			
	Pump test data: Well w				☐ Land Survey ☐ Topographic Map ☐ Online Mapper:			·
W E		s pumping						
SW SE		vater wass pumping						
	Estimated Yield:		дрш	6 Elevation:ft. ☐ Ground Level ☐ TOC				
S	Bore Hole Diameter:		ft. and					
mile		in. to				Other		
7 WELL WATER TO	BE USED AS:				•			
1. Domestic:		ter Supply: well ID			10. ☐ Oil F	ield Water Supply: 1	ease	
☐ Household		g: how many wells			11. Test Hol	e: well ID		
☐ Lawn & Garden		echarge: well ID			☐ Cased ☐ Uncased ☐ Geotechnical			
Livestock		g: well ID				nal: how many bore		
2.  Irrigation		al Remediation: wel				ed Loop    Horizon		
3. ☐ Feedlot 4. ☐ Industrial	☐ Air Sparge ☐ Recovery		or Extraction	1		Loop Surface Date (specify):		
Was a chemical/bacter		utted to KDHE?	∐ Yes ∐	No I	If yes, date sa	ample was submitte	ed:	
Water well disinfected?		·		A CIDIC	a tonima		. —	
8 TYPE OF CASING								IThreaded
Casing diameter Casing height above land s						er in. to ss or gauge No		
TYPE OF SCREEN OR			10	5./1t.	wan unckne	ss of gauge two	••••••	
	less Steel		C		□ Other	(Specify)		
. – –	anized Steel	_	ne used (ope:	n hole)		(Бреспу)		
SCREEN OR PERFORA			` 1	,				
						Other (Specify)		
☐ Louvered Shutter	☐ Key Punched ☐ W	ire Wrapped	] Saw Cut	☐ No:	ne (Open Hole	e)		
SCREEN-PERFORATE								
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft. to ft.								
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other								
		ft., From	ft. to		ft., From	ft. to	ft.	
Nearest source of possible contamination:								
□ Septic Tank     □ Lateral Lines     □ Pit Privy     □ Livestock Pens     □ Insecticide Storage       □ Sewer Lines     □ Cess Pool     □ Sewage Lagoon     □ Fuel Storage     □ Abandoned Water Well								
☐ Watertight Sewer Lin								
Other (Specify)								
Direction from well?			n well?					
10 FROM TO	LITHOLOG	GIC LOG	FRO	M	TO LI	THO. LOG (cont.) o	r PLUGGIN	G INTERVALS
			NTo#-					
Notes:								
11 CONTRACTOR'S	11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, or plugged							
under my jurisdiction an	d was completed on (m	no-day-vear)	11118	and th	is record is t	rue to the best of m	ny knowleds	ge and belief.
Kansas Water Well Con	tractor's License No	This	Water Wel	l Reco	rd was comp	leted on (mo-day-y	ear)	
under the business name	of							
under the business name of  Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.  WE Department of Health and Environment Purpose of Water Coology Section 1000 SW Isoland St. Suite 420. Torollo Manage 66612, 1267. Telephone 785, 206, 2565.								
As Department of Health at	KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.							

KSA 82a-1212 Visit us at http://www.kdheks.gov/waterwell/index.html

Form	WWC5
Contractor	Hydro Resources Mid Continent, Inc.
Well Owner	
Doc ID	1303646

## Litholgy

From	То	LithologicLog
0	2	top soil
2	15	brown sandy clay
15	30	brown clay
30	49	brown and red clay
49	80	red sandy clay
80	105	brown sandy clay w/ few limerock strips
105	122	sand fine to med
122	166	sand fine to med coarse
166	182	brown sandy clay
182	216	sand fine to med coarse
216	224	brown sandy clay
224	230	sand fine to med coarse
230	264	fine sand w/ some clay ledges
264	286	brown clay w/ few sand strips
286	422	sand fine to med coarse w/ couple clay stringers
422	426	brown sandy clay
426	442	sand fine to med coarse w/ few clay stringers
442	450	fine sand w/ couple clay stringers
450	457	fine sand w/ some lime rock & few clay stringers
457	464	soapstone w/ couple sandstone strips

Form	WWC5	
Contractor	Hydro Resources Mid Continent, Inc.	
Well Owner		
Doc ID	1303646	

## Litholgy

From	То	LithologicLog
464	480	red bed