## WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

1. Location of well: STEVE 715 SE 1/45 W 1/4 SW 1/4 34 T 31 S R 3  2. Distance and direction from nearest town or city: 5u - 8N  Street address of well location if in city: HUGOTO-11, K2.  4. Locate with "X" in section below: Sketch map:  Sketch map: Sketch map: 6. Bore hole dia. 10 in. Completion d Well depth 280ft.	5.1
2. Distance and direction from nearest town or city: $5u - 8N$ Street address of well location if in city: $HUGCTC-n$ , $Ks$ .  City, state, zip code: $HUGCTC-n$ , $Ks$ .  4. Locate with "X" in section below: Sketch map:  6. Bore hole dia. $Is$ in. Completion dia.	5/
Street address of well location if in city:  City, state, zip code: Huccton, Kall 29  4. Locate with "X" in section below: Sketch map:  6. Bore hole dia. 10 in. Completion d	5.1
4. Locate with "X" in section below: Sketch map: 6. Bore hole dia. 🔑 in. Completion d	1-5-78
	are <del></del>
7 Cable tool _≰ Rotary Driven _ Hollow rod Jetted Bored	
NW   NE	
E Irrigation Air conditioning	Stock
LawnOil field water Height: Abo	
Threaded Welded Surface	in.
S RMP PVC 5.6.4.4.4.4 Weight	
5. Two and color of material From To Diain. toft. depth gage No	,250
10. Screen: Manufacturer's name $\rho_{\nu}$ m	, PEO.
sandy silt Gray 010 Type Saw Cut Dia. 5	- 11
Calichie Tan white Limey 10 70 Slot/gauze 140 Length	30'
1 260 ft. and 2	80 ft.
Sand Conse Sine Grave 1 70 78 Gravel pack? X Size range of material	mo./day/yr.
Clay redish brown 78 100 11. Static water level: 100 ft. below land surface Date 1	
Clay WCip rock + Some Sand brown 150 140 12. Pumping level below land surfaces:  4 ft. after 2 hrs. pumping	15 apm
Grarel fine & Sand Corse 140 146 - ft. after - hrs. pumping -	
1/22 Estimated maximum yield	g.p.m. mo./day/yr.
Yes X No Date	
Clay Sills tan Limey #258 14. Well head completion:  X Pitless adapter 14 Inches	above grade
Sand-ton-Corse Some Clays 258 280 V. Well grouted? x	above grade
With: Neat cement Bentonite _	X' Concrete
	n· -
ft. 30 Direction Mar/M Type	
Well disinfected upon completion?	4-11-4
Manufacturer's name <u>F + W</u>	
Model number 15BA 10 HP 1 Length of drop pipe 150 ft. capacity	Volts23 c 
Туре:	
	Turbine Reciprocating
(or discount infection)	Other
18. Elevation:  19. Remarks:  20. Water well contractor's certification: This well was drilled under my jurisdiction a	and this report
is true to the best of my knowledge and beli	ef.
Topography: Hill  Business name  2.2.7	License No.
Slope Address  Address  Output  Description:	
Valley  Signed Saut Storum Authorized representative	- Date 1-18