

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: MORTON		SE 1/4 NE 1/4 NW 1/4	33	T 31 S	R 39W EW
Distance and direction from nearest town or city street address of well if located within city?					
14 MILES NORTHWEST OF HUGOTON					
2 WATER WELL OWNER: OKY USA		HAYEN A-1			
RR#, St. Address, Box #: P.O. BOX 26100		Board of Agriculture, Division of Water Resources			
City, State, ZIP Code: Oklahoma City OK 73126-0100		Application Number: 950118			
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: 320 ft. ELEVATION:			
		Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft.			
		WELL'S STATIC WATER LEVEL 170 ft. below land surface measured on mo/day/yr 06-07-95			
		Pump test data: Well water was ft. after hours pumping gpm			
		Est. Yield gpm: Well water was ft. after hours pumping gpm			
		Bore Hole Diameter in. to ft., and in. to ft.			
		WELL WATER USED USED AS:			
		1 Domestic WAS 3 Feedlot <input checked="" type="checkbox"/> 5 Public water supply 8 Air conditioning 11 Injection well 2 Irrigation 4 Industrial <input checked="" type="checkbox"/> 7 Lawn and garden only 9 Dewatering 12 Other (Specify below)			
		Was a chemical/bacteriological sample submitted to Department? Yes.....No.....; If yes, mo/day/yr sample was submitted			
		Water Well Disinfected? Yes No			
5 TYPE OF BLANK CASING USED:		CASING JOINTS: Glued Clamped			
1 Steel 3 RMP (SR)		6 Asbestos-Cement 9 Other (specify below) Welded			
<input checked="" type="checkbox"/> PVC 4 ABS		7 Fiberglass Threaded			
Blank casing diameter 6 in. to 320 ft., Dia		in. to ft., Dia			
Casing height above land surface 5' BELOW in., weight		lbs./ft. Wall thickness or gauge No.			
TYPE OF SCREEN OR PERFORATION MATERIAL:		7 PVC 10 Asbestos-cement			
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)		12 None used (open hole)			
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS					
SCREEN OR PERFORATION OPENINGS ARE:		5 Gauzed wrapped 8 Saw cut 11 None (open hole)			
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes		10 Other (specify)			
2 Louvered shutter 4 Key punched 7 Torch cut					
SCREEN-PERFORATED INTERVALS:		From ft. to ft., From ft. to ft.			
		From ft. to ft., From ft. to ft.			
GRAVEL PACK INTERVALS:		From ft. to ft., From ft. to ft.			
		From ft. to ft., From ft. to ft.			
6 GROUT MATERIAL:		1 Neat cement <input checked="" type="checkbox"/> Cement grout 3 Bentonite 4 Other			
Grout intervals: From 8 ft. to 5 ft., From ft. to ft., From ft. to ft.					
What is the nearest source of possible contamination:		10 Livestock pens 14 Abandoned water well			
1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage <input checked="" type="checkbox"/> Oil well/Gas well		16 Other (specify below)			
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage					
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage					
Direction from well?		How many feet?			
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
			320	170	CHLORINATED GRAVEL
			170	155	HOLE PLUG
			155	5	CEMENT GROUT
			5	0	BACKFILL
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or <input checked="" type="checkbox"/> plugged under my jurisdiction and was completed on (mo/day/year) 06-07-95 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. KWCL-430 This Water Well Record was completed on (mo/day/yr) 06-07-95 under the business name of HOWARD DRUG CO. BOX 806 BEAVER, OK 73932 by (signature) <i>Howard Drug Co.</i>					
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.					

OFFICE USE ONLY

T

R

EW

SEC.

1/4

1/4

1/4