WAIER WE	LL RECORD	Form W	/ VV C-5	D:	ivision of wate	r Resources App. No	0.	
1 LOCATION OF WATER WELL:		Fraction			on Number	Township No.		
County: Sumner		1/4 SW 1/4 SV				T 31 S		
Street/Rural Address of Well Location; if unknown, distance & direction				Globa	Global Positioning System (GPS) information:			
from nearest town or intersection: If at owner's address, check here					Latitude: .37,329106 (in decimal degrees)			
From the intersection of W 40th Ave N and N Dixon RD, E on W					Longitude: -97.710793 (in decimal degrees)			
40th Ave N 1.5, North into.				Eleva	Elevation:			
					<u>Datum</u> : ☐ WGS 84, ☐ NAD 83, ☐ NAD 27			
The Cir Company Home					ction Method:		•	
RR#, Street Address, Box #: P.O. Box 301440 City, State, ZIP Code : Houston TX 77230, 1440					GPS unit (Make/Model:)			
City, State, ZIP Code : Houston, TX 77230-1440				Digital Map/Photo, Topographic Map, Land Survey				
Est. Accuracy:								
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL .70 ft.								
	SECTION BOX: Depth(s) Groundwater Encountered (1)							
Pump test data: Well water wasft. afterhours pumping								
ECT VIELD N/A came Well water was ft offer hours numbing								
6.1/4					ft and in to ft			
W		TO BE USED AS: [
The state of the s								
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☑ Monitoring well								
S						res 🔝 No		
1 3 5 5, 11 5, 243/7 5 241/14 14 14 14 14 14 14 14 14 14 14 14 14 1								
mile Water well disinfected? ☑ Yes □ No								
5 TYPE OF CASING USED: Steel V PVC Other								
CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter 2 in. to 70 ft. Diameter in. to ft. Diameter ft. Diameter in. to ft.								
Casing height above land surface. 36 in., Weight								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)								
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous slot ☑ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)								
☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☐ Saw cut ☐ Other (specify)								
SCREEN-PERFORATED INTERVALS: From								
From ft., ft., from ft., ft. to ft.								
GRAVEL PACK INTERVALS: From								
From ft. to ft., From ft. to ft.								
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☑ Bentonite ☐ Other								
Grout Intervals: From .20 ft. to .0 ft., From ft. to ft., From ft., From ft., From ft., From ft., From ft.								
What is the nearest source of possible contamination:								
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below)								
☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well								
	tht sewer lines		Fertilizer s	-	Oil well/ga			
	m well		T		ell			
FROM TO	LITHOLOGI	C LOG	FROM	TO	LITHO. LC	OG (cont.) <u>or</u> PLU	GGING INTERVALS	
0 70	Shale							

			1					
			 					
7 CONTRACT	ODIC OD LANDOWNED	S CEDTIFICATIO	N. This water	r wall	was [7] acret	oted 🗆 rossant	uotad or Dalugaad	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was \(\subseteq \text{ constructed, } \subseteq \text{ reconstructed, or } \subseteq \text{ plugged} \)								
under my jurisdiction and was completed on (mo/day/year) .7/3/2012 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. 665 This Water Well Record was completed on (mo/day/year) 1.7.24 under the business name of Pratt Well Service, Inc. by (signature)								
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.								
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at								
http://www.kdheks.gov/waterwell/index.html.								
KSA 82a-1212	KSA 82a-1212 Check: ☐ White Copy, ✓ Blue Copy, ✓ Pink Copy							