


USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

CWW Inv. #13727

1. Location of well:		County Morton	Fraction 1500'FNL 100'FEL 1/4 1/4 SW 1/4	Section number 24	Township number T 31S S R 40W E/W	Range number
2. Distance and direction from nearest town or city: 15 mi. North - 1 1/4 mi. East on North side of road.			3. Owner of well: Ottis Daniels, Jr. R.R. or street: City, state, zip code: Rolla, Kansas 67954			
4. Locate with "X" in section below: N W E S 1 Mile 			Sketch map Lock on North S. of Road. 1 1/4 EAST 15 mi Rolla			
5. Type and color of material			From	To	6. Bore hole dia. <u>9</u> in. Completion date 8-9-77 Well depth <u>260</u> ft.	
Surface			0	2	7. <input checked="" type="checkbox"/> Cable tool <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary	
Sandy clay			2	50	8. Use: <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other	
Medium to large sand			50	60	9. Casing: Material <input type="checkbox"/> Height: <u>Above</u> or below Threaded <input type="checkbox"/> Welded <input type="checkbox"/> Surface <u>28</u> in. RMP <input type="checkbox"/> PVC <input checked="" type="checkbox"/> Weight <u>2.78</u> lbs./ft. Dia. <u>5</u> in. to <u>185</u> ft. depth Wall Thickness: inches or Dia. <u>5</u> in. to <u>260</u> ft. depth gage No. <u>265</u>	
Sandy clay			60	100	10. Screen: Manufacturer's name <u>Sawed perf.</u> Type <u>PVC</u> Dia. <u>5"</u> Slot/gauze <u>60'</u> Length <u>60'</u> Set between <u>185</u> ft. and <u>245</u> ft. Gravel pack? <u>yes</u> Size range of material <u>1/8-3/16</u>	
Medium to large sand & sandy clay 70-30			100	130	11. Static water level: <u>185</u> ft. below land surface Date <u>8/9/77</u> mo./day/yr.	
Sandy clay			130	190	12. Pumping level below land surfaces: <u> </u> ft. after <u> </u> hrs. pumping <u> </u> g.p.m. <u> </u> ft. after <u> </u> hrs. pumping <u> </u> g.p.m. Estimated maximum yield <u>20</u> g.p.m.	
Fine sand & medium to large sand 70-30			190	240	13. Water sample submitted: <u> </u> mo./day/yr. <u> </u> Yes <input checked="" type="checkbox"/> No <u> </u> Date <u> </u>	
Fine sand & blue sandy clay 30-70			240	260	14. Well head completion: <u> </u> Pitless adapter <u>28</u> Inches above grade	
					15. Well grouted? <u>yes</u> With: <input checked="" type="checkbox"/> Neat cement <u> </u> Bentonite <u> </u> Concrete <u> </u> Depth: From <u>0</u> ft. to <u>10</u> ft.	
					16. Nearest source of possible contamination: ft. <u> </u> Direction <u> </u> Type <u>None</u> Well disinfected upon completion? <input checked="" type="checkbox"/> Yes <u> </u> No <u> </u>	
					17. Pump: <u> </u> <input checked="" type="checkbox"/> Not installed Manufacturer's name <u> </u> Model number <u> </u> HP <u> </u> Volts <u> </u> Length of drop pipe <u> </u> ft. capacity <u> </u> g.p.m. Type: <u> </u> Submersible <u> </u> Turbine <u> </u> Jet <u> </u> Reciprocating <u> </u> Centrifugal <u> </u> Other	
(Use a second sheet if needed)						
18. Elevation:		19. Remarks:		20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Carlile Water Well 118 Business name <u>Box 275, Liberal, KS</u> License No. <u> </u> Address <u> </u> Signed <u>Edward E. Means</u> Date <u>9-6-77</u> Authorized representative		
Topography: <u> </u> Hill <u> </u> Slope <input checked="" type="checkbox"/> Upland <u> </u> Valley						