

1 LOCATION OF WATER WELL		Fraction	Section Number	Township Number	Range Number		
County: Morton		X 1/4 C-SW 1/4	16	T 31 S	R 41 EW		
Distance and direction from nearest town or city? From Richfield Street address of well if located within city?							
Kans. go 6mi North 3/4mi West to location.							
2 WATER WELL OWNER Danson Oil Corporation							
RR#, St. Address, Box # c/o Bob Smith Box 4391							
City, State, ZIP Code Houston, Texas 77120							
Board of Agriculture, Division of Water Resources Application Number 81-263							
3 DEPTH OF COMPLETED WELL 400 ft. Bore Hole Diameter 9" in. to ft., and in. to ft.							
Well Water to be used as:							
5 Public water supply 8 Air conditioning 11 Injection well							
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)							
2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well							
Well's static water level 118 ft. below land surface measured on May month 4th day 1981 year							
Pump Test Data : Well water was ft. after hours pumping. gpm							
Est. Yield 35-40 gpm: Well water was ft. after hours pumping. gpm							
4 TYPE OF BLANK CASING USED:							
1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile Casing Joints: <u>Glued</u> Clamped							
2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded							
7 Fiberglass Threaded							
Blank casing dia 5" in. to 200 ft., Dia in. to ft., Dia in. to ft.							
Casing height above land surface 28 in., weight 2.78 lbs./ft. Wall thickness or gauge No 256							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement							
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify)							
12 None used (open hole)							
Screen or Perforation Openings Are:							
5 Gauzed wrapped 8 Saw cut 11 None (open hole)							
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes							
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)							
Screen-Perforation Dia 5" in. to 200 ft., Dia in. to ft., Dia in. to ft.							
Screen-Perforated Intervals: From 200 ft. to 400 ft., From ft. to ft.							
From ft. to ft., From ft. to ft.							
Gravel Pack Intervals: From 220 ft. to 400 ft., From ft. to ft.							
From ft. to ft., From ft. to ft.							
5 GROUT MATERIAL:							
1 Neat cement 2 Cement grout 3 Bentonite 4 Other							
Grouted Intervals: From 0 ft. to 10 ft., From ft. to ft., From ft. to ft.							
What is the nearest source of possible contamination:							
1 Septic tank 4 Cess pool 7 Sewage lagoon 10 Fuel storage 14 Abandoned water well							
2 Sewer lines 5 Seepage pit 8 Feed yard 11 Fertilizer storage 15 Oil well/Gas well							
3 Lateral lines 6 Pit privy 9 Livestock pens 12 Insecticide storage 16 Other (specify below)							
13 Watertight sewer lines							
Direction from well Northeast How many feet 100 ? Water Well Disinfected? <u>Yes</u> No							
Was a chemical/bacteriological sample submitted to Department? <u>No</u> If yes, date sample							
was submitted month day year: Pump Installed? <u>Yes</u> <u>No</u>							
If Yes: Pump Manufacturer's name Model No. HP Volts							
Depth of Pump Intake ft. Pumps Capacity rated at gal./min.							
Type of pump: 1 Submersible 2 Turbine 3 Jet 4 Centrifugal 5 Reciprocating 6 Other							
6 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was							
completed on May month 4th day 1981 year							
and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 118							
This Water Well Record was completed on May month 8th day 1981 year under the business							
name of Carlile Water Well Service, Inc. by (signature) Edward E. Means							
7 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
		0	2	surface			80% sandstone with
		2	28	clay			clay streaks
		28	96	med. to large sand	372	378	blue clay
				with clay strks.	378	400	red sandstone
		96	142	clay			
		142	204	black shell			
		204	257	25% med. to large			
				sand & 75% sandstone			
		with clay streaks					
		red sandstone					
ELEVATION:		276	372	20% sandy clay and			
Depth(s) Groundwater Encountered 1. 282 ft. 2. ft. 3. ft. 4. ft. (Use a second sheet if needed)							
INSTRUCTIONS: Use typewriter or ball point pen, please press firmly and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Water Well Contractors, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.							

OFFICE USE ONLY

T 31

R

41

EW

SEC.

16

C

08

SW

1/4

1/4