

W	_		_		W W C-3	1258			sion of Wate			Well ID		
1	Original Record Correction Change in We LOCATION OF WATER WELL: Fracti			Fraction			ion Numbe				nge Number			
-	County: 1/4 1/4			1/4						$\Box E \Box W$				
2	WELL OWNER: Last Name: Business:			First:		Street or Rural Address where well is located (if unknown, dista direction from nearest town or intersection): If at owner's address, check				, distance and				
Address: Address:														
3	City: LOCAT	E WELL		State:	ZIP:									
J	WITH "				IPLETED WE									
	SECTIO				Encountered: 1) 3) ft., c						e:			
	Ν	1			TER LEVEL:					Datum: WGS 84 NAD 83 NAD 27 Source for Latitude/Longitude:				
			below land surface, measured on (mo-day-yr).							GPS (unit make/model:)				
	NW	NE				n (mo-day-yr)				(WAAS enabled? $\Box$ Yes $\Box$ No)				
					ater was					□ Land Survey □ Topographic Map				
W		E	alter		s pumping			pm			Online Mapper:			
	SW	X6	after		s pumping			m						
			Estimated Y	ield:	gpm				6 Elevation:					
		S	Bore Hole D	Bore Hole Diameter: in. to ft.						Source:  Land Survey  GPS  Topographic Map Other				
	1 r				in. to		ft.				Other			
	WELL V Domestic:		) BE USED A		ter Supply: well	Ш				il Eio	ld Water Supply: la	000		
	□ Housel				g: how many we									
	Lawn d				echarge: well ID									
	Livesto				g: well ID						al: how many bores			
	🗌 Irrigati				al Remediation:					a) Closed Loop 🔲 Horizontal 🔲 Vertical				
	☐ Feedlo ☐ Industi			Air Sparge Recovery	e 🗌 Soil V		Extraction	on b) Open Loop  Surface Discharge  Inj. of Water 13.  Other (specify):						
					-									
			riological san	-	itted to KDHF	<u>s</u> ? 🗋	Yes $\square$ N	Э.	If yes, dat	e sar	nple was submitted	a:		
					C D Other		CA	SIN		<u>.                                    </u>	Glued Clamped	D Walda	d 🗖 Threaded	
											in. to			
											or gauge No			
			R PERFORAT											
	□ Steel		nless Steel	Fiber		PVC				her (S	Specify)			
04	Brass		anized Steel			None u	used (open h	ole)						
SC		uous Slot	ATION OPE		auze Wrapped	Пт	orch Cut	Dri	illed Holes		Other (Specify)			
							aw Cut					•••••		
SC											ft., From	ft. to	ft.	
	G	RAVEL PA	CK INTERVA	ALS: Fron	n ft. to		ft., Froi	n	ft. t	o	ft., From	ft. to	ft.	
					ft., From	• • • • • • • • •	ft. to		ft., From	•••••	ft. to	ft.		
			e contaminatio		s 🗆 Dit D	rivy		пι	ivestock Pe	anc	□ Insectic	ide Storage		
	Septic Tank       Lateral Lines       Pit Privy       Livestock Pens       Insecticide Storage         Sewer Lines       Cess Pool       Sewage Lagoon       Fuel Storage       Abandoned Water Well													
					Feed				Fertilizer Sto					
	Other (	Specify)								-				
						rom w					ft.			
10	FROM	TO	L	ITHOLOG	JIC LUG		FROM	+	ТО	LII	HO. LOG (cont.) or	PLUGGIN	GINTERVALS	
								+						
	Notes:													
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was _ constructed, _ reconstructed, or _ plugged														
under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief.														
Kansas Water Well Contractor's License No This Water Well Record was completed on (mo-day-year)														
under the business name of														
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.														
	Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212													

Form	WWC5					
Contractor	Hydro Resources Mid Continent, Inc.					
Well Owner						
Doc ID	1258856					

## Litholgy

From	То	LithologicLog
0	20	surface top soil brown clay to sandy clay
20	74	sand w/clay mix & clay strips
74	120	black clay & shale w/hard gray shale strips
120	140	tight gray clay & shale w/red shale strips & hard shale strips
140	160	red clay & shale w/hard shale strips
160	180	tight red clay w/tight sand stone strips & clay mix
180	220	tight fine sand /sandstone w/clay mix
220	300	fine tight sand /sandstone w/red shale strips
300	320	fine tight sand/sandstone w/red shale strips
320	400	fine tight sand /sandstone
400	420	fine tight sand /sandstone to red clay & shale
420	440	fine tight sand /sandstone to red clay & shale
440	460	fine tight brown sand/sandstone to red shale
460	520	firm red shale w/silt sand
520	540	firm red shale
540	560	firm red shale w/rock strips

Form	WWC5					
Contractor	Hydro Resources Mid Continent, Inc.					
Well Owner						
Doc ID	1258856					

## Litholgy

From	То	LithologicLog
560	600	tight red clay & shale w/white rock strips
600	620	red and gray shale
620	640	red and gray shale
640	660	red shale w/silt sand to pink/white rock
660	680	tight pink/white rock w/broken rock strips
680	700	red shale