l oou	TON OF THE	TOD WOLL.		FRACTION	Water We	ll Record Form V		KSA 82a-1212 Section Number	T			
لــــــــــــــــــــــــــــــــــــــ	TION OF WA				CF	. CE		8	Township Number		Range Number	
	Harpe	frem nearest town or ci	ltv. etroet o	SW 1/4	SE 1/-	• SE	1/4	8	T 31 s		_R 6W _F	E/W
								/ 4 = -	140			
	ERWELLO				. S. OI	HWY 44	. , <u>1</u>	/4 W. C	n N.E. 140		riper, KS.	
ப	ST. ADRESS,			T, Kim E. 140t	h Poed				Board of Ag	-	ion of Water Resource	
	, STATE, ZIP			Kansas					,	tion Number:		
T		OCATION WITH		EPTH OF CO		ELL 9	7	ft. EL	EVATION:	Jon Paniper.	+	
	' IN SECTIO		⊔ ~	oth(s) groundw		_	•	ft.	2 f	Ł	3	ft.
l †			1 -	L'S STATIC W		_	FT. BI	ELOW LAND SI	URFACE MEASURED ON m	o/day/yr (06/12/19	
	i		''22	Pump tes		Well water w	as	ft.	after ho	urs pumpin		gpm
l '	NW	NE	Est. Y	ield 15	gpm:	Well water w	as	ft.		urs pumpin	•	gpm
M M		T.	1	lole Diameter	12	in. to 9	7	ft.	and		to	ft.
= "			WELL	WATER TO	BE USED AS:	5 Public	water s	upply	8 Air conditioning	11 Inje	ction well	
		SAE	11	Domestic	3 Feedlot	6 Oil fie	ld water	r supply	9 Dewatering	12 Oth	er (Specify below	v)
	SW	7	27	rrigation	4 Industria	l 7 Lawn	and gar	den only	10 Monitoring well			
		X	Was a	chemical/bact	eriological san	aple submitted	to Depa	artment? Yes	No X ;	If yes, mo/d	ay/yr sample wa:	s
		S	subm	itted				Wa	ater Well Disinfected?	Yes X	No	
$oldsymbol{\sqcup}$		SING USED:			5 Wrough		8 C	oncrete tile	CASING JOINT	S: Glue	d X Clamped	
1 Stee	l	3 RMP (SR)			6 Asbestos			ther (Specify	below)	Weld		
2 PVC		4 ABS			7 Fiberglas	SS	SD	R-26		Thre	eaded	
1	sing Diam	_	in.	to 35	,	Dia	in.	to	ft., Dia	in. to	-	
_	-	ve land surface		in.,	wei	ght 2.35		bs. / ft.	Wall thickness or gaug	e No. stos-cement	.214	
		N OR PERFORA		MAI EKIAL:	5 Fiberglass	I	7 <u>P</u> 8 R	MP (SR)				
1 Steel 3 Stainless Steel 5 Fibergiass 8 RMP (SR) 11 other (speci 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (hole)	
		REFORATION OF		ADF.		5 Gauzed wrap			8 Saw cut	` -	11 None (open h	ole)
	nous slot	a Mill s		ARE.		6 Wire wrappe	-		9 Drilled holes		` '	
	red shutte		ounched			Torch cut			10 Other (specify))		
SCREE	N-PERFO	RATION INTER		from 35		ft. to 97		ft., Fro		ft. to		ft.
l care	· · · · · ·			from	,	ft. to		ft., Fro		ft. to		ft.
GRAVEL PACK INTERVALS: from 24				4	ft. to 97		ft., Fro		ft. to		ft.	
				from	-	ft. to		ft., Fro		ft. to		At.
6 GRO	UT MAT	ERIAL: 1 Neat	t cement	2 (Cement grout		3 Bento	nite	4 Other			
Grout Intervals: From 4 ft. to 24					ft. Froi	n	ft. to		ft. From		ft. to	ft.
What is the nearest source of possible contamination:									ock pens	14 Abandon water well		
1 Septic tank 4 Lateral lines						7 Pit privy			itorage	15 Oil well/Gas well		
2 Sewer lines 5 Cess pool					8 Sewa	8 Sewage lagoon			lizer storage	16 Other (specify below)		v)
3 Wate	rtight sew	er lines 6 See	page pit		9 Feed	yard		13 Insec	ticide storage	None A	Apparent	•
	n from we	11?				-			How many feet?			
FROM			LITHO	LOGIC LOG	·	FF	OM	ТО	PLUGGIN	G INTERV	ALS	
0	3	topsoil										
3 17	17 97	clay red sha	1.		#*							
1	7	red Sha	TG									
												
												
												
	_											
 	1											
7 .CO	NTRACTO	OR'S OR LANDOWN	ER'S CER	TIFICATION: T	his water wel	l was (1) <u>con</u> s	tructed	d, (2) reconst	tructed, or (3) plugged	l under my	jurisdiction and	d
was c	ompleted	on (mo/day/yea	ir)	Q6/12/	1996	and th	is reco	rd is true to	the best of my knowle	edge and be	elief. Kansas W	Vater
Well (Contracto	r's License No	<u>43(</u>	Wall c	This Water	Well Record	was cor	mpleted on (mo/day/yr)	NP/13/	<u> </u>	
Unde	the busi	ness name of.H	arp	.w. 		etatce.	ADC	by (sig	nature)	/ / Q	20	
1									900	www.	Harp	