			\A/A TF	ATER WELL RECORD Form WWC-5 KSA 82a-1212 PZ->>								
LOCATI	ON OF WAT	ER WELL:	Fraction /		JAD FOIL	Sect	tion Number	Township N		1	Number	
ounty:	AYDER		NW 1/4		5E		3	T 3/	<u> </u>	R 6	E(W)	
		from nearest town		iddress of well	if located wi	thin city?	. DI	Les Math	1 4	. 1/2)	- dri	
2 Mil	es NE	of Harper, 4	C5 then	15 ML. 1	V ON M	URDEC	K Kd 2	SE 180th	of the	encop	NIAL.	
WATER	R WELL OW	NER:	95HR CON	Westions	, Inc							
R#, St. /	Address, Box	(#: 46	25 Sout	& Kackw		-0			-	Division of Wa	ater Resources	
ity, State	, ZIP Code	: DE	JAhomA	City E	VE 131				n Number:			
LOCATE	E WELL'S LO	OCATION WITH 4	DEPTH OF C	OMPLETED W	/ELL	24	_ ft. ELEV	ATION:				
AN "X"	IN SECTION	N BOX:	Denth(s) Ground	water Encount	ered 1	14.5	ft.	2	ft. 3	3		
Г	1 1		WELL'S STATIC	WATER LEVE	1 15,7	7. ft. b	elow land su	urface measured or	n mo/day/yr	4/23/	100	
	i		Pum	n test data: V	Vall water w	98	ft	after	, hours pu	umping	gpm	
-	- NW	NE	er Viold 4	piesi data. V	Vall water w	ac	ft	after	hours pu	umping	gpm	
	!							and				
: w  -	<del>!</del>	E				ublic wate		8 Air conditioning		Injection well		
-	-		WELL WATER	_				9 Dewatering		ther (Speci		
_	_ sw	35 /	1 Domestic		iot bu	Al field Wal	er supply	10 Monitoring we				
1	1	×	2 Irrigation	4 Indus	trial / L	awn and g	arden only	10 Worldoning we	16 100	mo/day/yr.s	ample was sub	
L	1		Was a chemical	bacteriological	sample subr	nitted to De	epartment?	YesNo	, 11 yes	s, moruayryr s	ample was suc	
,			mitted					ater Well Disinfect			ımped	
TYPE (	OF BLANK C	CASING USED:		5 Wrought in	on		ete tile					
1_St	eel	3 RMP (SR	)	6 Asbestos-	Cement		(specify belo	•		ded V		
22	/C	4 ABS	4.1	7 Fiberglass						aded		
Blank casi	ing diameter	<b></b> i	n. <u>to</u> <i>1.54</i> .	ft., Dia		. ,in. to		ft., Dia		. in. to	ft. <i>A</i> ກ	
		and surface	30	.in., weight				s./ft. Wall thickness	or gauge f	No. Jest	<i>4.V.</i>	
		R PERFORATION				7 PV	С	10 As	bestos-cem	ent		
1 St		3 Stainless		5 Fiberglass		8 RM	IP (SR)	11 Ot	her (specify	<i>י</i> )		
2 Br	ass	4 Galvanize	ed steel	6 Concrete	tile	9 AB	S	12 No	ne used (o	pen hole)		
SCREEN OR PERFORATION OPENINGS ARE:					5 Gauzed v	wrapped		8 Saw cut		11 None (	open hole)	
	ontinuous slo	<b>~</b>			6 Wire wra	pped		9 Drilled holes				
	uvered shut	<u> </u>	y punched	,	7 Torch cut			10 Other (speci	fy)			
		ED INTERVALS:	From	14	. ft. to	24	ft., Fr	om	ft.	to		
30112211			-		. ft. to		ft., Fr	rom	ft.	to	. , . ,	
	GRAVEL PA	CK INTERVALS:						om				
·	OI INVEL I I		From		ft. to		ft., Fi			to		
GROUT	T MATERIAL	1 Neat co	ement	2 Cement gro		3 Bento	nite	4 Other				
Grout Inte		(3) 10	tt to 12	ff Frd	<b>3</b> C	) ft.	to 10	ft., From		ft. to		
		ource of possible of	contomination:	NONE)	т.,,,,,,			estock pens	14	Abandoned w	ater well	
							el storage	15 Oil well/Gas well				
1 Septic tank 4 Lateral line							· · · · · · · · · · · · · · · · · · ·			16 Other (specify below)		
2 Sewer lines 5 Cess poo			•				13 Insecticide storage					
	J	ver lines 6 Seepa	age pit	pit 9 Feedyard			How many feet?					
	from well?	Т				FROM	TO How IT	any reet?	PLUGGING	INTERVALS		
FROM	TO	2:15	LITHOLOGIC	LOG		PHON	10					
	3	SIL	1 1 5 1	e - D e	11.1.							
3	17.	Complete	IY WEAT	herex N	COTUNA							
7	24.5	SILESTON	E								•	
	<b>_</b>						<del>                                     </del>					
							ļ	<b> </b>				
							<u> </u>				•	
								ļ				
								<u> </u>				
							<u> </u>	<b></b>				
							ļ					
	1							1				
	1											
7 00:	DACTORIC		PE CERTIFICA	FION: This	er well was	1) honetre	icted (2) re	constructed, or (3)	pluaged u	nder my iuriso	diction and wa	
			5/10/03-	IIUN: ITIIS Wat			ond this re	cord is true to the I	pest of my k	noviedoe and	d belief. Kansa	
	on (mo/day	- 1	555			Pacord w		d on (mo/day/pr)	6-6	3-47		
		's License No.	7		AAGIGI AAGII	THE COLUMN	as complete by (sig		717	100		
under the	business na	ame of 7.W.	FOOL, INC				by (sig	1 1 1	Cond ton the	o copies to Year	as Department	