LOCA	TION OF W	ATER WELL:	FRACTION		Vater Well Recor	d Form WWC-	Section Number	Township Number	Range Number	
ــــــــــــــــــــــــــــــــــــــ	Harpe		NW 1/	4 NE	1/4	NE 1/4	35	21	6	
T S R E/W									R E/W	
Distance and direction frem nearest town or city street address of well if located within city?										
1 mile N., 4 miles East of Harper, S. side Harper, Kansas.										
WATER WELL OWNER: HOSTETLER, Dewy										
RR#, ST. ADRESS, BOX #: RR #2  Board of Agriculture, Divivsion of Water Resource										
CITY	, STATE, ZI	CODE: Harper,	Kansas					Application Numb	er:	
			DEPTH OF (	COMPLET	ED WELL	65	ft. EL	EVATION:		
AN "X" IN SECTION BOX: Depth(s) groundwater Encountered 1 ft. 2 ft. 3 ft.										
1 1		X   WE	LL'S STATI	C WATER	LEVEL 2	0 F1	r. BELOW LAND S	URFACE MEASURED ON mo/day/yr	06/24/1998	
	L NW-	NE	Pump	test data:	Well	water was	ft.	after hours pur	nping gpm	
	1		Yield	gpm	: Well	water was	ft.	after hours pur	nping gpm	
N K	/ <del> </del>	E Bore	Hole Diame	ter 12	in.	to 65	ft.	and in.	to ft.	
= "		WEI	LL WATER	TO BE US	ED AS:	5 Public wat	er supply	8 Air conditioning 11	Injection well	
١.	- sw-		1 Domestic	3 Fee	edlot	6 Oil field w	ater supply	9 Dewatering 12 0	Other (Specify below)	
<b>!</b>			2 Irrigation	4 Ind	lustrial	7 Lawn and	garden only	10 Monitoring well		
			a chemical/b	acteriolog	ical sample	submitted to	Department? Ye	es No X; If yes, 1	mo/day/yr sample was	
S submitted Water Well Disinfected? Yes X No										
5 TYPE OF CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped										
1 Stee	el	3 RMP (SR)			bestos-Ceme	ent !	Other (Specify		Welded	
2 PV	С	4 ABS		7 Fil	perglass	S	DR-26	7	Threaded	
	asing Diar	neter 5 in.	to 45	ft.	, Dia	in	. to	ft., Dia in.	to ft.	
		ve land surface 12	i	n. ,	weight 2		lbs. / ft.	Wall thickness or gauge No.	.214	
		EN OR PERFORATIO		L:	Ü		7 <u>PVC</u>	10 Asbestos-cen	ient	
1 Ste	el	3 Stainless Steel		5 Fib	erglass		8 RMP (SR)	11 other (specif	<b>y</b> )	
2 Bra	ISS	4 Galvanized steel		6 Con	crete tile		9 ABS	12 None used (o	pen hole)	
SCREE	EN OR PE	RFORATION OPENIN	G ARE:		5 Gau	zed wrapped		8 Saw cut	11 None (open hole)	
1 Conti	inous slot	3 Mill slot			6 Wir	e wrapped		9 Drilled holes		
2 Louve	ered shutte	er 4 Key punch	ed		7 Torc	h cut		10 Other (specify)		
SCREEN-PERFORATION INTERVALS: from 45 ft. to 65 ft., From ft. to ft.										
			from			. to	•			
	CRAV	EL PACK INTERVAL		24		. to 65	ft., Fro		ft.	
	GIGA	BETACK INTERVAL	from		ft. to		ft., Fro	*** ***	14.	
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other bentonite hole plug										
Grout Intervals: From 4 ft. to 24 ft. From ft. to ft. From ft. to ft.										
What is	the neare	st source of possible con	tamination:		. 110111	11.	10 Livest		Abandon water well	
1 Septic tank 4 Lateral lines				7 Pit privy		11 Fuel s	taran	Oil well/Gas well		
2 Sewer lines 5 Cess pool				8 Sewage lagoon		oon	12 Ferti		16 Other (specify below)	
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage										
Direction from well? North  How many feet? 100										
FROM			IOLOGIC L	OG		FROM	ТО	PLUGGING INTE	ERVALS	
0	4	topsoil								
4	15	fine sand								
15	40	clay								
40	45	fine sand								
45	65	medium fine	sand							
L	ļ <u> </u>									
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and										
use completed on (mo/day/year) 06/24/1998 and this record is true to the best of my knowledge and belief. Kenese										
Water Well Contractor's License No										
(mo/dav/yr)										
Under the business name of										
								,		