WATE	R WE	LL RECORD	Form W	WC-5	Division of Wate	er Resources App. N	48,845	
1 LOCATION OF WATER WELL:		Fraction		Section Number		Range Number		
				14 SF 14		T 31 S	R 6 DE DW	
County: Harper 1/4 SE 1								
from nearest town or intersection: If at owner's address, check here								
		d 110th NE #2 WEST \		Lautude:	***************************************	(in decimal degrees)		
/ / /	n Ku an	U HOUHNE #2 WEST	VELL	Elevation:	• • • • • • • • • • • • • • • • • • • •	(in decimal degrees)		
					Detumi D WGS S		 L.NAD 27	
2 WATER WELL OWNER: JC Long					Datum: ☐ WGS 84, ☐ NAD 83, ☐ NAD 27 Collection Method:			
RR#, Street Address, Box #: 201 W. Harvev					GPS unit (Make/Model:)			
at a man a t					☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m								
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL, 70								
	SECTION BOX: Depth(s) Groundwater Encountered (1).24 ft. (2)							
	SECTION BOX: Depth(s) Groundwater Encountered (1).24							
l —	Pump test data: Well water wasft. after hours pumping gpm							
1 1	EST VIELD 350 com Well water was the after hours numering com							
1 1 '	70 20 20 20 20 20 20 20 20 20 20 20 20 20							
"	W							
	Domestic Feedlet Oil field water supply Dewatering Other (Specify below)							
S'	W   S	25・1 (高・・)						
✓ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well								
The state of the s								
S If yes, mo/day/yr sample was submitted								
Water with distincted: (B) 165 110								
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter .16 in. to .70								
Casing height above land surface. 12 in., Weight 16 lbs./ft., Wall thickness or gauge No. SCH40								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
Steel Stainless Steel PVC Other (Specify)								
Brass Galvanized Steel None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)								
☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☑ Saw cut ☐ Other (specify)								
SCREEN-PERFORATED INTERVALS: From								
From								
GRAVEL PACK INTERVALS: From								
From								
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☑ Bentonite ☐ Other								
Grout Intervals: From .3								
What is the nearest source of possible contamination:								
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☑ Other (specify below)								
Sewer lines								
		ht sewer lines 🔲 Seepage p		Fertilizer st		as well	IE-OPEN FIELD	
Direc		n well		. Distance	from well		·····	
FROM	TO	LITHOLOG	IC LOG	FROM	TO LITHO. L	OG (cont.) or PLU	GGING INTERVALS	
0	38	Clay						
38	67	Med Sand to Sm Grave	l/clay laver					
67	70	Shale						
				<del>                                     </del>				
	ļ. ——			<del> </del>				
	<del>  </del>			<del>                                     </del>				
	<del>  </del>		<del></del>	<del> </del>		<del> </del>		
ļ	<b> </b>			├				
	<b> </b>	· · · · · · · · · · · · · · · · · · ·		<b></b>				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☑ constructed, ☐ reconstructed, or ☐ plugged								
under my jurisdiction and was completed on (mo/day/year)								
Kansas Water Well Contractor's License No. 238 This Water Well Record was completed on (mo/day/year) .10/28/2015								
under the business name of Premier Pump & Well Service, Inc. by (signature). Y. W. V.								
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.  Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at								
, , , , , , , , , , , , , , , , , , , ,								
http://www.kdbeks.gov/waterwell/index.html								