		WELL RECORD	Form WWC-	5 KSA 82a			
LOCATION OF WATER WELL:	Fraction		ı	ction Number	Township N		Range Number
ounty: Harper istance and direction from nearest	Ne 1/4	7/4	1/4	1	<u> </u>	31 _S	R 7 mgw
2 East of Douquo		ress of well if located	a within city?				
WATER WELL OWNER: Do	n Graber	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Sterli	ng Drilli	ng Co	*****	
R#, St. Address, Box # : 332	1 SE 100ST.		Box 10			griculture,	Division of Water Resource
y, State, ZIP Code : Kin	gman Kans. 670	168					
OCATE WELL'S LOCATION WIT	TH 4 DEPTH OF CO	MPLETED WELL	.85	ft. ELEVA	TION:		
AN "X" IN SECTION BOX:		ter Encountered 1.					
	WELL'S STATIC W	ATER LEVEL 47	7,5" ft. t	elow land sur	ace measured or	mo/day/yr	Sept.3 199
							ımping gpr
NW NE							ımping gpi
							ı, to
W	WELL WATER TO	BE USED AS:	5 Public water	er supply	8 Air conditioning	11	Injection well
	1 Domestic	3 Feedlot	6_QiLfield_wa	ter supply	9 Dewatering	12	Other (Specify below)
SW SE	2 Irrigation						
	Was a chemical/bac	cteriological sample s	ubmitted to D	epartment? Ye	sNo. x	; If yes	, mo/day/yr sample was si
\$	mitted			Wat	er Well Disinfecte	d? Yes	No
TYPE OF BLANK CASING USED): 5	Wrought iron	8 Concr	ete tile	CASING JO	NTS: Glue	d X Clamped
1 Steel 3 RMP	(SR) 6	Asbestos-Cement	9 Other	(specify below	')	Weld	led
XX PVC 4 ABS	7	Fiberglass				Thre	aded
ank casing diameter	in. to	ft., Dia	in. to) <i></i>	ft., Dia		in. to f
sing height above land surface		., weight		Ibs./1	t. Wall thickness	or gauge N	lo
PE OF SCREEN OR PERFORAT	ION MATERIAL:		7 PV	_	10 Ask	estos-cem	ent
1 Steel 3 Stainle	ess steel 5	Fiberglass	8 RN	MP (SR)	11 Oth	er (specify)	
2 Brass 4 Galva	inized steel 6	Concrete tile	9 AE	s	12 N oi	ne used (op	oen hole)
REEN OR PERFORATION OPEN	NINGS ARE:	5 Gauze	d wrapped		8 Saw cut		11 None (open hole)
1 Continuous slot 3	Mill slot	6 Wire v	vrapped		9 Drilled holes		
2 Louvered shutter 4	Key punched	7 Torch				•	
REEN-PERFORATED INTERVAL							to
	From	4 4-					
					n		
GRAVEL PACK INTERVAL	S: From	ft. to		ft., Fror	n	ft. ·	to
	S: From From 85°	ft. to ft. to	48*	ft., Fror ft., Fror	n	ft. ·	tof
	S: From From 85°	ft. to ft. to	48*	ft., Fror ft., Fror	n	ft. ·	tof
GROUT MATERIAL: 1 Nea	S: From 85° at cement 2ft. to3'	ft. to ft. to	48*	ft., From tt., F	n	ft.	to
GROUT MATERIAL: 1 Near out Intervals: From 48	S: From 85° at cement 2ft. to 3° ole contamination:	ft. to ft. to Cement grout ft., From	48*	ft., From tt., F	n	ft. ·	to
GROUT MATERIAL: 1 Near out Intervals: From	S: From 85° at cement 2ft. to 3° ole contamination: tteral lines	ft. to ft. to Cement grout ft., From 7 Pit privy	48° 3 Bento ft.	tt., Fror ft., Fror onite 4 to 10 Livest	n	14 A	to
GROUT MATERIAL: 1 Near out Intervals: From 48	From 85° at cement 2 ft. to 3° ole contamination: steral lines ess pool	ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago	48° 3 Bento ft.	tt., Fror tt., F	n	14 A	to
GROUT MATERIAL: 1 Near put Intervals: From 48	From 85° at cement 2 ft. to 3° ole contamination: steral lines ess pool	ft. to ft. to Cement grout ft., From 7 Pit privy	48° 3 Bento ft.	ft., From ft., From onite 10 Livest 11 Fuel s 12 Fertilit 13 Insect	n	14 A	to
GROUT MATERIAL: 1 Near out Intervals: From 48	From 85° at cement 2 ft. to 3° ble contamination: ateral lines ass pool appage pit	ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	48° 3 Bento ft.	ft., From tt., From tt., From tt., From to. 10 Livest 11 Fuel s 12 Fertilit 13 Insect How mar	n	14 A	to fto f
GROUT MATERIAL: 1 Near out Intervals: From 48	From 85° at cement 2 ft. to 3° ole contamination: steral lines ess pool	ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento ft.	ft., From ft., From onite 10 Livest 11 Fuel s 12 Fertilii 13 Insect How man	n Other Othe	14 A 15 C 16 C	to
GROUT MATERIAL: 1 Near out Intervals: From 48	From 85° at cement 2 ft. to 3° ble contamination: ateral lines ass pool appage pit	ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento ft. on FROM 85°	to	n Other Othe	14 A 15 C 16 C	to
GROUT MATERIAL: 1 Near out Intervals: From 48	From 85° at cement 2 ft. to 3° ble contamination: ateral lines ass pool appage pit	ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento ft.	ft., From ft., From onite 10 Livest 11 Fuel s 12 Fertilii 13 Insect How man	n Other Othe	14 A 15 C 16 C	to
GROUT MATERIAL: 1 Near put Intervals: From 48	From 85° at cement 2 ft. to 3° ble contamination: ateral lines ass pool appage pit	ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento ft. on FROM 85°	to	n Other Othe	14 A 15 C 16 C	to fto f
GROUT MATERIAL: 1 Near put Intervals: From 48	From 85° at cement 2 ft. to 3° ble contamination: ateral lines ass pool appage pit	ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento ft. ft.	note to the first section of t	n Other Othe	14 A 15 C 16 C UGGING I	to ft. to
GROUT MATERIAL: 1 Near out Intervals: From 48	From 85° at cement 2 ft. to 3° ble contamination: ateral lines ass pool appage pit	ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento ft. ft.	ft., From ft., F	Other	14 A 15 C 16 C UGGING I	to ft. to
GROUT MATERIAL: 1 Near out Intervals: From 48	From 85° at cement 2 ft. to 3° ble contamination: ateral lines ass pool appage pit	ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento ft. ft.	note to the first section of t	Other	14 A 15 C 16 C UGGING I	to ft. to
GROUT MATERIAL: 1 Near out Intervals: From 48	From 85° at cement 2 ft. to 3° ble contamination: ateral lines ass pool appage pit	ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento ft. ft.	ft., From ft., F	Other	14 A 15 C 16 C UGGING I	to ft. to
GROUT MATERIAL: 1 Near out Intervals: From 48	From 85° at cement 2 ft. to 3° ble contamination: ateral lines ass pool appage pit	ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento ft. ft.	ft., From ft., F	Other	14 A 15 C 16 C UGGING I	to ft. to
GROUT MATERIAL: 1 Near out Intervals: From	From 85° at cement 2 ft. to 3° ble contamination: ateral lines ass pool appage pit	ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento ft. ft.	ft., From ft., F	Other	14 A 15 C 16 C UGGING I	to ft. to
GROUT MATERIAL: 1 Near put Intervals: From 48	From 85° at cement 2 ft. to 3° ble contamination: ateral lines ass pool appage pit	ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento ft. ft.	ft., From ft., F	Other	14 A 15 C 16 C UGGING I	to ft. to
GROUT MATERIAL: 1 Near put Intervals: From 48	From 85° at cement 2 ft. to 3° ble contamination: ateral lines ass pool appage pit	ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento ft. ft.	ft., From ft., F	Other	14 A 15 C 16 C UGGING I	to ft. to
GROUT MATERIAL: 1 Near put Intervals: From 48	From 85° at cement 2 ft. to 3° ble contamination: ateral lines ass pool appage pit	ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento ft. ft.	ft., From ft., F	Other	14 A 15 C 16 C UGGING I	to ft. to
GROUT MATERIAL: 1 Near put Intervals: From 48	From 85° at cement 2 ft. to 3° ble contamination: ateral lines ass pool appage pit	ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento ft. ft.	ft., From ft., F	Other	14 A 15 C 16 C UGGING I	to
GROUT MATERIAL: 1 Near put Intervals: From 48	From 85° at cement 2 ft. to 3° ble contamination: ateral lines ass pool appage pit	ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento ft. ft.	ft., From ft., F	Other	14 A 15 C 16 C UGGING I	to ft. to
GROUT MATERIAL: 1 Near out Intervals: From	S: From 85¹ at cement 2 ft. to 3¹ ole contamination: atteral lines ess pool eepage pit LITHOLOGIC LC	ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento ft. FROM 85' 48' Casine Fille	ft., From ft., F	Other Other ock pens storage zer storage icide storage by feet? Pl Gravel Hole Plu 3' Below (irt.	14 A 15 C 16 C UGGING I Pack	to ft
GROUT MATERIAL: 1 Nea out Intervals: From	AS: From 85' at cement 2	ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bento ft. FROM 85' 48' Casine Fille	ft., From ft., F	n	14 A 15 C 16 C UGGING Pack	to ft. to
GROUT MATERIAL: 1 Near put Intervals: From 48	ER'S CERTIFICATION pt. 3. 1997.	ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard IG	3 Bento ft.	tt., From tt., F	Other	14 A 15 C 16 C UGGING I Pack Found	to ft. to
GROUT MATERIAL: 1 Near put Intervals: From	ES: From 85' at cement 2 ft. to 3' ble contamination: ateral lines bepage pit LITHOLOGIC LO BER'S CERTIFICATION pt. 3 1997 112	ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard G I: This water well wa This Water Well	3 Bento ft.	tt., From tt., F	Other	14 A 15 C 16 C UGGING I Pack Found	to