WATE	R WEI	LL RECORD	Form W	WC-5	Di	vision of Wate	r Resources App. No	47568	
1 LOCATION OF WATER WELL:		Fraction				Township No.			
County: Harroer			1/4 NW 1/4 NE	14 SW 14		4	T 31 S		
Stree	Address of Well Location;	direction	Globa	Global Positioning System (GPS) information:					
from nearest town or intersection: If at owner's address, check here .						Latitude: (in decimal degrees)			
4 miles South & 3 miles East of Zenda, KS						Longitude: (in decimal degrees)			
					Eleva	Elevation:			
2 WATER WELL OWNER: Bruce Miller					Collection Method:				
RR#, Street Address, Box #: 1336 NW 140th Rd.						GPS unit (Make/Model:)			
		ZIP Code : Zenda,		159 Digital Map/Photo, Topographic Map, Land Surve				Map, Land Survey	
Est. Accuracy:									
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL123						<b>A</b>			
	H AN "A FION BC						A (3	R) A	
SEC	N N		water Encountered (1)						
Pump test data: Well water wasft. after hours pumping									
	w   N	POT VIELDEO		0gpm. Well water wasft. after hours pumping gpm					
w NY	W N			in. to1.23ft., andin. toft.					
							njection well		
Sw -   SF -     Domestic   Feedlot   Oil field water supply   Dewatering   Other (Specify below,								Other (Specify below)	
		│ │ 🗶 Irrigation	☐ Industrial ☐						
Was a chemical/bacteriological sample submitted to Department?  Yes No									
S If yes, mo/day/yr sample was submitted									
Water well districted: [2] 103									
5 TYPE OF CASING USED: Steel X PVC Other									
CASING JOINTS: Glued Clamped Welded Threaded									
Casing diameter									
Casing height above land surface12									
Steel Stainless Steel VPVC Other (Specify)									
Brass Galvanized Steel None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)									
Louvered shutter Key punched Saw cut Other (specify)  SCREEN-PERFORATED INTERVALS: From 63									
From									
GRAVEL PACK INTERVALS: From25									
From									
6 GROUT MATERIAL: Neat cement									
Grout Intervals: From 2 ft. to 25 ft., From ft. to ft., From ft. to ft.									
What is the nearest source of possible contamination:									
Septic tank								er (specify below)	
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage									
		n wellSouthwest		Distance					
FROM	TO	LITHOLOG	IC LOG	FROM	TO	LITHO. LO	OG (cont.) or PLU	GGING INTERVALS	
0	2	Topsoil		118	122	Sand, fi			
7	7	Caly, tan		122	123	Shale, 1	red		
	42	Sand, fine to coa	rse w/gravel						
42	46	Clay, green					***************************************		
46	55	Clay, tan							
55	70	Sand, fine							
70	101	Sand, fine to med	1UM	<del> </del>					
101									
103 116 Sand, fine to medium 116 118 Clay, green & red, hard									
116   118   Clay, green & red, hard									
under my jurisdiction and was completed on (mo/day/year) 4/.27./11 and this record is true to the best of my knowledge and belief.									
Kansas Water Well Contractor's License No1.38 This Water Well Record was completed on (the dest of the									
under the business name of									
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies									
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at									
http://www.kdheks.gov/waterwell/index.html.									
KSA 82a-1212									