WAIL	K WEI	LL RECORD	rorm W	WC-5			r Resources App. N	0.		
1 LOCATION OF WATER WELL: County: Harper			Fraction SW 1/4 SE 1/4 SE	1/4 1/4		on Number 8		Range Number R જ □E ☑W		
Street/Rural Address of Well Location; if unknown, distance & direction						Global Positioning System (GPS) information:				
from nearest town or intersection: If at owner's address, check here . Latitude: .37,37433970 (in decimal degree								(in decimal degrees)		
Harper County Crude Oil Station						Longitude: -98.09761650 (in decimal degrees) Elevation:				
on NW 140th just west of NW 90th St.						Datum: WGS 84, NAD 83, NAD 27				
2 WATER WELL OWNER: Rose Rock Midstream Crude. RR#, Street Address, Box #: 3030 NW Expressway, Suite 1					Collection Method: ☐ GPS unit (Make/Model: Garmin Nuvi)					
1	-	TD C 1	W Expresswav. Suite 1100 ma Citv. OK 73112			☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey				
			ma City, OK 73112		Est. Accuracy:					
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL .25										
1							ft. (2) ft. (3) ft.			
N WELL'S STATIC WATER LEVELft. below land surface measurements							neasured on mo/d	ay/yr		
Pump test data: Well water wasft. after hours pumping										
	V N	E EST. YIELD	TELDgpm. Well water wasft. afterhours pumpinggpm ole Diameter 8.25in. to .25ft., andin. toft.							
W			ER TO BE USED AS: Public water supply Geothermal Injection well							
sv	v s	E Domestic	☐ Feedlot ☐	Oil field wat	er suppl	y 📮 De	watering \(\sum_{\text{O}} \)	Other (Specify below)		
SW - SE - Domestic Feedlot Oil field water supply Dewatering Other (Specify below the supply Dewatering Dewatering Other (Specify below the supply Dewatering Dewatering Other (Specify below the supply Dewatering Dewaterin								VV-1		
	S						res 💌 No			
S If yes, mo/day/yr sample was submitted										
5 TYPE OF CASING USED: Steel V PVC Other										
CASING JOINTS: Glued Clamped Welded Threaded										
Casing diameter .2										
Casing height above land surface										
Steel Stainless Steel PVC Other (Specify)										
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)										
SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Gauze wrapped Torch cut Drilled holes None (open hole)										
Continuous slot Gauze wrapped Torch cut Drifted notes None (open note)										
SCREEN-PERFORATED INTERVALS: From. 10										
From										
GRAVEL PACK INTERVALS: From. 8										
6 GROUT MATERIAL: ☐ Neat cement										
Grout Intervals: From										
What is the nearest source of possible contamination:										
Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below) ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☑ Fuel storage ☐ Abandoned water well										
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well										
		n well	TG L OC	FROM		ell < 200'	OC (cont) on DL L	CCINC INTERVALE		
FROM 0	TO 15	LITHOLOG brown clay	iic LUG	2 2 2 2 2 2 2 2	TO 2	cement gro		GGING INTERVALS		
15	18	brown silty clay			- 8	bentonite	741			
18	25	tan sand								
		ar. w								
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☐ constructed, ☐ reconstructed, or ☐ plugged										
under my jurisdiction and was completed on (mo/day/year) .5/08/2012 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No7.85 This Water Well Record was completed on (mo/day/year) .06/08/2012										
under the business name of Able Environmental Drilling, LLC by (signature)										
INSTRUCTIONS: Use ty pewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Depar tment of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 666 12-1367.										
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Vi sit us at										
http://www.kdheks.gov/waterwell/index.html.										
KSA 82a-1212 Check: ☐ White Copy, ☐ Blue Copy, ☐ Pink Copy										