			WATI	R WELL RECORD	Form WW	C-5	KSA 82a	-1212		mw-		
LOCATIO	ON OF WAT	ER WELL:	Fraction NW 1	NW 1/	CE	Section	Number 15	Township N		Range		
County:				address of well if loc			12	т 3:	2 s	R 1	E(W)	
Distance a	-	1022 W. 8th,	Welling	ton, Ks	ated within on	<b>y</b> :						
2 WATER	R WELL OW	NER Randy Cro	l-									
RR#, St. A	Address, Box	Kandy Cro	ucn the wall		77150			Board of	Agriculture, C	Division of Wa	ter Resource	
City, State	, ZIP Code			ington, Ks (					n Number:			
3 LOCATE	WELL'S LO	OCATION WITH 4	DEPTH OF	COMPLETED WELL dwater Encountered	35	f	t. ELEVA	TION:	<del></del> .			
AN X	IN SECTION	De	epth(s) Groun	dwater Encountered	1. 28.5	?	ft. 2	2	ft. 3.			
Ī	!	! W		WATER LEVEL .					,,			
	- NW	NE		np test data: Well v								
1	1			gpm: Well v								
Mile W				neter. 8.625 in.							π.	
-	i	<b>^</b>       '''	1 Domestic	TO BE USED AS: 3 Feedlot	5 Public v			<ul><li>8 Air conditioning</li><li>9 Dewatering</li></ul>		Injection well Other (Specify	helow)	
-	- SW	SE	2 Irrigation					Monitoring we				
	-	l lw	•	/bacteriological samp			-		_			
<u> </u>			itted					ter Well Disinfect	_			
5 TYPE C	OF BLANK (	CASING USED:		5 Wrought iron	8 Co	ncrete	tile	CASING JO	INTS: Glued	I <del></del> Clam	nped	
1 Ste		3 RMP (SR)		6 Asbestos-Ceme	ent 9 Ot	ner (spe	ecify belov	<b>v</b> )	Welde	ed b∈		
(2)°V	/C	2 4 ABS	20	7 Fiberglass			<del>.</del>		Threa	ided X		
_		and surface		in., weight		Pvc	Ibs./					
1		R PERFORATION M 3 Stainless st		5 Fiberglass	_	APVC RMP (	CD)		bestos-ceme			
1 Steel 3 Stainless steel 5 Fiberglass 2 Brass 4 Galvanized steel 6 Concrete tile						ABS						
	SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed						8 Saw cut 11 None (open				en hole)	
	ontinuous slo				ire wrapped			9 Drilled holes		(	,	
2 Lo	uvered shut	ter 4 Key	punched		orch cut			10 Other (speci				
SCREEN-I	PERFORAT	ED INTERVALS:	From	π. τ				m <del></del>				
	SAND		From TT	7 ft. t	ن	· · · · · ·	ft., Fro	m <del></del>	ft. t	0		
(	G <del>RAVE</del> L PA	CK INTERVALS:		<b>8</b> ft. t				m <del></del> .	ft. to	0		
el GBOUT	T MATERIAL	1 Neat cen	From			entonite	ft., Fro			0		
Grout Inte	nyals: Fro	2 0 Near cen	to 16	②Cement grout	16	ft to	18	ft From		ft to	ft	
1		ource of possible co				11. 10.		stock pens		bandoned wat		
1		4 Lateral	7 Pit privy				•		Oil well/Gas well			
	2 Sewer lines 5 Cess pool			8 Sewage lagoon				izer storage		(16)Other (specify below)		
3 Watertight sewer lines 6 Seepage pit			9 Feedyard			13 Insec	cticide storage	Contami	Contaminated Si			
	from well?	T					How ma					
FROM	то		LITHOLOGIC	LOG	FROM	1	то		LUGGING II	NIERVALS		
GL	2.50	Soil										
2.50	9.00	Silty Clay	(CH)									
	33.00	Silty Sand										
33.00	\$6.00	Shale										
36.00	TD	End of Bor	ehole									
	<u> </u>											
	-											
	<del> </del>					+	Flush Mount					
							waiver D. Taylor					
								12/27/95				
7 CONT	RACTOR'S	OR LANDOWNER'S	CERTIFICA	TION: This water we	ell was (1) cor	structe	d) reco	onstructed, or (3)	plugged und	der my jurisdio	ction and was	
completed	on (mo/day	/year) 2/15,	/.9 <b>5</b>			an	d this reco	ord is true to the b	est of my kn			
				This Wate		was o	completed	on (mo/day/yr)		2/16/96		
under the	business na	me of Associat	ted Envi	ronmental, Ir	nc.		by (signa	ature) <b>Wha</b>	m gor [	Parinik	incon-	