			WATE	R WELL	RECOR	D Fo	rm WWC-5	KSA 82	a-1212			MW-2		
County:		TER WELL:	Fraction NW 1/4	NW	1/4	SE	Sect	ion Numbe 15		nship Nu 32	mber S	R R	ange Nu 1	ımber E(W)
Distance a	nd direction 1	from nearest tow 022 W. 8th,	n or city street a Wellingto	on, Ks	f well if I	located v	vithin city?							
RR#, St. A City, State,	ZIP Code	× #1022 W. 8	Board of Agriculture, Division of Application Number:								r Resource			
LOCATE	WELL'S L	OCATION WITH N BOX:	4 DEPTH OF C	OMPLET	TED WE	LL 5	37	. ft. ELEV	ATION:		 ft.	3	<del></del>	
Ī	       NW ==	I I	WELL'S STATIC	WATER p test da	R LEVEL ta: Wel	.3 <i>0</i> I water v	4.8 ft. be	elow land so	urface meas	sured on	mo/day/yr	$\frac{2}{15}$	<del></del>	
<u> </u>	1	1	Est. Yield	eter	625 Wel	II water vi in. to	vas	ft. ft.,	after		hours po	umping。 n. to	 	gpm
A Mile	1	X ;	WELL WATER 1				Public wate		8 Air con	•		•		1
-	- SW	SE	1 Domestic 2 Irrigation		Feedlot Industria	6 al 7	Oil field wat Lawn and g	er supply arden only	9 Dewate 10 Monito	ering ring well	mw	- 2	эреспу с	elow)
<u></u> L	<u> </u>		Was a chemical/mitted	bacteriologic	ogical sa			partment?		.NoX	; If yes			ple was sul
5 TYPE C	F BLANK	CASING USED:		5 Wro	ught iron		8 Concre	te tile			NTS: Glue		. Clamp	ed
_	1 Steel 3 RMP (SR) 2 PVC 4 ABS		٦)	6 Asbe	estos-Ce rolass	ment		specify belo	ow) 					
Blank casir	ng diameter	, <mark>2</mark>	in. to . 22	ft	., Dia		in. to		ft., Di	a		. in. to .	. <del></del>	ft.
1	-	and surface		.in., wei	ght	SCH			s./ft. Wall th				<del></del>	
		R PERFORATION		5 <b>5</b> :5-			<b>∂</b> P∨				estos-cem			
1 Steel 3 Stainless ste 2 Brass 4 Galvanized				5 Fibe	rgiass crete tile		9 AB	P (SR)			er (specily le used (o			
SCREEN (		0 0011			wrapped		8 Saw		•	11 No	•	n hole)		
	ntinuous sl				6	Wire wr	apped		9 Drille	d holes				
2 Lo	uvered shu	tter 4 Ke	ey punched _		7	Torch c	ut 2 7				·)			
		ED INTERVALS:	From <del>1</del>											
	SAND	ACK INTERVALS:	From	2			3.7		rom					
-	ALMACE FA	OK INTERVALS.	From			. to <b>-</b> -						to		f
6 GROUT	MATERIA	ا مضا Neat c	cement (	2 eme	ent arout		(3 Bento	nite	4 Other . 7	<del></del>				
Grout Inter	vals: Fro	om	.ft. to 1.8.	ft.,	From	1.8.	ft.	to <b>2</b> 0	? ft.,	From	<del></del>	ft. to	o <del></del>	
What is the	e nearest s	contamination:	n:				10 Livestock pens			14 Abandoned water well				
1 Septic tank 4 Lateral lin				' '				11 Fuel storage			15 Oil well/Gas well			
2 Sewer lines 5 Cess po								12 Fertilizer storage 13 Insecticide storage			16 Other (specify below)  Contaminated Si			
3 Watertight sewer lines 6 Seepage Direction from well?			age pit	e pit 9 Feedyard						age	Contan	unate	a 51 -	
FROM	TO TO		LITHOLOGIC	LOG			FROM	TO	any feet?	PL	UGGING	INTERV	ALS	
- OT	0.50	Com sweet a												
GL 0.50	0.50 1.50	Concrete Fill-sand	d gravel											
1.50	9.00	Silty Cla												
9.00	13.00	Sandy Cla												
1	22.50	Silty Sar	- ' '											
	35.00	Sand (SW												
35.00	TD	End of Bo	orehole											
									Flush M	lount				
									waiver					
		1							D.Taylo					
									12/2	7/95				
7 CONTI	RACTOR'S	OR LANDOWNE	R'S CERTIFICAT	TION: Thi	is water	well was	(1) Constru	cted, (2) re	constructed	l, or (3) p	olugged u	nder my	jurisdicti	on and wa
completed	on (mo/da	y/year) <b>2/</b> .	15/95	<i>.</i>				and this re	cord is true	to the be	est of my k	nowledge	e and be	elief. Kansa
		r's License No						s complete	d on (mo/d	ay/yr)		2/16	/.96	
		ame of Assoc						by (sig	nature)	Musi	n Ku	Dur	u K	uncan

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.