LOCATI	ON OF 14/4-	ED WELL.		4 WELL RECORD	Form WWC-		7.	Number	Bassa	Number
	ON OF WAT		Fraction SE 1/4	SE 451		ction Number	Township	$\overline{}$	i .	
	ond direction		or city street at	ddress of well if locate	od within city?	/ ()	<u> </u>	9 s	<u>R</u>	 E₩
Distance a	ina airection						C			
,				sewood 4	relling	100 (C.	7.			
WATER	R WELL OW		re Kelé							
RR#, St. /	Address, Box	#: 1813	Edgeus	مل			Board o	f Agriculture, D	Division of W	ater Resource
	, ZIP Code		ington					ion Number:		
LOCATE AN "X"	E WELL'S LO			OMPLETED WELL water Encountered						
. _	$\frac{N}{1}$		ELL'S STATIC	WATER LEVEL	20 4	nolow land and	iaaa maaaurad	on moldaylur	(0-13-	96
1	i 1	\\								
-	- NW	NE	•	test data: Well wat						-
1 [1			gpm: Well wat						
ž w –	<u> </u>			ter / .C> in. to	ج. ج					
Σ	- ! !	i I I W	ELL WATER T	O BE USED AS:	5 Public wat	er supply	8 Air condition	•	Injection wel	
1 -	_ sw	SE	1 Domestic	3 Feedlot	6 Oil field wa	,	9 Dewatering		Other (Speci	fy below)
	_ ;;;	1 × ×	2 Irrigation	4 Industrial		garden only 1		, ,		
	i	ı w	as a chemical/b	acteriological sample	submitted to D	epartment? Ye	sNo	.:; <u>If y</u> es,	mo/day/yr s	ample was su
	S	mi	itted			Wat	er Well Disinfe	cted? Yes	No	
TYPE C	OF BLANK C	ASING USED:		5 Wrought iron	8 Conc	rete tile	CASING .	JOINTS: Glued	Cla Cla	mped
ب 1 St∈	eel	3 RMP (SR)		6 Asbestos-Cement	9 Other	(specify below	()	Welde	ed	
2 PV		4 ABŞ		7 Fiberglass		, , , , , , , , , , , ,	•	Threa	ded	<i></i>
			to	ft., Dia						
		nd surface		in., weight						
•	•			ini., weight		105./1				
		PERFORATION I			(7 P)	ريو		Asbestos-ceme		
1 Ste		3 Stainless st		5 Fiberglass		MP (SR)		Other (specify)		
2 Bra		4 Galvanized		6 Concrete tile	9 AE	3S	12 !	None used (op	·	
SCREEN (OR PERFOR	ATION OPENINGS		5 Gauz	ed wrapped		8 Saw cut		11 None (pen hole)
1 Co	ntinuous slot	8 Mill s	slot	6 Wire	wrapped		9 Drilled hole			
2 Lo	uvered shutte	er 4 Key	punched >	7 Torcl	/ (10 Other (spe			
SCREEN-F	PERFORATE	D INTERVALS:	From ? (⊋ ft. to .	السلاف	ft., Fron	n ,	ft. to)	
			From	<u></u>						
G	GRAVEL PAC	K INTERVALS:	From	. 3 ft. to . [.]						
			From	ft. to		ft., Fron		ft. to		f
GROUT	MATERIAL:	_ 1 Neat cen	ment	2 Cement grout	& Bent		Other			
Grout Inter		\sim	77	ft., From						
		urce of possible co		10., 110		10 Livest			pandoned w	
	eptic tank	4 Lateral		7 Pit privy		11 Fuel s	•		il well/Gas w	
	•			, ,			•			
	wer lines	5 Cess po		8 Sewage lag	joon		zer storage	16 0	ther (specify	below)
		er lines 6 Seepag	e pit	9 Feedyard			icide storage	N		
Direction for	т	45 + 1	Nor		т	How mar	ny feet?			
FROM	TO	Tancai	LITHOLOGIC	LUG	FROM	то		PLUGGING II	NIEHVALS	
9	35	TOPSOIL	1			1				
۵.	28	\$109 ()	200ml							<u> </u>
78	31	Fine San	di cla	T						
38 31	58	med, 9	ravel							
58	45	Shale								
			T Y W TOAT - After							
						 				
					_	+ +				
						+				
	 					 				
						1 1		· · · · · · · · · · · · · · · · · · ·		
										
						1				
					-	† †				
						-				
		<i>I</i> 17.	CERTIFICATION	ON: This water well v	vas (1) Constru					
-	on (mo/day/y						d is true to the	best of my kng	wledge and	belief. Kansa
Water Well	Contractor's		$S \hookrightarrow I \cap I \cap I$		Vell Record w	as completed of	on (mo/day/yr)	6-18-	<i></i>	
under the I	business nan	ne of 🧲 🎶	rase D	rilling		by (signat	ure)	Chec s	2	
				IRMLY and PRINT clearly. Pi						s Department