

mw-9

1 LOCATION OF WATER WELL: County: Sumner		Fraction NW $\frac{1}{4}$ NW $\frac{1}{4}$ SE $\frac{1}{4}$		Section Number 15	Township Number T 32 S	Range Number R 1 E																																				
Distance and direction from nearest town or city street address of well if located within city? 1022 W. 8th, Wellington, Kansas																																										
2 WATER WELL OWNER: RR#, St. Address, Box # Randy Crouch City, State, ZIP Code 1022 W. 8th, Wellington, Ks 67152 Board of Agriculture, Division of Water Resources Application Number: -----																																										
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: <div style="text-align: center;"> </div>		4 DEPTH OF COMPLETED WELL 44 ft. ELEVATION: ----- Depth(s) Groundwater Encountered 1. 35.5 ft. 2. ----- ft. 3. ----- ft. WELL'S STATIC WATER LEVEL 35.95 ft. below land surface measured on mo/day/yr 08-20-96 Pump test data: Well water was ----- ft. after ----- hours pumping ----- gpm Est. Yield ----- gpm: Well water was ----- ft. after ----- hours pumping ----- gpm Bore Hole Diameter 8.625 in. to 44 ft. and ----- in. to ----- ft. WELL WATER TO BE USED AS: 1 Domestic 3 Feedlot 6 Oil field water supply 8 Air conditioning 10 Monitoring well mw-9 2 Irrigation 4 Industrial 7 Lawn and garden only 9 Dewatering 11 Injection well 12 Other (Specify below) Was a chemical/bacteriological sample submitted to Department? Yes ----- No X If yes, mo/day/yr sample was submitted ----- Water Well Disinfected? Yes ----- No X																																								
5 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued ----- Clamped ----- 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded ----- Blank casing diameter 2 in. to 29 ft. Dia. ----- in. to ----- ft. Dia. ----- in. to ----- ft. Casing height above land surface 0 in., weight SCH 40 PVC lbs./ft. Wall thickness or gauge No. ----- TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify) ----- 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes 7 Torch cut 10 Other (specify) ----- SCREEN-PERFORATED INTERVALS: From 29 ft. to 44 ft. From ----- ft. to ----- ft. From ----- ft. to ----- ft. From ----- ft. to ----- ft. GRAVEL PACK INTERVALS: From 28 ft. to 44 ft. From ----- ft. to ----- ft. From ----- ft. to ----- ft. From ----- ft. to ----- ft.																																										
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other ----- Grout Intervals: From 0 ft. to 26 ft. From 3 ft. to 26 ft. From 28 ft. to ----- ft. What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) Contaminated Si 13 Insecticide storage Direction from well? ----- How many feet? -----																																										
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>FROM</th> <th>TO</th> <th>LITHOLOGIC LOG</th> <th>FROM</th> <th>TO</th> <th>PLUGGING INTERVALS</th> </tr> </thead> <tbody> <tr> <td>GL</td> <td>1.00</td> <td>Soil</td> <td></td> <td></td> <td></td> </tr> <tr> <td>1.00</td> <td>8.00</td> <td>Silty Clay</td> <td></td> <td></td> <td></td> </tr> <tr> <td>8.00</td> <td>17.00</td> <td>Clayey Sand</td> <td></td> <td></td> <td></td> </tr> <tr> <td>17.00</td> <td>44.00</td> <td>Sand (SP)</td> <td></td> <td></td> <td></td> </tr> <tr> <td>44.00</td> <td>TD</td> <td>End of borehole</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>							FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS	GL	1.00	Soil				1.00	8.00	Silty Clay				8.00	17.00	Clayey Sand				17.00	44.00	Sand (SP)				44.00	TD	End of borehole			
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS																																					
GL	1.00	Soil																																								
1.00	8.00	Silty Clay																																								
8.00	17.00	Clayey Sand																																								
17.00	44.00	Sand (SP)																																								
44.00	TD	End of borehole																																								
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 8/26/96 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 585 . This Water Well Record was completed on (mo/day/yr) 8/20/96 under the business name of Associated Environmental, Inc. by (signature) D. Taylor <div style="text-align: right;"> Flush Mount waiver D. Taylor 12-27-95 </div>																																										