

CORRECTION(S) TO WATER WELL RECORD (WWC-5)

(to rectify lacking or incorrect information)

Location listed as:

Section-Township-Range: 11-235-1W

Fraction (  $\frac{1}{4}$   $\frac{1}{4}$   $\frac{1}{4}$ ): SE NW NW

County: Sumner

Location changed to:

14-325-1W

NE SE NW

Other changes: Initial statements: \_\_\_\_\_

Changed to: \_\_\_\_\_

Comments: \_\_\_\_\_

verification method: Well address, city map on internet, and

Wellington 1:24,000 topo. map.

initials: RRd date: 5/6/2003

submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726

to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

1 LOCATION OF WATER WELL:		Fraction		Section Number		Township Number		Range Number	
County: <u>Sumner</u>		<u>SE 1/4 NW 1/4 NW 1/4</u>		<u>11</u>		<u>T 23</u>		<u>S 1</u>	
Distance and direction from nearest town or city street address of well if located within city?									
<u>1105 North A St Willing ton, KS</u>									
2 WATER WELL OWNER: <u>Castal Mart Inc</u>									
RR#, St. Address, Box # : <u>2 North Nevada</u>									
City, State, ZIP Code : <u>Colorado Springs Co</u>									
Board of Agriculture, Division of Water Resources									
Application Number:									
3 LOCATE WELL'S LOCATION WITH		4 DEPTH OF COMPLETED WELL: <u>35</u> ft. ELEVATION:							
AN "X" IN SECTION BOX:		Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft.							
		WELL'S STATIC WATER LEVEL ft. below land surface measured on mo/day/yr							
		Pump test data: Well water was ft. after hours pumping gpm							
		Est. Yield gpm: Well water was ft. after hours pumping gpm							
		Bore Hole Diameter <u>7 1/4</u> in. to <u>35</u> ft., and in. to ft.							
		WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well							
		1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)							
		2 Irrigation 4 Industrial 7 Domestic (lawn & garden) <input checked="" type="checkbox"/> Monitoring well							
Was a chemical/bacteriological sample submitted to Department? Yes. No. <u>---</u> ; If yes, mo/day/yr sample was submitted									
Water Well Disinfected? Yes No <u>---</u>									
5 TYPE OF BLANK CASING USED:									
1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued. Clamped.									
<input checked="" type="checkbox"/> PVC 4 ABS 7 Fiberglass 9 Other (specify below) Welded									
Blank casing diameter <u>2</u> in. to <u>20</u> ft., Dia in. to ft., Dia in. to ft.									
Casing height above land surface <u>0</u> in., weight <u>Sched 40</u> lbs./ft. Wall thickness or gauge No.									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
<input checked="" type="checkbox"/> PVC 10 Asbestos-cement									
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)									
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
1 Continuous slot <input checked="" type="checkbox"/> Mill slot <u>0.10</u> 5 Gauzed wrapped 8 Saw cut 11 None (open hole)									
2 Louvered shutter 4 Key punched 7 Torch cut 9 Drilled holes									
SCREEN-PERFORATED INTERVALS: From <u>35</u> ft. to <u>20</u> ft., From ft. to ft.									
GRAVEL PACK INTERVALS: From <u>35</u> ft. to <u>18</u> ft., From ft. to ft.									
6 GROUT MATERIAL: 1 Neat cement <input checked="" type="checkbox"/> Cement grout <input checked="" type="checkbox"/> Bentonite 4 Other									
Grout Intervals: From <u>15</u> ft. to <u>3</u> ft., From <u>18</u> ft. to <u>15</u> ft., From ft. to ft.									
What is the nearest source of possible contamination:									
1 Septic tank 4 Lateral lines 7 Pit privy <input checked="" type="checkbox"/> Fuel storage 10 Livestock pens 14 Abandoned water well									
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 15 Oil well/Gas well									
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage 16 Other (specify below)									
Direction from well? <u>West</u> How many feet? <u>20'</u>									
FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS									
<u>0</u> <u>1.5</u> <u>Concrete</u>									
<u>1.5</u> <u>1</u> <u>Fill Sand &amp; Clay</u>									
<u>1</u> <u>7</u> <u>Ben Silty Clay</u>									
<u>7</u> <u>19</u> <u>Silt Ben</u>									
<u>19</u> <u>34.5</u> <u>Sand Medium to Coarse</u>									
<u>34.5</u> <u>35</u> <u>Willowton Shale</u>									
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was <input checked="" type="checkbox"/> constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>8-9-02</u> and this record is true to the best of my knowledge and belief. Kansas									
Water Well Contractor's Licence No. <u>575</u> This Water Well Record was completed on (mo/day/yr) <u>9-02-02</u>									
under the business name of <u>FUNKIE AULLEN SERVICE INC</u> by (signature) <u>[Signature]</u>									