		V	VATER W	ELL REC	ORD I	orm WV	VC-5 K	SA 82a-121	2		
1 LOCATION OF WATER WELL: FRACTION					ı	TION NUMBE			RANGE NUMBER		
Sumn			SW 1/4	NE 1/		1/4	13	т 32	2 s	R 1	W E/W
1	E. 16th	n nearest town or city stree	Wellingto		i city?						
	ER WELL C	WNER: WELLI	INGTON H		HOOL						
RR#,ST.	ADDRESS								Board of Agri	culture, Division of	Water Resource
	CITY,	STATE: Welling	gton, Kansa	ıs		Z	P CODE: 6	7152	Application Num	nber:	
3 LOCATE	E WELL'S LO	CATION 4 DEF	PTH OF COMP	LETED WELL	L: 1	15 ft.		ELEVATION:			
WITHA	N X IN SEC		of groundwater	Encountered	:	ft			ft.		ft.
		WELL	'S STATIC WA	TER LEVEL	22	FT. BELC	W LAND S	JRFACE MEASU	IRED ON mo/o	lay/yr: 8 /	4/04
	-NW -	-NE	Pur	mp test data:	Well wa	iter was		ft. after	hours	of pumping @	gpm
<u>e</u>		1 1	st. Yield:	gpm		ater was	115	ft. after		of pumping @	gpm
₹ w			Hole Diameter WATER TO B		in.	to 1	115 ft	. and	in.	to 11 Ini	ft. ection well
	- sw				5. Public w a	ater supply	7. Lawn	and garden only	> ^{9. Dewateri}	9	Specify below)
	2. Irrigation 4. Industrial 6. Oil field water supply 8. Air conditioning 10. Monitoring well										
'	s	Was a submit	a chemical/bacter	riological sample	submitted to	Department?	YES	NO Nater Well Disinf		what mo/day/yr	was sample NO
5 TYP	PE OF CAS	ING USED:	ileo							Glued	Threaded
<u></u>	. Steel	3. RPM (SR)	5. Wrought	Iron 7	7. Fiberglass	•	ther (Specify	y below) CAS	ING JOINTS: (Welded	Clamped
\bigcirc 2	. PVC	4 . ABS	6. Asbestos	s-Cement 8	3. Concrete	tile SD	R-26			***************************************	Ciampou
Blank casi	ing diamete	r 5 in.	to	30 ft.,	Dia.	in.	to	ft.,	Dia.	in. to	ft.
Casing he	eight above	land surface:	12 in.,		Weight:	2.35	bs. / ft.	Wall th	ckness or gaug	ge No21	4
TYPE OF	SCREEN C	R PERFORATION MA	ATERIAL:								
	1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify)										
2. Bras	s 4	Galvanized	6. Concrete T	ile 8.	. RMP (SR)	10. A	sbestos-Ce	ment 12. No	ne used (open	hole)	
I .		RATION OPENINGS						0 B.III		44 None	/ b-l-\
	nuous slot	3. Mill slot		Gauzed wrap			rch cut		ed holes	11. None ((open hole)
2. Louve	ered shutte	r 4. Key punc	hed 6. V	Nire wrapped	i	8. Sa	w cut	10. Othe	er (specify)		
SCREEN -	PERFORA	TION INTERVAL	From	30 ft.	to	115	ft.,	From	ft.	to	ft.
1			From	ft.	to)	ft.,	From	ft.	to	ft.
GF	RAVEL PA	CK INTERVALS:	From	24 ft.	t	0 115	ft.,	From	ft.	to	ft.
			From	ft.	t	0	ft.,	From	ft.	to	ft.
6 GROU	JT MATERI	ALS: 1. Neat cen	nent	2. Cement	Grout	;	3. Bentonite)	Other bent	onite hole p	lug
•	ntervals:		ft. to	24 ft.,	From	ft.	to	ft.,	From	ft. to	o ft.
What is the nearest source of possible contamination: 1. Septic tank 4. Lateral lines 7. Pit privy						10. Livestoc	k pens	13. Insecticide storage		15. Oil well	/Gas well
1. deplie talk 4. Lateral lines						11. Fuel sto	rage	40 Other formals to be level			
3. Watertight sewer line 6. Seepage pit 9. Feed yard 12. Fertilizer storage								None Apparent			
Direction f	•	inte o. coopage i		•			•	How ma	iny feet?		
From	То	Ll1	THOLOGIC	LOG		From	То		LITHOLO	GIC LOG	
0	4	topsoil					ļ			,	
20	20 21	clay fine sand					<u> </u>	<u> </u>			
21	115	shale									
-						+	 	ļ			
						+	 	<u> </u>		·	
								RECEI	VED.		
						<u> </u>			·		
							-	AUG 2 6 2004			
						<u> </u>	<u> </u>				
7 Contr	ractor's or L	andowner's Certification	on: This water	well was 1.	constructe	d) 2, re	constructe	or 35UF	KEAU OF	WATERsdi	ction and
\vdash		mo/day/year)	8/4/2004					knowledge and b		• •	
							•	•			
Kansas Water Well Contractor's License No. This water well record was completed on (mo/day/year) 8/6/2004 under the business name of Harp Well and Pump Service by (signature) 7 / / / //											
							as completed gnature)		d d S.		