v	VATER WELL REC	ORD Form WWC-5	KSA 82a-	1212 ID N	lo			
1 LOCATION OF WATER WELL:	Fraction 1/4	SW 14 SW 1	Sec	ction Number	Township Nu	mber	Range Number	m W
Distance and direction from nearest t	own or city street a	ddress of well if located	•	ΛΛ ΄	المحاد			
2 WATER WELL OWNER: Va.		dy &n	we	lling	YOY			
- \ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\		Schelfler	ب	)	Decord of Ac	daultura Dird	later of Motor Descri	
RR#, St. Address, Box # : 776 City, State, ZIP Code : 776	Melod	4 DE LOTH	50		Application I		sion of Water Resou	rces
3 LOCATE WELL'S LOCATION WITH	<del></del>	OMPLETED WELL	20	ft. ELEVA				
AN "X" IN SECTION BOX:		dwater Encountered	22	) fi	t. 2	ft. 3	محونهوسويسويسوسا	ft.
N	WELL'S STATIC	C WATER LEVEL	🔼ft. bel	ow land surfac	ce measured on mo	ˈday/yr	T 6	
1 1		np test data: Well water						
NW NE	WELL WATER	TO BE USED AS: 5 F	Public water	supply	8 Air conditioning	11 Inje	ction well	01
W	1 Domestic 2 Irrigation		Dil field wate		9 Dewatering 10 Monitoring well		er (Specify below)	
"	2 migation	4 massman 7	Someone (lat	in a gardon,	, to wormoning won	•••••		: .
Y-SWSE	Was a chemica	l/bacteriological sample s	submitted to	Department?	Yes No.	.: If ves. mo/	dav/vrs sample was	sub-
	mitted	, bastonologica, bampio	30011111100110		ater Well Disinfecte			
5 TYPE OF BLANK CASING USED	):	5 Wrought iron	8 Concre	ete tile	CASING JOII	NTS: Glued	Clamped	
1 Steel 3 RMP (	SR)	6 Asbestos-Cement		(specify below	,		l	
2 VC 4 ABS Blank casing diameter	in to	7 Fiberglass					ed	
Casing height above land surface	16	in weight	60	III. 10	ווה, טומ	ss or quade	No 26	16.
TYPE OF SCREEN OR PERFORATI			7(PV			estos-Cemer		
1 Steel 3 Stainle	5 Fiberglass	Fiberglass 8 R			11 Other (Specify)			
	nized Steel	6 Concrete tile	9 AE	S	12 Non	e used (oper	n hole)	
SCREEN OR PERFORATION OPEN			ed wrapped		8 Saw cut	1	1 None (open hole)	
	Mill slot Key punched	7 Torch	wrapped cut		<ul><li>9 Drilled holes</li><li>10 Other (specify</li></ul>	)		ft.
SCREEN-PERFORATED INTERVAL				ft From				
SOFIELN EN STATED INTERVAL		ft. to	····	ft., From	·	ft. to		ft.
GRAVEL PACK INTERVAL	.S: From	7.4	80	ft., From	l	ft. to		ft.
	FIOH1	ft. to		II., From		11. 10		11.
6 GROUT MATERIAL: 1 Ne	eat cement	2 Cement grout						
Grout Intervals: From		7 ft., From	ft. 1	io	ft., From		ft. to	ft.
What is the nearest source of possible contamination:				10 Livestock pens		14 Abandoned water well		
1 Septic tank 4 Lateral lines 2 Sewer lines 5 Cess pool		7 Pit privy		11 Fuel storage		15 Oil well/Gas well 16 Other (specify below)		
2 Sewer lines 5 Ce 3 Watertight sewer lines 6 Se	8 Sewage lagoon 9 Feedvard		12 Fertilizer storage 13 Insecticide storage		16 011	er (specify below)		
	outh	o i coayare		How mar	~ ~ ~	***************************************		
FROM TO	LITHOLOGIC	LOG	FROM	то		GGING INTE	RVALS	
0 2 TOP	Soil							
3 33 610	u_							
21 32 Fin	e Sand	1						
32 51 Ar	un Sha	eles						
51 80 Bu	ie Sh	all						
								<del></del>
								- 1.
								-
7							<u> </u>	
CONTRACTOR'S OR LANDOWN		FION: This water well wa						
completed on (mo/day/year)		This Water				st of my knov	wledge and belief. Ka	nsas
under the business name of	1011		vveii necola		(signature)	0,0	1 0	•••
INSTRUCTIONS: Use typewriter or ball point	pen. PLEASE PRESS FI	RMLY and PRINT clearly. Please	fill in blanks. und		/	three copies to	Kansas Department of Hea	ılth
and Environment, Bureau of Water, Geology								