		w	ATER WELL RE	CORD	Forr	n WWC-	5 K	(SA 82a-	1212 ID N	lo						
1 LOCATION OF WATER WELL:			Fraction					Sec	tion Number	Tov	Township Number			Range Number		
County:	Summ			14 SE		NE			13	Т	32	S	R	1	_ E / (V)	
Distance ar	nd direction	from nearest to	own or city stree	t address	of wel	l if locate	d withi	in city?								
		•	ached map	, 									-			
2 WATER	R WELL OW	NER: BNS	= =													
RR#, St. Ad	ddress, Box	# : 1313	E, 151 SA	reeT							_		ivision of \	Nater R	esources	
City, State,			Ington, K	5 67	152		7.	10		Ap	plication N	Number:				
		CATION WITH	4 DEPTH OF													
AN "X" IN	SECTION N	BOX:	Depth(s) Gro WELL'S STA	undwater	Encou	intered	1		f	t. 2	od on mo/	ft. 3	4 1271	ω <u>`</u>	tt.	
		ı	WELLSSIA	ump test	data:	. د	ter wa	n. beid s		after	ed on mo/	hours p	umpina		apm	
	NDA/	gpm: Well water wasft. afterhours pumping									gpm					
	-NW	R TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well								\						
w_	1		1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) (D)Monitoring well													
**	!	E	2 irrigatio		maast	, iai	Dom	conc (lav	vii a garaon,	W VIOLING	Jing won					
	-sw	_ SE)4/b			-11			D = = = = ±0	V !	u. 🔽	. 16	o /dov/hro	comple	waa aub	
	1	- SL	Was a chemi	cal/bacter	riologic	aı sampı	e subn	nittea to i		res /ater Well l			io/uay/yrs	Sample No	was sub-	
	1		millou						•			,			^	
E TYPE	S S S ANIX C	CACING LICER		E 147				0.00	nan aile	044	OINIC IOI	ITC: Object	4 (lomner	1	
	TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR)				5 Wrought iron6 Asbestos-Cement			8 Concrete tile CASI 9 Other (specify below)			SING JOIL		d			
	2 PVC 4 ABS			7 Fiberglass								Welded Threaded				
Blank casir	ng diameter	2	in. to	15.1	9	ft., Dia			in. to		ft., Dia		in.	to	ft.	
Casing hei	ght above la	ınd surface	36	in.	, weigł	nt				. Ibs./ft. Wa	all thicknes	ss or guag	e No. کچر	·· 40	}	
TYPE OF	SCREEN OF	R PERFORATI	ON MATERIAL:					D PVC				estos-Cem				
1 Steel 3 Stainless Steel			5 Fiberglass6 Concrete tile				8 RMP (SR)				` ') .on bolo)	•••••			
2 Bras	_		ized Steel	6 Cor	ncrete			9 AB	55			e used (op	•			
		RATION OPEN						vrapped		8 Saw			11 None	(open h	nole)	
Con	tinuous slot vered shutte	ූ 🦁	Mill slot				re wrap ch cut	•		10 Othe	ed holes er (specify	١			ft.	
			Key punched	C19					ft., Fron							
SCREEN-	PERFORAII	ED INTERVALS	S: From	<u> </u>	••••	ft. to	يد		ft From			π. το ft to		•••••		
(GRAVEL PA	CK INTERVAL	S: From	3.00	· · · · · · · · · · · · · · · · · · ·	ft. to	30,	19	ft., Fron	· ········		ft. to			ft.	
			From			ft. to			ft., From	······		ft. to			ft.	
6 GROU	IT MATERIA	ul. 1 No	at cement	2.0	amon	t grout		Rent	tonite	4 Other						
			ft. to .17.					ff t	ionite —							
1			e contamination			JIII				stock pens			bandoned			
	tic tank		eral lines	.•	7 Pit privy			11 Fuel storag			15 Oil well/Gas well					
2 Sewer lines 5 Cess pool					8 Sewage lag							16 Other (specify below)			w)	
1	ertight sewe		9 Feedyard				13 Insecticide storage			Lardfill						
Direction fr	-									ny feet?	•					
FROM	TO		LITHOLOG	IC LOG			F	FROM	ТО			GGING IN	TERVALS			
		MW-														
D	18	Silty														
18	28		Fine you	delan	to 1	ourse										
28	-	Shale														
							_								-	
							_									
	L	<u> </u>												· · · · · · · · · · · · · · · · · · ·		
CONTR	ACTOR'S	R LANDOWN	ER'S CERTIFIC	CATION: 1	This wa	ater well	was (Constr	ucted, (2) red	onstructed	l, or (3) pl	ugged und	der my juri	sdiction	and was	
completed of	on (mo/day/y	/ear) 4. [27/05						and this r	ecord is tru	e to the be	st of my kr	owledge a	ınd belie	f. Kansas	
I .			7/0				er Wel	l Record					o.T			
under the b	usiness nan	ne of Below	w band	whove,	. In	(,			by	(signature	whi	7-0	><			

