

1 LOCATION OF WATER WELL:		Fraction	Section Number		Township Number	Range Number																																																																																																	
County: Sumner		NE ¼ NW ¼ SW ¼	14		T 32 S	R 1 E/W																																																																																																	
Distance and direction from nearest town or city street address of well if located within city? 214 N. Jefferson, Wellington (Bank well)																																																																																																							
2 WATER WELL OWNER: RR#, St. Address, Box # : Wellington Fire Department City, State, ZIP Code : 200 N. "C" Street Wellington, KS 67152 <div style="text-align: right;">Board of Agriculture, Division of Water Resources Application Number:</div>																																																																																																							
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: <div style="text-align: center;">N NW NE W X E SW SE S</div>		4 DEPTH OF COMPLETED WELL 35 ft. ELEVATION: Depth(s) Groundwater Encountered 1..... ft. 2..... ft. 3..... ft. WELL'S STATIC WATER LEVEL 27.55 ft. below land surface measured on mo/day/yr 10/14/2008 Pump test data: Well water was NA ft. after hours pumping gpm Est. Yield .. NA .. gpm; Well water was ft. after hours pumping gpm Bore Hole Diameter 8 in. to 35 ft., and in. to ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes.....No✓ ; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes No ✓																																																																																																					
5 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded Blank casing diameter 2 in. to 20 ft. Dia in. to ft. Dia in. to ft. Casing height above land surface in., weight lbs./ft. Wall thickness or gauge No. Sch. 40 TYPE OF SCREEN OR PERFORATION MATERIAL 1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 10 Asbestos-cement 2 Brass 4 Galvanized steel 6 Concrete tile 8 RMP (SR) 11 Other (specify) SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes 7 Torch cut 10 Other (specify) SCREEN-PERFORATED INTERVALS: From 20 ft. to 35 ft. From ft. to ft. GRAVEL PACK INTERVALS: From 18 ft. to 35 ft. From ft. to ft.																																																																																																							
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Grout intervals: From 0 ft. to 1 ft. From 1 ft. to 18 ft. From ft. to ft. What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) Direction from well? How many feet?																																																																																																							
<table border="1" style="width:100%; border-collapse: collapse;"><thead><tr><th>FROM</th><th>TO</th><th>LITHOLOGIC LOG</th><th>FROM</th><th>TO</th><th>PLUGGING INTERVALS</th></tr></thead><tbody><tr><td>0</td><td>0.5</td><td>Asphalt,</td><td></td><td></td><td></td></tr><tr><td>0.5</td><td>2</td><td>Clay, Black</td><td></td><td></td><td></td></tr><tr><td>2</td><td>6</td><td>Clay, Black and Red</td><td></td><td></td><td></td></tr><tr><td>6</td><td>12</td><td>Clay, Red</td><td></td><td></td><td></td></tr><tr><td>12</td><td>16</td><td>Shale, weathered, Brown</td><td></td><td></td><td></td></tr><tr><td>16</td><td>27</td><td>Shale, Lt. Brown</td><td></td><td></td><td></td></tr><tr><td>27</td><td>32</td><td>Shale, chert gravel lens 27-28', Brown</td><td></td><td></td><td></td></tr><tr><td>32</td><td>35</td><td>Shale, chert gravel lens 32-33', Gray</td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td>MW14 , Flushmount</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td>Project Name: GeoStat - Wellington Fire Dept</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td>GeoCore # 1489 , #</td></tr></tbody></table>								FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS	0	0.5	Asphalt,				0.5	2	Clay, Black				2	6	Clay, Black and Red				6	12	Clay, Red				12	16	Shale, weathered, Brown				16	27	Shale, Lt. Brown				27	32	Shale, chert gravel lens 27-28', Brown				32	35	Shale, chert gravel lens 32-33', Gray																																	MW14 , Flushmount						Project Name: GeoStat - Wellington Fire Dept						GeoCore # 1489 , #
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS																																																																																																		
0	0.5	Asphalt,																																																																																																					
0.5	2	Clay, Black																																																																																																					
2	6	Clay, Black and Red																																																																																																					
6	12	Clay, Red																																																																																																					
12	16	Shale, weathered, Brown																																																																																																					
16	27	Shale, Lt. Brown																																																																																																					
27	32	Shale, chert gravel lens 27-28', Brown																																																																																																					
32	35	Shale, chert gravel lens 32-33', Gray																																																																																																					
					MW14 , Flushmount																																																																																																		
					Project Name: GeoStat - Wellington Fire Dept																																																																																																		
					GeoCore # 1489 , #																																																																																																		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 10/14/2008 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 527 This Water Well Record was completed on (mo/day/yr) 10/27/2008 under the business name of GeoCore, Inc. by (signature) Dale Kelly																																																																																																							
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.																																																																																																							