WATER WELL RECORD Form WWC-5 KSA 82a-1212 ID No.

. ILOGA-	ON OF 14/4-	DIME	Freetier	THE RECORD	- C	ion Number	Township No.	umber	Pagas	Number	
	ON OF WATE		Fraction NW 1/4	NW v		ion Number 14	Township N		Range R	Number	w
County:			wn or city street add			-17	1 02				
Approx.	160' N, 160	'W of NW	Corner of Harv	ey St. and Ash	St Wellingt	on					
WATER	WELL OWNE	R: KDHE	/BER								
_ RR#, St. Ad	dress, Box #	: 1000	SW Jackson S	St., Ste. 410			Board of Agric	ulture, Divis	sion of Wate	er Resou	rces
ity State	ZID Code	Topel	ca. KS 66612				Application Nu	ımber:			
LOCATE	WELL'S LOC	CATON WITH	4 DEPTH OF C	OND STED WELL	27 (VATION:	1105	na (TOC	٠,	
AN "X" II	N SECTION B	OX:	DEPTH OF C	OMPLE IED WELI	21.3	?π. ELE	VATION:	1190	.04 (100	<i>!</i> }	
			Depth(s) Ground	water Encountered	· · ·	,	l. Z	IL.	J		π.
 	NW 	NE	1				measured on mo/o			/11/11	
0	i						ft. after				
₩ W	- x		Est. Yield	gpm: Well	water was	<u>.</u>	ft. after	hours p	umping		jpm
			Bore Hole Diame	ter 8.25 in.	to 21.	5	ft. and 8 Air conditio 9 Dewatering	in.	. to		ft.
	sw 	SE	1 Domestic	3 Feed lot	6 Oil field water st	ippiy supply	9 Dewatering	ning 11	Other (Sp	well ecify belo	ow)
↓ L			2 Irrigation	4 Industrial	7 Lawn and gard	en (domest	ic) 10 Monitoring	leur		,	,
_	S						Yes No X				
			1	bacteriological sam	ipie submitted to L					sampie w lo X	as
			submitted	F 141	0. Camara		ater Well Disinfecte				
	F BLANK CAS			5 Wrought Iron			CASING JOI			lamped	
	eel		(SR)					Welde		<u> </u>	
2 PV		4 ABS		7 Fiberglass				Thread	ed	riusn	
Blank casin	g diameter	2	in. to 22.	5ft., Dia	in. to		ft., Dia		in. to		ft.
Casing heig	ht above land	surface	0	in., weight	0.703	lbs./ft.	Wall thickness or	gauge No.	SC	H. 40	
		PERFORATION	ON MATERIAL:				10 Asb				
1 Ste	eel		less steel		8	RMP (SR)	11 Othe	er (specify)			
2 Bra			anized steel	6 Concrete tile	9	ABS	12 Non				
_	R PERFORA				Gauzed wrapped		8 Saw cut		11 None (open hol	e)
	ntinuous slot		Mill slot		Nire wrapped		9 Drilled holes				
			Key punched		Forch cut	_	10 Other (spec	ily)			
3CREEN-P	ERFORATED	INTERVALS			21.5	^{ft.}	From	ft. to	• • • • • • • • • • • • • • • • • • • •		ft.
			From	ft. to		ft.	From	ft. to			ft.
GR	AVEL PACK I	NTERVALS:			21.5	ft.	From	ft. to	•		ft.
			From				From				
6 GROUT	MATERIAL:	1 Neat	cement 2	Cement grout	3 Ben	onite	4 Other				
Grout Interv	als From	1	ft. to 20.5	ft. From	ft. t	0	ft. From		ft. to		_ ft.
Vhat is the	nearest source	e of possible	contamination:			10 Live:	stock pens	14 Aba	indoned wa	ter well	
	ptic tank		4 Lateral lines	7 Pit			storage		well/ Gas w		
			5 Cess pool					16 Oth	er (specify	below)	
	atertight sewer	rlines	6 Seepage pit	9 Fee	edyard		cticide storage				
Direction fro		LOODE	LITUOL	00101.00	FDOM	How many		PS COORE	NATEC		
FROM 0.0	1.0	CODE		OGIC LOG	FROM	ТО	<u> </u>	PS COURL	JINATES		
0.0	1.0		lay, dark brown	to light tan to bl	ue-	 	37.26625° N				
1.0	21.0	or or	ay, silty below 6'	. sandy below 8'			097.39291°W	1			
			hale, weathered								
21.0	26.5	ar	hydrite nodules								
26.5	27.5	W	ellington Sha	le							
						-					
		 				 					
		-							·········		
7 CONTR	ACTOR'S OR	T WIDOWNI	ER'S CERTIFICATI	ON: This water we	ell was (1) construc	ted (2) rec	onstructed or (3) pl	ugged unde	r my juriedia	tion and	was
			0010								
•	on (mo/day/yr			531			true to the best of r	<i>n</i>	_		
	Contractor's l		Gastashal				ecore was comple	ea on (mo/	uay/yr)	001211	·
inder the b	usiness name	one fill in his	nks and circle the corr	cal Services I		(signature)		ronment P.	reau of Moto	r 1000 S	۱۸/
INSTR	OCTIONS: PI	Tanaka Kan	no 66612,1367 Tol	ect attawers. Seria 1	ME Send one to M	as Departine	OWNER and retain	one for vour	records	51, 1000 5	**