

WATER			WWC-5 1163	DI	vision of Wate			
Original Record Correction Change I LOCATION OF WATER WELL:						inces App. No. Well ID Well ID		
County:				-		$\begin{array}{c} \text{R} \\ \text{R} \\ \text{E} \\ \text{W} \end{array}$		
2 WELL OWNER: Last Name: First: Street or Rural Address where well is located (if unknown, distance and								
					rection from nearest town or intersection): If at owner's address, check here:			
Address:								
Address: City:		State:	ZIP:					
3 LOCATE	WELL							
WITH "X" IN 4 DEPTH OF COM			IPLETED WELL: ft.			5 Latitude:(decimal degrees)		
	SECTION BOX: N Depth(s) Groundwater Encountered: 1) 2) ft. 3) ft., or 4) \Box					Longitude:(decimal degrees) Datum: WGS 84 NAD 83 NAD 27		
Ν			TER LEVEL: \dots			Source for Latitude/Longitude:		
			below land surface, measured on (mo-day-yr)				<u>.</u>)	
NW	- NE	above land surface			(WAAS enabled? [] Yes [] No)			
		Pump test data: Well w		Land Survey Topographic Map				
W X E		after hours			Online Mapper:			
SW	- SE	Well water was ft. after hours pumping gpm						
		Estimated Yield:	5P	6 Elevation:ft. Ground Level TOC				
S		Bore Hole Diameter:	ft. and	Source: Land Survey GPS Topographic Map				
1 mil			ft.					
7 WELL WATER TO BE USED AS:								
1. Domestic:	14	5. 🗌 Public Wa						
☐ Househo ☐ Lawn &		6. □ Dewaterin 7. □ Aquifer R						
	Livestock 8. Monitoring: well ID							
2. 🗌 Irrigation								
3. 🗌 Feedlot 🗌 Air Sparge				Extraction		b) Open Loop 🗌 Surface Discharge 🔲 Inj. of Water		
4. Industrial Recovery Injection 13. Other (specify):								
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:								
Water well disinfected? Yes No								
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
□ Steel □ Stainless Steel □ Fiberglass □ PVC □ Other (Specify)								
Brass Galvanized Steel Concrete tile None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
$\Box \text{ Continuous Slot} \qquad \Box \text{ Mill Slot} \qquad \Box \text{ Gauze Wrapped} \qquad \Box \text{ Torch Cut} \qquad \Box \text{ Drilled Holes} \qquad \Box \text{ Other (Specify)} \dots \dots$								
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole) SCREEN-PERFORATED INTERVALS: From								
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft. to ft.								
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other								
Grout Intervals: From								
Nearest source of possible contamination:								
□ Septic Tank □ Lateral Lines □ Pit Privy □ Livestock Pens □ Insecticide Storage								
Sewer Lines Cess Pool Sewage Lagoon Fuel Storage Abandoned Water Well Watertight Sewer Lines Seepage Pit Feedyard Fertilizer Storage Oil Well/Gas Well								
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well □ Other (Specify)								
Direction from well? ft.								
10 FROM	TO	LITHOLO	GIC LOG	FROM	TO	LITHO. LOG (cont.) of	r PLUGGING INTERVALS	
<u> </u>								
	Notes:							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, or plugged								
under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No This Water Well Record was completed on (mo-day-year)								
under the bus	under the business name of							
KS Departme	KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.							
Visit us at <u>http://www.kdheks.gov/waterwell/index.html</u> KSA 82a-1212								