WATI	ER WEI	LL RECORD	Form WWC-5	Division of Water Resources App. No.
	CATION inty: SUM	OF WATER WELL:	Fraction NE ¼ NE ¼ NE ¼ NW ¼	Section Number Township No. Range Number 14 T 32 S R 1
Stre	et/Rural A	Address of Well Location	; if unknown, distance & direction	Global Positioning System (GPS) information:
	from nearest town or intersection: If at owner's address, check here . Latitude: .37.27440			
		H A STREET, WELLIN	· —	Longitude: 97.39426 (in decimal degrees)
10	UZ NOKI	HASINEEI, WELLIN	IGTON, NO	Elevation: 1236.26
				Datum: ☐ WGS 84, ☐ NAD 83, ☐ NAD 27
		ELLOWNER: KDHE		Collection Method:
RR	#, Street A	Address, Box #: 1000 S	SW JACKSON STSTE.#410	GPS unit (Make/Model:)
Cit	y, State, Z	IP Code : TOPE	KA, KS 66612-4367	☐ Digital Map/Photo, ☐ Topographic Map, ☑ Land Survey
		_		Est. Accuracy:
	CATE WE		3E 0	•
	TH AN "X		COMPLETED WELL 35.0	
SEC	SECTION BOX: Depth(s) Ground		ndwater Encountered (1).~	ft. (2) ft. (3) ft.
		WELL'S STA	FIC WATER LEVELft	below land surface measured on mo/day/yr
				ft. after hours pumping gpm
	IW N			ft. after hours pumping gpm
w	$W \mid \mathbf{I} \mid \mathbf{I} \mid \mathbf{E} \mid \mathbf{Bore\ Hole\ Diame}$			t., andft.
-	<del>                                     </del>	l I	R TO BE USED AS: 🔲 Public wat	
8	w s	E Domestic	☐ Feedlot ☐ Oil field water	er supply
1 -	i lī	∐ Irrigation	☐ Industrial ☐ Domestic-lay	vn & garden Monitoring well MW16
	·		l/bacteriological sample submitted to	
	S		o/day/yr sample was submitted	
	1 mile	Water well dis	infected? Tyes A No	
5 TYP	PE OF CA	SING USED:  Ste	el 🗹 PVC 🔲 Other	
CASING JOINTS: Glued Clamped Welded Threaded Casing diameter .2.0				
Casing height above land surface -3.48 in., Weight				
		EEN OR PERFORATION		
	7 Steel		✓ PVC	Other (Specify)
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)				
SCREEN OR PERFORATION OPENINGS ARE:				
☐ Continuous slot ☑ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)				
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)				
SCREEN-PERFORATED INTERVALS: From				
From ft. to ft., From ft. to ft.				
	GRAV	EL PACK INTERVALS:	From	ft., From ft. to ft.
From ft. to ft., From ft. to ft.				
6 GR	OUT MA	TERIAL:	nent 🔲 Cement grout 🗹 Benton	nite Other
	Intervals:	From .1 ft.	to .23.0 ft., From	ft. to ft., From ft. toft.
What i	s the near	est source of possible con		•
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☑ Other (specify below)				
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well				
_		ht sewer lines 🔲 Seepage		· — ·
		n well		from well
FROM	OT	LITHOLO	GIC LOG FROM	TO LITHO. LOG (cont.) or PLUGGING INTERVALS
0	1	TOPSOIL		
1	6	CLAY, SILTY		
6	24	CLAY, SANDY		
24	35	SAND, VERY FINE T	O MEDIUM	
				MW16
•				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was   ✓ constructed, ☐ reconstructed, or ☐ plugged				
under my jurisdiction and was completed on (mo/day/year) .03/04/20.14 and this record is true to the best of my knowledge and belief.				
Kansas Water Well Contractor's License No. 594 This Water Well Record was completed on (mo/day/year) .04/22/2014				
under the business name of Coranco Great Plains, Inc. by (signature)				
under the business name of				
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St./Sque 420, Topeka, Kansas 66612-1367.				
Telepho	ne 785-296-	-5522. Send one copy to Wa	ATER WELL OWNER and retain one for	your records. Include fee of \$5.00 for each constructed well. Visit us a
http://w	ww.kdheks.g	gov/waterwell/index.html.		
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Cop				